10/29/2013

1/25



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

October 29, 2013

Ns. Ann M. Tillman, Ph.D. Fegulatory Agent for Tru Prodigy c/o Plyxis Regulatory Consulting, Inc. 4110 136th Street NW Gig Harbor, WA 98332-9122

Subject:

Label Notification(s); Pesticide Registration Notification (PRN) 98-10

VETGUARD FOR CATS, EPA Reg. No. 88966-1 Your Submission Dated September 20, 0213

Cear Ms. Tillman:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notification (PRN) 98-10 (New Alternate Brand Name), dated September 20, 2013, for the referenced product. The Registration Division has conducted a review of this request for its applicability under PRN 98-10, and finds that the action(s) requested fall within the scope of PRN 98-10.

Please be reminded that 40 CFR §156.140(a)(4) requires that a batch code, lot number, or other code ic entifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-Notification/PRN 98-10) or durably marked on the container itself.

The label submitted with this application has been date-stamped "Notification," and will be placed within the administrative file for this product. If you have any questions, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at <u>Rodia.Carmen@epa.gov</u>.

Sincerely yours

Richard J. Gebken Product Manager (10)

Insecticide Branch

Registration Division (7504P)

08 !966-00001 D484002

| Please read instructions on re | pyerse before compl | 1 form. | | Form App | 20000 | MB No. 2 | 070-0060 | O. Approval expires 2-28-95 |
|---|---|--|--------------------------------------|--|--------------------|-------------------------------|-------------------------|--|
| ⊕EPA | Environmental | United States I Protection Aington, DC 20460 | Age | ency | ✓ | Registrat Amendm Other | | OPP Identifier Number |
| | | Application f | ior | Pesticide - Sect | tion | Ī | | |
| I. Company/Product Number Tru Prodigy/88966-1 | | | <i>3</i> . | 2. EPA Product Mana R. Gebken | ager | | 3. Pro | pposed Classification |
| I. Company/Product (Name) Tru Prodigy/VetGuard for C | | | | PM# 1 | 10 | | | |
| 5. Name and Address of Appl Tru Prodigy c/o Pyxis Regu 4110 136th St. NW Gig Harbor, WA 98332 | | de) | | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. | | | | |
| Check if this | is a new address | • | | Product Name _ | | OCI | 2 9 201 | 3 |
| | | | Sec | ction - II | | | | |
| Amendment - Explain Resubmission in respo | onse to Agency letter | | | f 1 | ter dat Applica | ation. | to | |
| Explanation: Use additional Notification of alternate brace provisions of PR Notice 98 I understand that it is a vio notification is not consister subject to enforcement act | rand name_ per PRN 8-10 and EPA regulat plation of 18 U.S.C. S ant with the terms of P | I 98-10. The alternations at 40 CFR 1 Sec. 1001 to willful PR Notice 98-10 a | rnate 152.40 ully ma and 40 | brand name is "PetLo 46, and no other chang nake any false stateme 40 CFR 152.46, this pr | ges h | ave been mad EPA. I furthe | ide to the er unders | labeling of this product. |
| | | | Sect | tion - III | | | | |
| 1. Material This Product Will | Be Packaged In: | | | | | | | |
| Child-Resistant Packaging Yes No | Unit Packaging Yes No | [| Yes | | 2. Type of C | Metal Plastic Glass | | |
| Certification must be submitted | If "Yes" Unit Packaging wgt. 0.017 oz. | | f "Yes Packag | s" No. per ige wgt container | · · | | Paper Other (S | pecify) _ c |
| 3. Location of Net Contents In | Information container | 4. Size(s) Retail Co | | fl. oz. | 5. Lo | Cation of Labs | al Direction | (; (|
| 5. Manner in Which Lebel is / | Affixed to Product | Lithograph Paper glued Stenciled | d | √ Other | on | n box and on i | insert in t | oox ;.c |
| | | S | sect | tion - IV | | | ((((| |
| 1. Contact Point (Complete i | items directly below f | or identification of | indiv | ridual to be contacted, i | if nec | essary, to pro | cess this | application.) |
| Name Ann ⊮l. Tillman | | Title Age | e gent | | | | Telephone (253) 85 | 9 No. (ဂိုဂ္ငါပရင် Area Code) 53-7369 |
| I certify that the staten I acknowledge that any both under applicable I | y knowlinglly false or i | Certification this form and all a misleading stateme | attach | hments thereto are true, nay be punishable by fir | ecci | urate and com imprisonment | plete. or | 6. Date Application Received (Stamped) |
| 2. Signature | Miller | 3. Ti | Title gent | | | | | I |
| 4. Typed Name Ann M. Tillman | | 5. Da | ate | 9/20/13 | | | | |

PYXIS REGULATORY CONSULTING, INC.

4110 136th St. NW Gig Harbor, WA 98332

Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

September 20, 2013

COURIER DELIVERY

Richard Gebken (PM 10)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

NOTIFICATION
OCT 2 9 2013

RE:

Tru Prodigy

VetGuard for Cats (EPA Reg. No. 88966-1)

Submission of Alternate Brand Name per PRN 98-10

Dear Mr. Gebken,

On behalf of Tru Prodigy please find the enclosed notification of an alternate brand name for VetGuard for Cats. The alternate brand name, PetLock for Cats, is inserted in brackets under the primary brand name on the master label.

In support of this notification please find the enclosed documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the VetGuard for Cats label with the alternate brand name in brackets beneath the primary brand name
- 3. Certification with Respect to Label Integrity
- 4. One (1) copy of the VetGuard for Cats label on CD
- 5. Letter of Authorization

Please feel free to contact me by phone at (253) 853-7369 or by email at Ann@PyxiskCcom if you have any questions or need any additional information.

Sincerely.

Ann M. Tillman

Enclosures

- 1. Package Insert
- 2. Carton (front, back, inside and side panels)
- 3. [Optional text for front or Optional text for back of cardboard insert if security packaging used]
- 4. Optional card with tips for use
- 5. Reminder Stickers
- 6. Text for back of blister
- 7. Text for back of pipette (applicator)

NOTIFICATION

OCT 2 9 2013

Note to reviewer: optional text is placed in brackets

1. Package Insert, Text

VETGUARD FOR CATS

[Alternate brand name: PETLOCK FOR CATS (logo below)]



For use ONLY on CATS & KITTENS 8 weeks and older

| ACTIVE INGREDIENT: | |
|--------------------|-------|
| Fipronil: | 9.7% |
| INERT INGREDIENTS: | 90.3% |
| TOTAL: | |

KEEP OUT OF REACH OF CHILDREN CAUTION

[Optional marketing claims]

| [Quick-acting] | | |
|--|---|---|
| [Long-lasting] | | ((((((((((((((((((((|
| [Waterproof] | (((((((((((((((((((| Ĺ |
| [For monthly control of fleas, ticks, chewing lice, mosquitoes] | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | i |
| [Kills adult fleas] | , . | |
| [Kills newly emerged adult fleas prior to egg-laying] | (((((((((((((((((((| |
| [Effective treatment that kills adult fleas which may cause flea allergy dermatitis] | 000. 00. | |

[Kills all life stages of ticks (larva, nymph, and adult) including brown dog ticks (*Rhipicephalus* sanguineus), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Kills adult mosquitoes]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Have the product container label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-314-8588 for emergency medical treatment information.

HAZARDS TO DOMESTIC ANIMALS

For external use only on cats. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

Side Effects. After applying VetGuard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ THE ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

VetGuard for Cats is approved for use on all cats including breeding, pregnant and lactating queer, s, and on kittens that are older than 8 weeks.

VetGuard for Cats keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every 30 days.

Ticks: VetGuard for Cats kills ticks for at least one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for at least one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

Use VetGuard for Cats on all cats including breeding, pregnant and lactating queens, and on kittens 8 weeks or older.

A one-spot application is convenient and easy for effective treatment of fleas, ticks, chewing lice, and mosquitoes. Apply VetGuard for Cats when your cat is dry.


VetGuard for Cat is applied at a single point on the surface of the skin between the cat's shoulders and rapidly covers the entire cat by localizing in the hair, on the surface of the skin and in the sebaceous glands.


Soon after coming into contact with a treated cat, fleas, ticks, mosquitoes, and chewing lice are killed. To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:



Remove and Open Package


1 Cut along scissor cut line to separate unit.











2 Turn unit over and cut corner at bulb end













Open Applicator

Hold upright with foil side away from you and snap applicator tip back to open.

Apply VetGuard for Cats

Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.











PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of Tru Prodigy. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Tru Prodigy maltics ຕັວ other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither True Prodigy, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages

resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

EPA Reg. No.: 88966-1

[EPA Est. No.:]

Manufactured for:

Tru Prodigy 500 E. Shore Drive, Suite 130 Eagle, ID 83616 [Made in Germany]

[VetGuard for Cats is a registered trade name of Tru Prodigy]

[Optional Bar Code]

2. Carton Text - Front Panel

VETGUARD FOR CATS

[Alternate brand name: PETLOCK FOR CATS (logo below)]



For use ONLY on CATS & KITTENS 8 weeks and older

| ACTIVE INGI | REDIENT: | |
|-------------|--|-----------------------|
| Fipronil: | | 9.7% |
| INERT INGRI | EDIENTS: | 90.3% |
| TOTAL: | | 100.09 |
| 1 | Net Contents [3-pak] 0.051 fl. oz. (1.5 mL) (3 tubes containin | g 0.017 fl. oz. each) |
| | | |

[3 Doses]

KEEP OUT OF REACH OF CHILDREN CAUTION

See label insert for First Aid and Precautionary Statements.

[Optional marketing claims]

[Quick-acting]

[Long-lasting]

[Waterproof]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]

[Kills all life stages of ticks (larva, nymph, and adult) including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Kills adult mosquitoes]

[Kills fleas, ticks, chewing lice and mosquitoes]

[3 Month Supply]

[3 Applicators]

[FREE APP AT www.VETGUARDPLUS.com]





[Photo for Alternate Brand Name is below.]



13/25

2. Carton Text - Back Panel

VETGUARD FOR CATS

[Alternate brand name: PETLOCK FOR CATS (logo below)



[Quick-acting]

[Long-lasting]

[Waterproof]

[3 Month Supply]

[FREE APP AT www.VETGUARDPLUS.com]

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.

Manufactured for:

Tru Prodigy 500 E. Shore Drive, Suite 130 Eagle, ID 83616

EPA Reg. No. 88966-1

EPA Est. No.

[Made in Germany]

[Batch/Lot No.]

[Bar Code]

[VetGuard for Cats is a registered trade name of Tru Prodigy]

VetGuard for Cats can be used on all cats including breeding, pregnant and lactating queens, and on kittens that are older than 8 weeks. VetGuard for Cats controls fleas, ticks, chewing lice and mosquitoes and keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

DIRECTIONS FOR USE

It is a violation of law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL. AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR ON DIRECTIONS ANIMALS.

Side Effects. See package insert for side effects.

To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:

Remove and Open Package

See package insert for opening instructions.

Open Applicator and Apply VetGuard for Cats

Hold upright with foil side away from you and snap applicator tip back to open.











Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.

2. Carton Text - Inside Panel

[3 Month Supply]

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.

USE ONLY ON CATS & KITTENS 8 WEEKS AND OLDER

KEEP OUT OF REACH OF CHILDREN

CAUTION

VetGuard for Cats can be used on all cats including breeding, pregnant and lactating queens, and on kittens that are older than 8 weeks. VetGuard for Cats controls fleas, ticks, chewing lice and mosquitoes and keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every 30 days.

Ticks: VetGuard for Cats kills ticks for at least one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for at least one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Adult Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash, or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

2. Carton Text -Side Panel

VetGuard for cats
[3 Month Supply]
[EPA Reg. No. 88966-1]
[EPA Est. No.]

17/

3. [Optional text for front of cardboard insert if security packaging used]

VETGUARD FOR CATS

[Alternate brand name: PETLOCK FOR CATS (logo below)]



For use ONLY on CATS & KITTENS 8 weeks and older

| ACTIVE INGREDIENT: | |
|---|-------------------------|
| Fipronil: | 9.7% |
| INERT INGREDIENTS: | 90.3% |
| TOTAL: | 100.0% |
| Net Contents (one box) [0.051 fl. oz. (1.5 mL), 3 tubes containing 0.017 fl. oz. | z. each), 3 doses] |
| Net Contents (two boxes) [1.02 fl. oz. (3.0 mL), each box has 3 tubes containing doses] | g 0.017 fl. oz. each, 6 |

KEEP OUT OF REACH OF CHILDREN CAUTION

See label insert for First Aid and Precautionary Statements.

[Optional marketing claims]

[Quick-acting]

[Long-lasting]

[Waterproof]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]

[Kills all life stages of ticks (larva, nymph, and adult) including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Kills adult mosquitoes]

[Kills fleas, ticks, chewing lice and mosquitoes]

[3 Month Supply]

[3 Applicators]

[FREE APP AT www.VETGUARDPLUS.com]

EPA Reg. No. 88966-1

EPA Est. No.

Manufactured for:

Tru Prodigy 500 E. Shore Drive, Suite 130 Eagle, ID 83616

[Bar code]





[Photo for Alternate Brand Name is below.]



19/25

3. [Optional text for for back of cardboard insert if security packaging used]

VETGUARD FOR CATS

[Alternate brand name: PETLOCK FOR CATS (logo below)]



For use ONLY on CATS & KITTENS 8 weeks and older

 ACTIVE INGREDIENT:
 9.7%

 Fipronil:
 9.7%

 INERT INGREDIENTS:
 90.3%

 TOTAL:
 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

[Quick-acting]

[Long-lasting]

[Waterproof]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills adult fleas which may cause flea allergy dermatitis]

[Kills all life stages of ticks (larva, nymph, and adult) including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Kills adult mosquitoes]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going feet treatment.

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.



IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Have the product container label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-314-8588 for emergency medical treatment information.

HAZARDS TO DOMESTIC ANIMALS

For external use only on cats. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

Side Effects. After applying VetGuard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ THE ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

VetGuard for Cats is approved for use on all cats including breeding, pregnant and lactating queens, and on kittens that are older than 8 weeks.

VetGuard for Cats keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every, 30, days.

Ticks: VetGuard for Cats kills ticks for at least one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for at least one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

Use VetGuard for Cats on all cats including breeding, pregnant and lactating queens, and on kittens 8 weeks or older.


A one-spot application is convenient and easy for effective treatment of fleas, ticks, chewing lice, and mosquitoes. Apply VetGuard for Cats when your cat is dry.

VetGuard for Cat is applied at a single point on the surface of the skin between the cat's shoulders and rapidly covers the entire cat by localizing in the hair, on the surface of the skin and in the sebaceous glands.


Soon after coming into contact with a treated cat, fleas, ticks, mosquitoes, and chewing lice are killed. To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:


Remove and Open Package


Cut along scissor cut line to separate unit























Open Applicator

Hold upright with foil side away from you and snap applicator tip back to open.

Apply VetGuard for Cats


Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.













PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of Tru Prodigy. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Tru Prodigy makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither Tru Prodigy, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

4. [Optional Card with Tips, Text]

[Optional marketing claims]

[VetGuard for Cats]

[See other side for stickers to remind you it's time to reapply VetGuard for Cats.]

[Some Tips and Other Information for Using VetGuard for Cats]

[Treat dogs and cats separately and only with the proper dose of VetGuard for Dogs or VetGuard for Cats.]

[Follow the label instructions for how to apply and be sure that VetGuard for Cats is applied to the skin, not on top of the fur and not near the collar. Removing the collar before application may help to prevent the collar from absorbing the VetGuard dose.]

[Apply VetGuard for Cats when your cat is dry. Make sure you apply all of the dose that is in the applicator.]

[Even indoor cats need flea and tick control if other household pets bring fleas into the home.]

[Fleas have many life stages and serious infestations can take up to 3 applications every 30 days for control. In fact, the flea life-cycle in the home can last as long as 21 days.]

5. Text for Reminder Stickers




[Reminder: It's time to repurchase VetGuard for Cats!]

Use these stickers to remind you when to apply and to purchase VetGuard for Cats.

The first time you treat your cat, peel off the sticker and place on your calendar that day. To remind you when the next application is due, place the other two stickers on your calendar 1 and 2 months after the first application.

[For Customer Service call 1-888-314-8588.]

[For more information, visit www.xxxxx.com]



[Optional Bar code]



VetGuard for Cats Label - 9-20-2013

Pictogram of Back of Blister With Opening Instructions



6. Text for Back of Blister

KEEP OUT OF REACH OF CHILDREN

CAUTION: See full label for additional instructions and precautions before using Only for Cats & Kittens
VetGuard for Cats
EPA Reg. No. 88966-1
Lot/Batch No.
0.017 fl. oz. (0.5 mL)
9.7% Fipronil

7. Text for back of pipette (applicator)

| KEEP OUT OF REACH OF CHILDREN | | 6564 |
|---|---|--------------|
| CAUTION: See full label for additional instructions and precautions I | pefore using | (((|
| Only for Cats & Kittens | | 6406 |
| VetGuard for Cats | 6 ((| Ĺ |
| EPA Reg. No. 88966-1 | , , | (|
| Lot/Batch No. | (| |
| 0.017 fl. oz. (0.5 mL) | | |
| 9.7% Fipronil | | |
| | | |