



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

October 29, 2013

Ms. Ann M. Tillman, Ph.D.  
Regulatory Agent for Tru Prodigy  
c/o Plyxis Regulatory Consulting, Inc.  
4110 136<sup>th</sup> Street NW  
Gig Harbor, WA 98332-9122

**Subject: Label Notification(s); Pesticide Registration Notification (PRN) 98-10  
VETGUARD FOR DOGS, EPA Reg. No. 88966-2  
Your Submission Dated September 20, 0213**

Dear Ms. Tillman:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notification (PRN) 98-10 (New Alternate Brand Name), dated September 20, 2013, for the referenced product. The Registration Division has conducted a review of this request for its applicability under PRN 98-10, and finds that the action(s) requested fall within the scope of PRN 98-10.

Please be reminded that 40 CFR §156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-Notification/PRN 98-10) or durably marked on the container itself.

The label submitted with this application has been date-stamped "Notification," and will be placed within the administrative file for this product. If you have any questions, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely yours,

*For* 

Richard J. Gebken  
Product Manager (10)  
Insecticide Branch  
Registration Division (7504P)

2/25

Please read instructions on reverse before completing form.

Form Approved JMB No. 2070-0080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number Tru Prodigy/88966-2	2. EPA Product Manager R. Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tru Prodigy/VetGuard for Dogs	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Tru Prodigy c/o Pyxis Regulatory Consulting 4110 136th St. NW Gig Harbor, WA 98332  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>OCT 29 2013</u>	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification of alternate brand name per PRN 98-10. The alternate brand name is "PetLock for Dogs". This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. .023, .045, .091, .136 oz	No. per container 3	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 0.069, 0.135, 0.273, 0.408 fl. oz.		5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Other <u>on box and on insert in box</u>					

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Ann M. Tillman		Title Agent	
		Telephone No. (Include Area Code) (253) 853-7339	
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received:  (Stamped)
2. Signature 		3. Title Agent	
4. Typed Name Ann M. Tillman		5. Date 9/20/13	

3/25

PYXIS REGULATORY CONSULTING, INC.

4110 136<sup>th</sup> St. NW  
Gig Harbor, WA 98332

Phone: 253-853-7369  
Fax: 253-853-5516  
www.PyxisRC.com

September 20, 2013

COURIER DELIVERY

Richard Gebken (PM 10)  
Document Processing Desk (**NOTIF**)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202

**NOTIFICATION**

**OCT 29 2013**

RE: Tru Prodigy  
VetGuard for Dogs (EPA Reg. No. 88966-2)  
Submission of Alternate Brand Name per PRN 98-10

Dear Mr. Gebken,

On behalf of Tru Prodigy please find the enclosed notification of an alternate brand name for VetGuard for Dogs. The alternate brand name, PetLock for Dogs, is inserted in brackets under the primary brand name on the master label.

In support of this notification please find the enclosed documents:


1. Completed Application for Registration (EPA Form 8570-1)
2. One (1) copy of the VetGuard for Dogs label with the alternate brand name in brackets beneath the primary brand name
3. Certification with Respect to Label Integrity
4. One (1) copy of the VetGuard for Dogs label on CD
5. Letter of Authorization

Please feel free to contact me by phone at (253) 853-7369 or by email at [Ann@PyxisRC.com](mailto:Ann@PyxisRC.com) if you have any questions or need any additional information.

Sincerely,



Ann M. Tillman



Enclosures

1. Carton (front, back, inside and side panels)
2. Optional text for front or Optional text for back of cardboard insert if security packaging used
3. Package Insert
4. Optional card with tips for use
5. Reminder Stickers
6. Text for back of blister
7. Text for back of pipette (applicator)

**NOTIFICATION**

**OCT 29 2013**

[Master Label]

**1. Carton Label – Front Panel**

**VETGUARD FOR DOGS**

[Alternate brand name: **PETLOCK FOR DOGS** (logo below)]



For use ONLY on DOGS & PUPPIES 8 weeks and older

**ACTIVE INGREDIENT:**

Fipronil:.....9.7%

**INERT INGREDIENTS:**.....90.3%

**TOTAL:**.....100.0%

For use ONLY on DOGS 5 to 22 lbs.

For use ONLY on DOGS 23 to 44 lbs.

For use ONLY on DOGS 45 to 88 lbs.

For use ONLY on DOGS 89 to 132 lbs.

**[Optional marketing claims]**

[3 Doses]

[3 Month Supply]

[3 Applicators]

[FREE APP AT [www.VETGUARDPLUS.com](http://www.VETGUARDPLUS.com)]

[Quick-acting]

[Long-lasting]

[Waterproof]


[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]



[Kills all life stages of Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]


[Aids in control of sarcoptic mange mite infestations]

[Kills adult mosquitoes]

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

See label insert for First Aid and Precautionary Statements.



**DO NOT USE  
ON CATS.  
MAY BE FATAL.**



Net Contents: [3-pak] 0.069 fl. oz (2.01 mL) (3 applicators that contain 0.023 fl. oz. (0.67 mL each))  
 Net Contents: [3-pak] 0.135 fl. oz (4.02 mL) (3 applicators that contain 0.045 fl. oz. (1.34 mL each))  
 Net Contents: [3-pak] 0.273 fl. oz (8.04 mL) (3 applicators that contain 0.091 fl. oz. (2.68 mL each))  
 Net Contents: [3-pak] 0.408 fl. oz (12.06 mL) (3 applicators that contain 0.136 fl. oz. (4.02 mL each))

6/25

**1. Carton Text –Back Panel]**

[3 Doses]

[3 Month Supply]

[3 Applicators]

[FREE APP AT [www.VETGUARDPLUS.com](http://www.VETGUARDPLUS.com)]

[Quick-acting]

[Long-lasting]

[Waterproof]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.

Manufactured for:

Tru Prodigy

500 E. Shore Drive, Suite 130

Eagle, ID 83616

[Batch/Lot No.]

[Bar Code]

[VetGuard for Dogs is a registered trade name of Tru Prodigy]

EPA Reg. No. 88966-2


EPA Est. No.

[Made in Germany]



EPA Reg. No. 88966-2

EPA Est. No.



## 1. Carton Label – Back Panel

**Side Effects:** See package insert for side effects.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

**TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON CATS OR OTHER ANIMALS.**

VetGuard for Dogs acts quickly, lasts up to 30 days and does not wash off treated dogs. VetGuard for Dogs controls fleas, ticks, chewing lice, and mosquitoes, and aids in control of sarcoptic mange mites for use ONLY on puppies 8 weeks or older and small dogs from 5 to 22 lbs., medium dogs weighing 23-44 lbs., large dogs weighing 45-88 lbs., and extra-large dogs weighing 88-132 lbs. VetGuard for Dogs keeps working even after shampooing and rinsing with water. VetGuard for Dogs continues to work if dogs are outdoors and exposed to the sun or rain, or even after swimming.

To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Dogs as follows:


#### Remove and Open Package

See package insert for opening instructions.

#### Open Applicator and Apply VetGuard for Dogs

Hold upright with foil side away from you and snap applicator tip back to open.

#### Apply VetGuard for Dogs



Find a spot between the dog's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly on to the dog's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.

## 1. Carton Label – Inside Panel

[3 Month Supply]

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.

Use **ONLY** on **DOGS & PUPPIES** 8 weeks and older and weighing 5 to 22 lbs./23 to 44 lbs./45 to 88 lbs./89 to 132 lbs

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

### Frequency of Application

Monthly application of VetGuard for Dogs controls adult flea, tick and chewing lice infestations. You can reapply VetGuard for Dogs once every 30 days.

**Adult Fleas:** VetGuard for Dogs kills adult fleas for up to three months unless the risk is high for reinfestation of fleas. If your dog becomes reinfested with fleas that cause flea allergy dermatitis, or if your dog is in situations where reinfestation may occur, you may apply VetGuard for Dogs every 30 days.

**Ticks:** VetGuard for Dogs kills ticks for at least one month. Apply VetGuard for Dogs every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis.

**Chewing Lice:** VetGuard for Dogs kills chewing lice for at least one month. Apply VetGuard for Dogs every 30 days to aid in the control of chewing lice.

**Sarcoptic mange (mites):** VetGuard for Dogs aids in the control of sarcoptic mange infestations. Apply VetGuard for Dogs every 30 days until mites are eliminated.

**Mosquitoes:** Apply VetGuard for Dogs every 30 days to kill adult mosquitoes. Adult mosquitoes are killed within 24 hours for up to 7 days, and within 48 hours for up to 28 days from once-a month applications.

### PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

#### PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

#### PESTICIDE DISPOSAL

If partly filled, Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain, or on the ground.

#### CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



**1. Carton Text –Side Panel]**



[VetGuard for Dogs

[3 Month Supply]

[EPA Reg. No. 88966-2]

[EPA Est. No. ]

[Lot No.]



2. [Optional text for front of cardboard insert if security packaging used]

## VETGUARD FOR DOGS

[Alternate brand name: PETLOCK FOR DOGS (logo below)]



For use ONLY on DOGS & PUPPIES 8 weeks and older

### ACTIVE INGREDIENT:

Fipronil: ..... 9.7%

INERT INGREDIENTS: ..... 90.3%

TOTAL: ..... 100.0%

For use ONLY on DOGS 5 to 22 lbs.

For use ONLY on DOGS 23 to 44 lbs.

For use ONLY on DOGS 45 to 88 lbs.

For use ONLY on DOGS 89 to 132 lbs.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

See label insert for First Aid and Precautionary Statements.

### [Optional marketing claims]

[3 Doses]

[3 Month Supply]

[6 Month Supply]

[3 Applicators]

[6 Applicators]

[FREE APP AT [www.VETGUARDPLUS.com](http://www.VETGUARDPLUS.com)]

[Quick-acting]

[Long-lasting]

[Waterproof]

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]

[Kills all life stages of Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Aids in control of sarcoptic mange mite infestations]

[Kills adult mosquitoes]



**DO NOT USE  
ON CATS.  
MAY BE FATAL.**



Net Contents: (one box) 0.069 fl. oz (2.01 mL) (3 applicators that contain 0.023 fl. oz. (0.67 mL each), 3 doses)

Net Contents: (one box) 0.135 fl. oz (4.02 mL) (3 applicators that contain 0.045 fl. oz. (1.34 mL each), 3 doses)

Net Contents: (one box) 0.273 fl. oz (8.04 mL) (3 applicators that contain 0.091 fl. oz. (2.68 mL each), 3 doses)

Net Contents: (one box) 0.408 fl. oz (12.06 mL) (3 applicators that contain 0.136 fl. oz. (4.02 mL each), 3 doses)

Net Contents: (two boxes) 0.138 fl. oz (4.02 mL) (each box has 3 applicators that contain 0.023 fl. oz. (0.67 mL each), 6 doses)

Net Contents: (two boxes) 0.27 fl. oz (8.04 mL) (each box has 3 applicators that contain 0.045 fl. oz. (1.34 mL each), 6 doses)

Net Contents: (two boxes) 0.546 fl. oz (16.08 mL) (each box has 3 applicators that contain 0.091 fl. oz. (2.68 mL each), 6 doses)

Net Contents: (two boxes) 0.816 fl. oz (24.12 mL) (each box has 3 applicators that contain 0.136 fl. oz. (4.02 mL each), 6 doses)


[VetGuard for Dogs


[EPA Reg. No. 88966-2]

[EPA Est. No. ]

Manufactured for:

Tru Prodigy  
500 E. Shore Drive, Suite 130  
Eagle, ID 83616





2. [Optional text for for back of cardboard insert if security packaging used]

## VETGUARD FOR DOGS

[Alternate brand name: PETLOCK FOR DOGS (logo below)]



For use ONLY on DOGS & PUPPIES 8 weeks and older

### ACTIVE INGREDIENT:

Fipronil:.....9.7%

INERT INGREDIENTS:.....90.3%

TOTAL:.....100.0%

For use ONLY on DOGS 5 to 22 lbs.

For use ONLY on DOGS 23 to 44 lbs.

For use ONLY on DOGS 45 to 88 lbs.

For use ONLY on DOGS 89 to 132 lbs.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

See label insert for First Aid and Precautionary Statements.

### [Optional marketing claims]

[3 Doses]

[3 Month Supply]

[3 Applicators]

[FREE APP AT [www.VETGUARDPLUS.com](http://www.VETGUARDPLUS.com)]

[Quick-acting]

[Long-lasting]

[Waterproof]

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]

[Kills all life stages of Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Aids in control of sarcoptic mange mite infestations]

[Kills adult mosquitoes]

# FIRST AID

## IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

## IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

## IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week).

# PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### HAZARD TO HUMANS

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### HAZARD TO DOMESTIC ANIMALS

**CAUTION.** FOR USE ON DOGS AND PUPPIES ONLY. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals.

**Side Effects:** After applying VetGuard for Dogs, check your dog for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If you observe these signs or symptoms in your treated dog, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

**TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON CATS OR OTHER ANIMALS.**


VetGuard for Dogs acts quickly, lasts up to 30 days and does not wash off treated dogs. VetGuard for Dogs controls fleas, ticks, chewing lice, and mosquitoes, and aids in control of sarcoptic mange mites for use **ONLY** on puppies 8 weeks or older and small dogs., medium dogs weighing 23-44 lbs., large dogs weighing 45-88 lbs., and extra-large dogs weighing 89-132 lbs. VetGuard for Dogs keeps working even after shampooing and rinsing with water. VetGuard for Dogs continues to work if dogs are outdoors and exposed to the sun or rain, or even after swimming.

Use VetGuard for Dogs on all dogs and puppies 8 weeks or older (small dogs from 5 to 22 lbs., medium dogs weighing 23-44 lbs., large dogs weighing 45-88 lbs., extra-large dogs weighing 89-132 lbs.) and on breeding, pregnant and lactating bitches.

A one-spot application is convenient and easy for effective treatment of adult fleas, ticks, chewing lice, and adult mosquitoes. VetGuard for Dogs aids in control of sarcoptic mange mites. Apply VetGuard for Dogs when your dog is dry. VetGuard for Dogs is applied at a single point on the surface of the skin between the dog's shoulders and rapidly covers the entire dog by localizing on the surface of the skin and in the sebaceous glands. Soon after coming into contact with a treated dog, adult fleas, ticks, adult mosquitoes, and chewing lice are rapidly killed. To kill adult fleas, ticks, chewing lice and adult mosquitoes apply VetGuard for Dogs as follows:

### **Remove and Open Package**

- 1** Cut along scissor cut line to separate unit



- 2** Turn unit over and cut corner at bulb end



- 3** From cut corner, peel backing completely off from bottom to top



- 4** Remove the applicator




### **Open Applicator**

Hold upright with foil side away from you and snap applicator tip back to open.

### **Apply VetGuard for Dogs**

Find a spot between the dog's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the dog's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.





DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

#### PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

#### PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

#### PESTICIDE DISPOSAL

If partly filled, Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain, or on the ground.

#### CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### LIMITATION OF WARRANTY AND LIABILITY

**IMPORTANT: READ BEFORE USE.** Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of Tru Prodigy. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Tru Prodigy makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither Tru Prodigy, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.



3. Package Insert, Text

# VETGUARD FOR Dogs

[Alternate brand name: PETLOCK FOR DOGS (logo below)]



For use ONLY on DOGS & PUPPIES 8 weeks and older

**ACTIVE INGREDIENT:**

Fipronil: .....9.7%

**INERT INGREDIENTS:** .....90.3%

**TOTAL:** .....100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

[Optional marketing claims]

[FREE APP AT [www.VETGUARDPLUS.com](http://www.VETGUARDPLUS.com)]

[Quick-acting]

[Long-lasting]

[Waterproof]

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills fleas which may cause flea allergy dermatitis]

[Kills all life stages of Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Aids in control of sarcoptic mange mite infestations]

[Kills adult mosquitoes]

**FIRST AID**

**IF SWALLOWED:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

- Do not give anything by mouth to an unconscious person.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week).

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### HAZARD TO HUMANS

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### HAZARD TO DOMESTIC ANIMALS

**CAUTION.** FOR USE ON DOGS AND PUPPIES ONLY. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using ANY pesticide product. Pets may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals.

**Side Effects:** After applying VetGuard for Dogs, check your dog for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If you observe these signs or symptoms in your treated dog, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

**TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON CATS OR OTHER ANIMALS.**

VetGuard for Dogs acts quickly, lasts up to 30 days and does not wash off treated dogs. VetGuard for Dogs controls fleas, ticks, chewing lice, and mosquitoes, and aids in control of sarcoptic mange mites for use **ONLY** on puppies 8 weeks or older and small dogs., medium dogs weighing 23-44 lbs., large dogs weighing 45-88 lbs., and extra-large dogs weighing 89-132 lbs. VetGuard for Dogs keeps working, even after shampooing and rinsing with water. VetGuard for Dogs continues to work if dogs are outdoors and exposed to the sun or rain, or even after swimming.


Use VetGuard for Dogs on all dogs and puppies 8 weeks or older (small dogs from 5 to 22 lbs., medium dogs weighing 23-44 lbs., large dogs weighing 45-88 lbs., extra-large dogs weighing 89-132 lbs.) and on breeding, pregnant and lactating bitches.

A one-spot application is convenient and easy for effective treatment of adult fleas, ticks, chewing lice, and adult mosquitoes. VetGuard for Dogs aids in control of sarcoptic mange mites. Apply VetGuard for Dogs when your dog is dry. VetGuard for Dogs is applied at a single point on the surface of the skin

between the dog's shoulders and rapidly covers the entire dog by localizing on the surface of the skin and in the sebaceous glands. Soon after coming into contact with a treated dog, adult fleas, ticks, adult mosquitoes, and chewing lice are rapidly killed. To kill adult fleas, ticks, chewing lice and adult mosquitoes apply VetGuard for Dogs as follows:

### **Remove and Open Package**

- 1** Cut along scissor cut line to separate unit



- 2** Turn unit over and cut corner at bulb end



- 3** From cut corner, peel backing completely off from bottom to top



- 4** Remove the applicator



### **Open Applicator**

Hold upright with foil side away from you and snap applicator tip back to open.

### **Apply VetGuard for Dogs**

Find a spot between the dog's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the dog's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.



### **Frequency of Application**

Monthly application of VetGuard for Dogs controls adult flea, tick and chewing lice infestations. You can reapply VetGuard for Dogs once every 30 days.

**Adult Fleas:** VetGuard for Dogs kills adult fleas for up to three months unless the risk is high for reinfestation of fleas. If your dog becomes reinfested with fleas that cause flea allergy dermatitis, or if your dog is in situations where reinfestation may occur, you may apply VetGuard for Dogs every 30 days.

**Ticks:** VetGuard for Dogs kills ticks for at least one month. Apply VetGuard for Dogs every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

**Chewing Lice:** VetGuard for Dogs kills chewing lice for at least one month. Apply VetGuard for Dogs every 30 days to control chewing lice.

**Sarcoptic mange mites:** VetGuard for Dogs aids in the control of sarcoptic mange mite infestations. Apply VetGuard for Dogs every 30 days until mites are eliminated.

**Adult Mosquitoes:** Apply VetGuard for Dogs every 30 days to kill mosquitoes. Mosquitoes are killed within 24 hours for up to 7 days, and within 48 hours for up to 28 days from once-a month applications.

#### How Supplied

VetGuard for Dogs is available in several convenient sizes for use ONLY on puppies 8 weeks or older and small dogs from 5 to 22 lbs. (0.023 fl. oz./0.67 mL), medium dogs 23-44 lbs. (0.045 fl. oz./1.34 mL), large dogs 45-88 lbs. (0.091 fl. oz./2.68 mL), and extra-large dogs 89-132 lbs. (0.136 fl. oz./4.02 mL).

VetGuard for Dogs can be used on small, medium, large, and extra-large dogs even if breeding, pregnant and lactating, and on puppies that are older than 8 weeks.

VetGuard for Dogs keeps working even after shampooing and rinsing with water. VetGuard for Dogs continues to work if dogs are outdoors and exposed to the sun or rain, or even after swimming.



**DO NOT USE ON CATS.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

#### PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE.** Do not use or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

##### PESTICIDE STORAGE

Store unused product in original container only, out of reach of children and animals.

##### PESTICIDE DISPOSAL

If partly filled, Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain, or on the ground.

##### CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## LIMITATION OF WARRANTY AND LIABILITY

**IMPORTANT: READ BEFORE USE.** Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of Tru Prodigy. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Tru Prodigy makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither Tru Prodigy, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

**EPA Reg. No.:** 88966-2

**[EPA Est. No.:** ]


### **Manufactured for:**

Tru Prodigy  
500 E. Shore Drive, Suite 130  
Eagle, ID 83616

[Made in Germany]

[VetGuard for Dogs is a registered trade name of Tru Prodigy]

[Optional Bar Code]



#### 4. Optional Card with Tips for Use]

##### [Optional marketing claims]

[Long-lasting]

[Does not wash off]

[For monthly control of adult fleas, ticks, chewing lice, adult mosquitoes]

[Kills adult fleas]

[Kills newly emerged adult fleas prior to egg-laying]

[Effective treatment that kills adult fleas which may cause flea allergy dermatitis]

[Kills all life stages of Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]

[Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis]

[Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]

[Eliminates chewing lice infestations]

[Aids in control of sarcoptic mange mite infestations]

[Kills adult mosquitoes]



##### [VetGuard for Dogs


[See other side for stickers to remind you it's time to reapply VetGuard for Dogs.]

[Some Tips and Other Information for Using VetGuard for Dogs.]

[Follow the label instructions for how to apply and be sure that VetGuard for Dogs is applied to the skin, not on top of the fur and not near the collar. Removing the collar before application may help to prevent the collar from absorbing the VetGuard dose.]

[Apply VetGuard for Dogs when your dog is dry. Make sure you apply all of the dose that is in the applicator.]

[Fleas have many life stages and serious infestations can take up to 3 applications every 30 days for complete control. In fact, the flea life-cycle in the home can last as long as 21 days.]



## 5. Text for Reminder Stickers ]

[Reminder: It's time to repurchase VetGuard for Dogs!]

Use these stickers to remind you when to apply and re-purchase VetGuard for Dogs.

The first time you treat your dog, peel off the sticker and place on your calendar that day. To remind you when the next application is due, place the other two stickers on your calendar 1 and 2 months after the first application.

[For Customer Service please call 1-888-314-8588.]


[For more information, visit [www.xxxxx.com](http://www.xxxxx.com)]

Tru Prodigy

500 E. Shore Drive, Suite 130  
Eagle, ID 83616



[Optional Bar code]



# Pictogram of Back of Blister With Opening Instructions



## 6. Text for Back of Blister

Keep Out of Reach of Children

**CAUTION:** See full label for additional instructions and precautions before using

Only for Dogs & Puppies 5 to 22 lbs.

Only for Dogs & Puppies 23 to 44 lbs.

Only for Dogs & Puppies 45 to 88 lbs.

Only for Dogs & Puppies 89 to 132 lbs.

VetGuard for Dogs

EPA Reg. No. 88966-2

Lot/Batch No.

0.023 fl. oz. (0.67 mL)

0.045 fl. oz. (1.34 mL)

0.091 fl. oz. (2.68 mL)

0.136 fl. oz. (4.02 mL)

9.7% Fipronil



**7. Text for back of Pipette (applicator)**

**Keep Out of Reach of Children**

**CAUTION: See full label for additional instructions and precautions before using**

**Only for Dogs & Puppies 5 to 22 lbs.**

**Only for Dogs & Puppies 23 to 44 lbs.**

**Only for Dogs & Puppies 45 to 88 lbs.**

**Only for Dogs & Puppies 89 to 132 lbs.**

**VetGuard for Dogs**

**EPA Reg. No. 88966-2**

**Lot/Batch No.**

**0.023 fl. oz. (0.67 mL)**

**0.045 fl. oz. (1.34 mL)**

**0.091 fl. oz. (2.68 mL)**

**0.136 fl. oz. (4.02 mL)**

**9.7% Fipronil**