



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 27, 2023

Lisa Amadio
Principal Regulatory Consultant, Technology Sciences Group, Inc.
1150 18th Street NW
Washington, DC 20036
Isomeric Industries
Electronic Transmittal: lisa.amadio@tsgconsulting.com

Subject: Label Amendment – Changes Required by the Inorganic Halides Amended
Interim Registration Review Decision
Product Name: BIONIX SBR40
EPA Registration Number: 89110-35
Received Date: November 12, 2021
Decision Number: 579620

Dear Lisa Amadio,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Inorganic Halides Amended Interim Decision, and has concluded that your submission is acceptable.


A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E).

40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Erin Dandridge by phone at 202-566-0635, or via email at dandridge.erin@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Kimberly Wilson".

Kimberly Wilson, Senior Environmental Protection Specialist
Reevaluation Branch
Antimicrobials Division (7510P)
Office of Pesticide Programs
U.S. Environmental Protection Agency

Enclosure: Approved Label

BIONIX SBR40

[A [DISINFECTANT], [SANITIZER], [BACTERICIDE], [SLIMICIDE], [ALGAECIDE], [AND] [MOLLUSK CONTROL AGENT] [FOR TREATING] [RECIRCULATING COOLING WATER SYSTEMS] [AND] [ONCE-THROUGH COOLING WATER SYSTEMS]. [PULP AND PAPER MILLS], [WASTEWATER TREATMENT SYSTEMS], [AIR WASHERS], [AND] [BREWERY PASTEURIZERS].]

[FOR USE [TO CONTROL AND PREVENT ALGAE GROWTH] [AND] [TO MAINTAIN CLEAR WATER] IN [INDOOR SWIMMING POOLS] [AND] [SPAS & HOT TUBS].]

Active Ingredient:

Sodium Bromide.....40.0%

Other Ingredients:60.0%

Total:100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**


FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center, or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 min. • Remove contact lenses, if present, after first 5 min. then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering life or property involving this product, please call INFOTRAC: (800)-535-5053.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

SEE [BACK] [SIDE] PANEL[S] FOR ADDITIONAL PRECAUTIONARY STATEMENTS [and first aid].

EPA Reg. No. 89110-35 EPA Est. _____

NET CONTENTS: As Marked on Container

Manufactured for:
ISOMERIC INDUSTRIES
1600 First Ave., Bldg. 1-A
Big Spring, TX 79720
1-833-BIONIX



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. AVOID CONTACT WITH EYES, SKIN OR CLOTHING.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before re-use.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not smoke, drink, or eat when handling. Do not ship with foods, feeds, drugs, or clothing. Keep container tightly closed when not in use.

ENVIRONMENTAL HAZARDS

[For containers having a capacity less than 50 lbs.]
[This product is toxic to fish and aquatic organisms.]

[For containers having a capacity greater than or equal to 50 lbs.]
[This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

PHYSICAL OR CHEMICAL HAZARDS

Avoid contact with strong oxidizers (except when in use), acids, alkaline, and heavy metal salts.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions.

[The following DIRECTIONS OF USE are for industrial use applications only.]

[This product is to be used in conjunction with an oxidant such as sodium hypochlorite (12.5%), chlorine gas (99.9%), trichloro-s-triazinetrione (99.0%), sodium dichloro-s-triazinetrione (99.0%), or sodium dichloro-s-triazinetrione dihydrate (99.0%) to produce hypobromous acid. This product may be added at the system inlet water or metered into the existing sodium hypochlorite piping to form a solution of sodium hypobromite. This product can be added whenever chlorination is applied, for all uses. Consult your feeder manufacturer for correct procedure and proper use of feeder equipment.]

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

Use effectively at dosages to achieve exposures to 0.5 - 5.0 parts per million (ppm) of active residual bromine, or as needed to maintain control of algal, bacterial and fungal slimes and controls the settlement and growth of mollusks such as the Zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in commercial and industrial cooling towers, heat exchange water towers, industrial water scrubbing systems, and influent systems such as flow-through filters, lagoons, etc.

Dosage Rates [These rates apply to Once-Through Cooling Water Systems and Pulp and Paper Mills as well.]

Initial Dose: When noticeably fouled, add sufficient amount of this product and oxidant to achieve the active residual bromine level (0.5 - 5.0 ppm), measured about 5 minutes after treatment. A 0.5 - 2.0 mole ratio of sodium bromide to oxidant must be achieved by using 1.5-6.0 pounds of chlorine gas (99.9%), 1.3 - 5.2 gallons NaOCl (12.5%), 1.7 - 6.7 pounds of trichloro-s-triazinetrione (99.0%), 2.4 - 9.5 pounds of sodium dichloro-s-triazinetrione (99.0%), or 2.7 - 10.7 pounds of sodium dichloro-s-triazinetrione dihydrate (99.0%) for each gallon of this product.

Subsequent Dose: When microbial control is evident, add sufficient amount of this product and oxidant to maintain the active residual bromine level (0.5 - 5.0 ppm), measured about 5 minutes after treatment. Continue as in initial dose.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

Used for the control of algal, bacterial, and fungal slimes and controls the settlement and growth of mollusks such as the Zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in once-through and closed-cycle fresh and seawater cooling systems. Apply this product and oxidant to the system inlet water or before any other contaminated area in the system.

Dosage Rates: Initial and Subsequent rates are the same as for Industrial Recirculating Cooling Water Systems.

PULP AND PAPER MILLS

Used for the control of algal, bacterial, and fungal slimes, in pulp and paper mill fresh and seawater influent systems, cooling water systems, wastewater treatment systems, nonpotable water systems and other process water. Apply this product with oxidant as directed.

Dosage Rates: Initial and Subsequent rates are the same as for Industrial Recirculating Cooling Water Systems.

WASTEWATER

This product, when used as directed, will disinfect wastewater effectively. The amount of sodium bromide required is determined by the degree of fouling. This product can be added to one or several locations of the wastewater system. If its construction permits, it is often added at the influent of the final clarifier or at the point in the system where a secondary treatment is given, prior to effluent discharge. This product and an oxidant must be added in quantities sufficient to reach residual bromine levels of 0.3 -1.0 ppm measured about 5 minutes after treatment. A 0.08 - 2.0 mole ratio must be achieved by using 0.2 - 6.0 pounds of chlorine gas (99.9%), 0.2 - 5.2 gallons of NaOCl (12.5%), 0.3 - 6.7 pounds of trichloro-s-triazinetriene (99.0%), 0.4 - 9.5 pounds of sodium dichloro-s-triazinetriene (99.0%), or 0.4 -10.7 pounds of sodium dichloro-s-triazinetriene dihydrate (99.0%) for each gallon of this product. The treatment with this product can be evaluated by determining whether the total number of coliform bacteria and/or fecal coliform bacteria (using the Most Probable Number procedure) has been reduced to a level permitted by governing regulations.

AIR WASHERS AND BREWERY PASTEURIZERS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in influent water systems such as flow through filters, cooling ponds, canals, and lagoons; heat exchange water systems; air washers; pasteurizers; retort systems; and industrial water scrubbing systems.

Dosage Rates:

Add this product to the system at 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

- 1) 1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or,
- 2) 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of this product.

Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.024 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.040 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water.)

Subsequent Dose: When microbial control is evident, add 0.0002 to 0.024 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.004 to 0.040 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 to 0.032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of water.

FRUIT AND VEGETABLE WASH

When used in conjunction with an oxidant (Chlorine gas or NaOCl), this product can be used for the wash and transport of fruits and vegetables. This product and oxidant should be added at a rate not to exceed a dosage of 55ppm of product (38.5 gallons of this product per one million gallons of water treated). Apply sufficient amount of this product and chlorine or sodium hypochlorite to achieve a residual bromine level of 0.5 to 5 ppm when measured approximately 5 minutes after treatment. The recommended activation mix of this product and oxidant is a one to one molar ratio. Chlorine dose (99%) 3.3 pounds, 10% NaOCl dose (3.3 gallons) or 15% NaOCl dose (2.0 gallons) will activate one gallon of this product (40% sodium bromide solution). This product may be continuously metered to Chlorinator eductor water or mixed with a NaOCl solution for activation. The use of this product under this application must be followed by a potable water rinse to remove, to the extent possible, residues of the chemical.

This product is not for use in outdoor pools.

[The following DIRECTIONS OF USE are for [swimming pools] and [spa & hot tub] uses only.]

[For INDOOR SWIMMING POOLS only.]

INDOOR SWIMMING POOLS

WAIT ONE HOUR. AFTER APPLICATION BEFORE SWIMMING.

For INDOOR SWIMMING POOLS using chlorinating disinfection systems.

This product is used to control and prevent algae growth and to maintain clear water in swimming pools using chlorinating systems.

INITIAL TREATMENT: For pools using chlorinating disinfection systems. Use to start a preventative treatment program with this product. For each 10,000 gal. of swimming pool water, add 6 fl. oz. of this product directly to the water. Follow the Initial Treatment directions on the chlorinating compound product label. Do not mix this product directly with chlorinating compounds.

Size of pool	Amount of product
10,000 gal.	6 oz.
15,000 gal.	9 oz.
20,000 gal.	12 oz.

Wait at least 1 hour after product treatment before entering pool or follow the required waiting period for a product used with this product, if greater than 1 hour.

MAINTENANCE TREATMENT: For pools using chlorinating disinfection systems. Use bi-weekly, or as needed to keep water free of algae. Add chlorinating compound as directed on product label for appropriate size of swimming pool. Add the following amount of this product when adding a chlorinating compound.

Amount of chlorinating compounds	Amount of product
1 gal. sodium hypochlorite (liquid chlorinating compound) 10-12%	5 fl. oz.
2 gal. sodium hypochlorite (liquid chlorinating compound) 5.25%	5 fl. oz.
1 lbs. of dry chlorinating compound (calcium hypochlorite or dichloroisocyanurate)	5 fl. oz.
2 lbs. lithium hypochlorite (35%)	5 fl. oz.
Two 3" tablets trichloro-s-triazinetriene	6 fl. oz.
1 lbs. chlorine produced by chlorine generator	5 fl. oz.

Wait at least 1 hour after product treatment before entering pool or follow the required waiting period for a product used with this product if greater than 1 hour.

[For non-chlorine INDOOR **SWIMMING POOLS** using biguanide, baquacil, or softswim systems.]

This product is used to control and prevent algae growth and to maintain clear water in swimming pools using Biguanide, Baquacil, or Softswim systems.

INITIAL TREATMENT: For pools using Biguanide, Baquacil, or Softswim systems. Use to start a preventative treatment program with this product. For each 10,000 gal. of swimming pool water, add 6 fl. oz. of this product directly to the water. Follow the Initial Treatment directions on the hydrogen peroxide product label. Do not mix this product directly with hydrogen peroxide.

Size of pool	Amount of product
10,000 gal.	6oz.
15,000 gal.	9oz.
20,000 gal.	12oz.

Wait at least 1 hour after product treatment before entering pool or follow the required waiting period for a product used with this product if greater than 1 hour.

MAINTENANCE TREATMENT: For pools using Biguanide, Baquacil, or Softswim systems. Use biweekly or as needed to keep water free of algae. Add hydrogen peroxide compound as directed on product label for appropriate size of swimming pool. Separately, add 1 fl. oz. of this product for each 4 fl. oz. of hydrogen peroxide.

Amount of hydrogen peroxide added	Amount of product
8 fl. oz.	2oz.
12 fl. oz.	3oz.
16 fl. oz.	4oz.

Wait at least 1 hour after product treatment before entering pool or follow the required waiting period for a product used with this product if greater than 1 hour.

[For non-chlorine INDOOR SWIMMING POOLS using potassium monopersulfate.]

This product is used to control and prevent algae growth and to maintain clear water in swimming pools using potassium monopersulfate as an activator.

INITIAL TREATMENT: For pools using potassium monopersulfate to activate this product. Use to start a preventative treatment program with this product. For each 10,000 gal. of water of swimming pool water, add 6 fl. oz. of this product directly to the water. To activate, add 1 lbs. of potassium monopersulfate per 10,000 gal. of water. Wait at least 1 hour after treatment before entering pool or follow the required waiting period for a product used with this product if greater than 1 hour.

MAINTENANCE TREATMENT: Use bi-weekly or as needed to keep water free of algae. Separately add 6 oz. of this product and 1 lbs. of potassium monopersulfate per 10,000 gal. of water per week. Wait at least 1 hour after treatment before entering pool or follow the required waiting period for a product used with this product if greater than 1 hour.

[For SPAS & HOT TUBS only.]

SPAS & HOT TUBS

Outdoor hot tubs and spas must be covered when not in use.

INITIAL DOSE: With pump running, add 3.0 oz. of this product per 5,000 gallons of water, or as needed to achieve a bromine residual of 1.0-3.0 ppm when measured with a suitable test kit approximately five minutes after treatment. Maintain pH between 7.4-7.8.

SUBSEQUENT DOSE: On a weekly basis, add a sufficient amount of this product to maintain a bromine residual of 1.0-3.0 ppm when measured with a suitable test kit. Maintenance of a bromine residual is dependent on ambient temperature, light intensity, and bather load, and requires frequent checks with a suitable test kit. Maintain pH between 7.4-7.8. When used in conjunction with another product, always follow the label directions on that product. Avoid use of soaps, lotions, or oils which might alter product effectiveness. Drain and clean every six months, or when water becomes difficult to manage.

Discharge Directions for [Commercial] and [Residential] [Pool,] [Spa,] and [Hot Tub] Uses

Before draining a treated [pool,] [spa,] or [hot tub] contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated [pool,] [spa,] or [hot tub] water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store in a cool, well-ventilated area, in well-closed original containers.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use in accordance with label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING

[For nonrefillable containers with capacities less than or equal to 5 gallons.]

[Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.]

[For nonrefillable containers with capacities greater than 5 gallons.]

[Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]

[For nonrefillable containers - residential/household use only.]

[Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.]

[For refillable containers only.]

[Refillable container. Refill this container with same product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.]

SPILLS

[For industrial use applications only.]

[When handling or dealing with spills, use goggles with side shields or face shield; and protective clothing, including chemical-resistant gloves and boots. Absorb on sand or vermiculite and place in closed container and dispose of as described for pesticide disposal. If containers are contaminated or decomposing, do not reseal. Isolate unsealed container in the open or a well-ventilated area; flood with large volumes of water if necessary.]

[For [swimming pool] and [spa & hot tub] use applications only.]

[Small spills may be mopped up, flushed away with water, or absorbed on some absorbent material and incinerated. Securely wrap original container in several layers of newspaper and discard in trash.]

WARRANTIES AND WARRANTY DISCLAIMERS

Conditions of Sale: Isomeric Industries (“ISOMERIC”) warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to ISOMERIC. To the extent consistent with applicable law, ISOMERIC DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. To the extent consistent with applicable law, ISOMERIC SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, and ISOMERIC’s sole liability and Buyer’s and User’s exclusive remedy shall be limited to the refund of the purchase price. BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. ISOMERIC DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.