



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

89160-3

Date of Issuance:

7/1/21

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Microbecare 70-2

Name and Address of Registrant (include ZIP Code):

Juli Mann, Principal Consultant
 Parasol Medical LLC
 1602 Barclay Blvd.
 Buffalo Grove, IL 60089

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Steven Snyderman, Product Manager (33)
 Regulatory Management Branch I,
 Antimicrobials Division (7510P)
 Office of Pesticide Programs

Date:

7/1/21

2. You are required to comply with the data requirements described in the DCI identified below:

- a. 3-(trihydroxysilyl) propyl dimethyl octadecyl ammonium chloride: GDCI-107403-1627

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 89160-3.”

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.


If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/12/2020

If you have any questions, please contact Jake McFarley by phone at (703) 347-0123, or via email at McFarley.Jake@epa.gov.

Enclosure: Master Label

NOTE to EPA: Alternate Brand Names for the product: MicrobeCare™ RTU; MicrobeCare™ Sport; MicrobeCare™ - Canada; MicrobeCare™ - UK; MicrobeCare™ - Australia; MicrobeCare™ Home Defense; MicrobeCare™ Bio-Clean; MicrobeCare SPT



MicrobeCare™ 70-2

[Antimicrobial & Antibacterial Treatment] [Germicidal*] [Bactericidal] [Fungicidal]
 [Antimicrobial/Disinfectant] [Covalent Bonded Antimicrobial][Hospital] [Disinfectant]
 [Cleaner] [Deodorizer]

ACTIVE INGREDIENTS:

3-(trihydroxysilyl) propyldimethyloctadecyl ammonium chloride 2.0%
 Isopropyl alcohol 70.0%

INERT INGREDIENTS: 28.0%

TOTAL 100.0%

CAUTION
KEEP OUT OF REACH OF CHILDREN

FLAMMABLE
Keep away from heat and open flame

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a <u>poison control center</u> or doctor for treatment advice.
If on skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a <u>poison control center</u> or doctor for treatment advice.
<p>For medical emergencies, call the poison control center at 1-800-222-1222 or CHEMTREC at 1-800-424-9300. Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu)</p>	

See back/side panel for additional precautionary statements
 [See insert/pamphlet for complete label and directions for use] *{For small containers}*

Manufactured/Distributed/Sold
for/by:

Parasol Medical LLC
1602 Barclay Blvd.
Buffalo Grove, Illinois 60089

EPA Reg. No. 89160-
EPA Est. No.

[Product made in USA]
[Proudly made in USA]

Net Contents:
[Lot/Batch number:]***{Lot number may
appear on container}***

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in
(parentheses will appear on label.)

ed. 06-29-2021

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL AND CHEMICAL HAZARDS: **Flammable** liquid and vapor. Keep away from heat or open flame. Do not mix this product with other chemicals including: acids, oxidizing materials, halogens, peroxides, bases and metal salts.

ENVIRONMENTAL HAZARDS

For container larger than 5 gallons:

This product is toxic to birds, fish, and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Deactivation may be required during clean up if a spill occurs. Deactivation of MicrobeCare™ 70-2 can be achieved by the addition of an anionic surfactant (such as soap, sulfones, and sulfates) in a quantity equivalent to 2%.

{For containers less than 5 gallons}

This product is toxic to fish. Deactivation may be required during clean up if a spill occurs. Deactivation of MicrobeCare™ can be achieved by the addition of an anionic surfactant (such as soap, sulfones, and sulfates) in a quantity equivalent to that of the active ingredient.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[MicrobeCare 70-2 is designed for use in institutions such as hospitals, health care facilities, clean rooms, pharmaceutical plants, medical device manufacturers, veterinary clinics and other indoor areas where disinfection [non-food contact sanitizing] [cleaning] are needed.]

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

MicrobeCare 70-2 may be used as a [one-step] [cleaner] disinfectant [germicide*] [bactericide] [fungicide] [sanitizer] for use in/on *{Insert hard non-porous non-food contact surfaces from Table 1 and/or Table 2}*.

[May be used on [these] [surfaces]: *{Insert surface material from Table 1}*]

[To Refill [Trigger Sprayer]][Bottle]: Remove trigger sprayer. Pour in product from refill container and replace trigger.

For All Uses: Surfaces should be visibly clean before treatment and surfaces should remain visibly wet for the duration of the contact time.

For Disinfection: Shake well before use. This product is ready to use. Do not dilute. Spray solution onto hard, non-porous surface to wet all surface thoroughly. Hold the bottle upright 6-8” from the surface. Always close the nozzle after use. All surfaces must remain visibly wet for 10 minutes. Allow surfaces to air dry or wipe dry with a [clean] [sterilized] [microfiber] cloth or wipe. When used as directed at a 10 minute contact time, this product is effective against Staphylococcus aureus (ATCC 6538), Pseudomonas aeruginosa (ATCC 15442), and Salmonella enterica.

May be used with trigger sprayers. Allow surfaces to air dry or wipe dry with a [clean] [sterilized] [microfiber] cloth or wipe.

For Sanitizing: Shake well before use. This product is ready to use. Do not dilute. This product is a hard surface sanitizer for hard, non-porous, non-food contact surfaces. Spray solution to wet all surfaces thoroughly. Hold the bottle upright 6-8” from the surface. Always close the nozzle after use. Allow surfaces to remain visibly wet for a minimum of 5 minutes and then allow to air dry or wipe dry with a [sterilized] [clean][microfiber] cloth or wiper. When used as directed at a 5 minute contact time, this product is effective against Staphylococcus aureus (ATCC 6538) and Klebsiella pneumoniae (ATCC 4352).

Fungicidal in 10 minutes against Trichophyton interdigitale (ATCC 9533).

{Footnotes may appear elsewhere on the label:}

*Germicide: Kills Staphylococcus aureus (ATCC 6538); Pseudomonas aeruginosa (ATCC 15442); and Trichophyton interdigitale (ATCC 9533)

Bactericide: When tested against Staphylococcus aureus (ATCC 6538) and Pseudomonas aeruginosa (ATCC 15442), tested according to the A.O.A.C. Germicidal Use-Dilution Test, in the presence of 5% organic soil (serum), 10 minutes at 68°F (20°C).

Fungicide: When tested against Trichophyton interdigitale (ATCC 9533), tested according to the A.O.A.C. Fungicidal Test in the presence of 5% organic soil (serum) in 5 minutes at 68°F (20°C).

Note: *{Bold, italicized}* text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by “/” denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in the original container in a dry cool place. Absorb spills with inert dry absorbent or sand, then place in a chemical waste container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For containers used to refill trigger sprayer or 5 gallons or less:

Non-refillable container. Do not reuse or refill this container. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

For containers greater than 5 gallons: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

{For Residential Use Products:}

{For Spray bottles to be refilled by end-user:}

PESTICIDE STORAGE: Store out of reach of children or persons unfamiliar with its use.

PESTICIDE DISPOSAL: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Do not reuse or refill except as described in the Directions for Use. If empty: If not refilling, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{For bottles used to refill trigger sprayer or a Nonrefillable container:}

PESTICIDE STORAGE: Store out of reach of children or persons unfamiliar with its use.

PESTICIDE DISPOSAL: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Do not reuse or refill except as described in the Directions for Use. If not refilling, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label.

[Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

WARRANTY: To the extent consistent with applicable Law, Parasol Medical LLC makes no other warranties, express or implied, of merchantability of or fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Parasol Medical LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Parasol Medical LLC disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

{Optional Surface Materials: Table 1 Hard Non-Porous Nonfood Contact Surfaces}

Acrylic	Aluminum	Brass	Chrome
Corian®	Copper	Crystal	Glass
Formica®	Glazed porcelain [tile]	Glazed ceramic [tile]	Sealed Fiberglass
Sealed Grout	Galvanized metal	Sealed granite	Sealed [or finished] hardwood floors
Laminated Surfaces	Laminate	Plastic laminate	Sealed Limestone
Linoleum	Metal	Mirrors	Sealed Marble
Nickel	Plastic	Plexiglass®	PEX(cross linked polyethylene)
PVC	Sealed Slate	Sealed stone	[Stainless] steel
Sealed Terra Cotta	Sealed Terrazzo	Glazed tile	Tin
Vinyl	Painted wallboard	Finished/Painted wood	Sealed wood
Zinc			

{Optional Use Sites: Table 2 Hard, Non-Porous Nonfood use sites/surfaces}

Bathroom	Dining room	Mud room	Kitchen (non-food contact surfaces)
Bedroom	Home[House]	Nursery	Garage
High-touch areas	Powder room	Basement	Living room
Acute Care Institutions	Bathroom Fixtures	Hotel Rooms	Assisted Living Facilities
Bathtubs	Campers	Cruise ship [surfaces] [equipment]	Cruise ship [surfaces]
Airports	Bed [Frames] [railings]	Campground Cars	Curing Lights (only for surfaces not to be inserted into the mouth)
Vanity top	Bed pans	Alternate Care Institutions	CAT Scan [equipment] [rooms]
Blood glucose meters	Bladder scan equipment	[Cardiac] [gym] equipment	defibrillators
Blood banks	Carts	Central Service Areas	Day Care Centers
Cervical collars	Blinds	Central Supply Rooms	Delivery Trucks

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by “/” denotes and/or options. Text in parentheses will appear on label.)

Animal Care Facilities	Dopplers	infant incubators [interior and exterior surfaces of]	infant warmers [interior and exterior surfaces of]
Apex locators	Gurneys	[Tympanic] [Electronic] thermometers	Endodontic equipment
Animal equipment	Dialysis [Centers] [machines][clinics]	Chairs	Nurse call [button] [device]
Animal hospitals	Boats	Changing [Tables] [Areas]	Emergency vehicles
Animal labs	Commercial building	Hotels	Department stores
Animal Life Science Laboratories	Bowling Alleys	Acute care institutions	Desks/Desktops
Auto repair centers	Hospital[s] [beds]	Medical offices	Pharmaceutical manufacturing facilities
Automatic teller machines [ATMs]	Breeding and grooming establishments	Computer manufacturing sites	Barges
Automatic feeders	[Nylon] [hair] brushes	Clean rooms	EMS & Fire Facilities
Banks	Buckets	Compounding pharmacies	Laboratory facilities
Barber/beauty shops	Buses	Combs	Elder care centers
Bars	Newborn nurseries	Computer keyboards	Dispensing & filling equipment
Basements and crawl spaces	Medical research facilities	Clippers	Dog/cat [animal] kennels
Dressing carts	Isolation [areas] [wards]	Computer peripheral[s]	[Door] [Cabinet] [Appliance] Knobs [Frames]
Dressing rooms	Bathroom [counter] tops	Cabinet[s] [Cupboard] [Handles]	Neonatal units
Drinking Fountains	Countertops	Convenience stores	IV [poles][pumps]
Isolettes	laboratory equipment and surfaces	Loupes	Operating room tables and lights
Ophthalmoscopes	Otosopes	oxygen hoods	Physical therapy (PT) equipment surfaces
Drone[s][peripherals] [equipment]	Drawer pulls	Conveyer belt (nonfood contact)	Drain boards

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in
(parentheses will appear on label.)

ed. 06-29-2021

Patient lift equipment	Pulse oximeter	Stethoscopes	Telemetry equipment
Telephones	Exteriors of amalgamators	Exteriors of dental curing lights	Exteriors of anesthesia machines
Exteriors of respiratory therapy equipment	Exteriors of apheresis machines	Exteriors of diagnostic equipment	Exteriors of dialysis machines
Exteriors of patient monitoring equipment	Exteriors of patient support and delivery equipment	Exteriors of pulp testers and motors	Operating room[s] [lights] [surfaces] [tables]
Folding tables	Massage [Facial] Salons	Ultrasonic baths	Plastic surfaces
Appliance exteriors	Neck braces	Ophthalmic/Optometric facilities	Life care retirement communities
Tweezers	Polyurethane keyboard covers	Recovery room[s]	Exam [rooms][tables]
Examination [rooms] [tables]	Respiratory therapy centers	Household and automotive garages	Mobile homes
[Empty] diaper pails	Government facilities [spaces]	Housekeeping [Janitorial] rooms	Movie houses
Grocery carts	Footboards	Ultrasound [transducers] [and] [probe][monitors]	External surfaces of medical equipment
Equine farms	Orthopedic clinics	Light fixture[s]	Museums
[Surgery] [Operating] [OR] rooms	Garbage cans	Radiology [rooms] [equipment]	External surfaces of respiratory equipment
Polyvinyl splash aprons	Gift shops	Mammography equipment	Hospices
Exercise [machines] [equipment]	Glass	Kennel[s] [runs]	Oxygen hoods
[Hair] [Nail][Pedicure] salons	Vet [veterinary] [offices] [hospitals] [clinics]	Phlebotomy trays	Hair clippers
Greenhouses	Classrooms	Physician[s] offices	Finished baseboard[s]
Grill exteriors	Labs	Nurseries	Office[s] [building[s]] [equipment]
Physical therapy [rooms] [areas]	Large, inflatable, nonporous plastic [rubber] structures	Surgical centers	Exterior surfaces of air vents

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

X-ray [labs] [tables] [[equipment]]	Laundries	Obstacle course play and exercise equipment	Manicure/pedicure tools
Razors [trimmer] [blades]	Vet or veterinary clinic surfaces	Livestock[pork][poultry][beef][ostrich] [bison] [emu] premises	Traction devices
Headboards	Flowerpots	Fire trucks	Health clubs
Lifts	Sinks	Slides	Exterior surfaces of urinals
Feed racks	Helicopters	Litter boxes	Vanities
Public spaces	Home health care	Locker rooms	Outdoor areas and [patio] furniture
Photocopy centers	Handrails	Slit lamps	Libraries
Pedicure basins	Reception [counters] [desks] [areas]	Soap dispensers	Recreational sporting [snow] [winter] equipment
Solar energy equipment [panel[s]]	Pens	Pet shops	Spas
Performance/theater centers	Recreational facilities	Spine backboards	Walkways
Pet [animal] quarters	Recycling bins and centers	Spittoons	[Washable] Walls
Playpens	Shopping malls	Sports arenas	Washable nail files
Sports complexes	Stalls	Washing areas	Stools
Restrooms	Plumbing fixtures [pipes]	Washing machines	Trains
Restroom fixtures	Storage areas	Watercraft	Exterior toilet bowl surfaces/ Exterior surfaces of toilets
Retail and wholesale establishments	Wheelchairs	Piano keys	Robot[s]
Stretchers	High touch surfaces	Picnic facilities	RVs
Strollers	Zoos	Pipeless foot spas	Satellite[s]
Supermarkets (nonfood contact areas)	Tools	Salons	Tables
Touch screen[s]	Plastic rollers	Scales	Tack shops
Windowsills	Playground equipment	Schools	Surfaces of tank trucks

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

Work areas	Playroom	Scissors	Post offices
Police cars	Ships	Counter[top]s	Troughs
Portable and chemical toilets and latrine buckets	Trash [barrels] [cans] [containers]	Preschools	Steps
Taverns	Toy factories	Mobile homes	Trucks
Tires	Toilet [seats]	TV remote control[s]	Trailers
Taxis	Refrigerator exteriors	Shower [doors] [stalls]	Sports equipment
Tanning [beds] [equipment] [salons] [spas]	Ambulances	Ambulatory Surgical Centers (ASC)	CAT [scan] labs
Central Supply	Critical Care Unit (CCU)	Doctors' [physicians'] offices	Donation Centers [blood][plasma] [semen] [milk]
Emergency medical settings	Emergency rooms (ER)	Emergency vehicles	Eye surgical centers
Health care facilities	Home health care	Hospitals	Intensive Care Units (ICU)
Laundry rooms	Long term care centers	Neonatal intensive care units (NICU)	Newborn nursery
Nursing homes	Operating rooms (OR)	Ophthalmic offices	Orthopedics
Out-patient surgical centers (OPSC)	Patient care areas	Pediatrics	Pediatric intensive care units (PICU)
Physical therapy	Rehabilitation	Respiratory therapy	Skilled nursing facility
X-ray [rooms] [equipment]	Surgery [rooms]	Surgery intensive care unit (SICU)	Surgical centers
Airplanes	Helicopters	EMC Vehicles	Transport vehicles

Note: ***{Bold, italicized}*** text in parentheses is information for the reviewer and is not part of the label. [Bracketed information is optional text]. Text separated by "/" denotes and/or options. Text in parentheses will appear on label.)

ed. 06-29-2021

{Optional Marketing Claims – may appear on front or back panel in bullet or paragraph format}

1. Easy to use
2. Ready to use
3. Convenient
4. No mixing
5. No CFCs
6. No mixing, measuring, [or rinsing] required
7. Ready to use
8. No need to dilute
9. Contains no phosphates [Phosphate free]
10. Bleach free cleaner
11. Chlorine free
12. Manufactured in the US
13. Developed in the US
14. Cleans as it disinfects when used according to disinfection directions
15. Disinfects as it applies an Antimicrobial
16. [Gamma irradiated][sterile][sterilized] for use in clean rooms
17. Triple bagged
18. [Bag-on-valve] [B-o-V]
19. Creates an invisible barrier that inhibits the growth of mold, mildew and odor causing bacteria
20. Disinfects then creates an invisible barrier that inhibits the growth of mold, mildew, and odor causing bacteria.

{Fragrance/Dye Claims}

1. Unscented
2. Fragrance free
3. No fragrance added
4. Colorless
5. No added dyes

{Cleaning and deodorizing Claims}

1. Eliminates odors [caused by bacteria]
2. Eliminates [odors] [stains]
3. Deodorizer
4. Specially designed to fight odors [caused by bacteria] on sports equipment
5. Eliminates [biological] odors
6. [Effectively] eliminates odors at their source
7. Deodorizer for institutional use

Note: {Bold, italicized} text in parentheses is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by "/" denotes and/or options.

{Sanitizing Claims for hard, non-porous, non-food contact surfaces}

1. [Kills][Eliminates] 99.9% of bacteria^^
2. Sanitizer [Sanitizes]
3. Sanitizes hard, nonporous non-food contact surfaces in 5 minutes
4. [This product] kills 99.9% of [Staphylococcus aureus] [Klebsiella pneumoniae] on hard, non-porous, non-food contact surfaces in 5 minutes.
5. [Kills][Eliminates] bacteria that cause odors
6. Kills odor-causing bacteria

{Supporting Claim Qualifier}

^^ Kills 99.9% of Staphylococcus aureus and Klebsiella pneumoniae on hard, non-porous, non-food contact surfaces in 5 minutes

{Disinfecting Claims}

1. [Cleans and] Disinfects
2. Kills [99.9% of] germs*
3. Disinfects in 10 minutes.
4. [Suitable][Approved for use][Use] on {insert item from Table 2}
5. {The following descriptors may appear anywhere on the label;} [Antimicrobial & Antibacterial Treatment] [Germicidal*] [Bactericidal] [Fungicidal] [Antimicrobial/Disinfectant] [Hospital] [Disinfectant] [Cleaner] [Deodorizer]

{Supporting Claim Qualifier}

*Germicide: Kills Staphylococcus aureus (ATCC 6538); Pseudomonas aeruginosa (ATCC 15442); and Trichophyton interdigitale (ATCC 9533)

{See also Footnotes, above Storage and Disposal Statements}

6. 10 minute disinfectant
7. Kills germs/or bacteria [that cause odors][while it cleans] when used according to disinfection directions
8. Germ* fighting formula
9. Effective way to disinfect hard, non-porous surfaces against odor-causing organisms
10. Disinfects hard non-porous surfaces commonly found in healthcare settings
11. Cleaner and disinfectant
12. Reduce[s] cross contamination between treated surfaces
13. Kills [household] [germs] [bacteria]
14. Specifically formulated to fight odor causing bacteria on sports equipment

Small container label for containers less than 6 oz.:

{Front Panel}

MicrobeCare™ 70-2

ACTIVE INGREDIENT:

3-(trihydroxysilyl) propyldimethyloctadecyl
ammonium chloride 2.0%
Isopropyl alcohol.....70.0%
INERT INGREDIENTS:28.0%
TOTAL100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION
FLAMMABLE

See enclosed pamphlet/sheet for complete/all label information including precautionary language.

EPA Reg. No. 89160-xx EPA Est. No.
Parasol Medical LLC • 1602 Barclay Blvd.
Buffalo Grove, Illinois • 60089

{Back Panel}

FIRST AID	
If in eyes:	<input type="checkbox"/> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. <input type="checkbox"/> Call a poison control center or doctor for treatment advice.
If on skin:	<input type="checkbox"/> Take off contaminated clothing. <input type="checkbox"/> Rinse skin immediately with plenty of water for 15-20 minutes. <input type="checkbox"/> Call a poison control center or doctor for treatment advice.
For medical emergencies, call the poison control center at 1-800-222-1222 or CHEMTREC at 1-800-424-9300. Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu)	

Note: {Bold, italicized} text in parentheses is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by “/” denotes and/or options.