87-3

5/15/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAY 1 5 2014

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Micah T. Reynolds Senior Regulatory Consultant Technology Sciences Group, Inc. Agent for Libertas Copper, LLC dba Hussey Copper 1150 18th Street, Suite 1000 Washington, D.C., 20036

Subject:

MD-CU₂₉ 3 EPA Registration No.: 89187-3 Application Date: April 11, 2014 Receipt Date: April, 15, 2014

Dear Mr. Reynolds:

The notification referred to above, submitted in connection with the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to update the product labeling by adding optional statements and installation instructions, is acceptable.

This notification has been made a permanent part of this file.

If you have any questions concerning this letter, please contact Jose Gayoso at (703) 347-8652.

Sincerely,

Marshall Swindell

Product Manager 33 Regulatory Management Branch 1 Antimicrobials Division (7510P)

	C		, ,			×	
Please read instruction	s on reverse side before completi	na form.	Form	Approved	 OMB No. 207	0-0060. Approval expires 05-31-9	
€EPA	Environme	United States ntal Protection Ashington, DC 204	on Agency	Re	egistration nendment her	OPP Identifier Number	
		Application	n for Pesticide – Se	ction I			
Company/Product			2. EPA Product M	-		3. Proposed Classification	
89187-3 4. Company/Product (Name)			Marshall Swindell			None Restricted	
MD-CU ₂₉ 3			33			· ·	
5. Name And Address Of Applicant (Include ZIP Code) Libertas Copper LLC dba Hussey Coppo 100 Washington Street Leetsdale, Pennsylvania 15056			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name				
Chec	k if this is a new address						
			Section II				
Amendment – Resubmission	in response to Agency letter d	ated	Final Printed labels in response to Agency letter dated				
abeling or the confic o EPA. I further und		f this product. I un	derstand that it is a violation with the terms of PR Notice	of 18 U.S 98-10 and	.C. Sec. 1001 to	changes have been made to the willfully make any false stateme , this product may be in violation	
abeling or the confic o EPA. I further und of FIFRA and I may	onsistent with the provisions o dential statement of formula of derstand that if this notificatior be subject to enforcement act	f this product. I un n is not consistent n ion and penalties n	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of	of 18 U.S 98-10 and FIFRA.	.C. Sec. 1001 to 40 CFR 152.46	willfully make any false stateme	
abeling or the confic o EPA. I further und f FIFRA and I may Please confirm	onsistent with the provisions o dential statement of formula of derstand that if this notificatior be subject to enforcement act	f this product. I un n is not consistent n ion and penalties n	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of (nolds@tsgusa.com,	of 18 U.S 98-10 and FIFRA.	.C. Sec. 1001 to 40 CFR 152.46	willfully make any false stateme , this product may be in violation	
abeling or the confic o EPA. I further und of FIFRA and I may Please confirm I. Material This Proc Child Resistant Pac Quest Quest No Certification m	onsistent with the provisions o dential statement of formula of derstand that if this notificatior be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging Yes No	f this product. I un n is not consistent to ion and penalties to ynolds: <u>mrey</u> No. per	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No	of 18 U.S 98-10 and FIFRA.	C. Sec. 1001 td 40 CFR 152.46 202) 828-890 2. Type of Co 2. Type of Co Bab Bab Bab Bab Bab Bab Bab Bab Bab Bab	o willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. ntainer tal stic ss per	
abeling or the confic to EPA. I further und of FIFRA and I may Please confirm 1. Material This Proc Child Resistant Pac Yes* No * Certification m be submitted 3. Location of Net Co	ponsistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging Unit Packaging Yes No If "Yes" Unit Packaging wgt	f this product. I un n is not consistent to ion and penalties to ynolds: <u>mrey</u> No. per	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co	of 18 U.S 98-10 and FIFRA. phone () . per ntainer	C. Sec. 1001 td 40 CFR 152.46 202) 828-890 2. Type of Co 2. Type of Co B B B B B C C C C C C C C C C C C C C	b willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. Intainer tal stic ss ber ler (Specify)	
abeling or the confic o EPA. I further und of FIFRA and I may Please confirm . Material This Proc Child Resistant Pac Yes* No Certification more submitted . Location of Net Co Label	Densistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging Yes No If "Yes" Unit Packaging wgt	f this product. I un n is not consistent u ion and penalties u ynolds: <u>mrey</u> No. per Container	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container	of 18 U.S 98-10 and FIFRA. phone () . per ntainer	C. Sec. 1001 td 40 CFR 152.46 202) 828-890 2. Type of Co 2. Type of Co B B B B B C C C C C C C C C C C C C C	o willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. Intainer tal stic ss ber ler (Specify)	
Abeling or the confic DEPA. I further und f FIFRA and I may Please confirm Material This Proc Child Resistant Pac Yes* No Certification mode Submitted Location of Net Co Label	Densistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging Yes No If "Yes" Unit Packaging wgt Ontents Information Container	No. per Container 4. Size(Ś) Retai	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container	of 18 U.S 98-10 and FIFRA. phone (. per intainer	C. Sec. 1001 td 40 CFR 152.46 202) 828-890 2. Type of Co 2. Type of Co B B B B B C C C C C C C C C C C C C C	b willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. Intainer tal stic ss ber ler (Specify)	
beling or the confic o EPA. I further und f FIFRA and I may Please confirm Material This Proc Child Resistant Pac Yes* No Certification more submitted Location of Net Co Label Manner in Which I	Densistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging Yes No If "Yes" Unit Packaging wgt Ontents Information Container	No. per Container 4. Size(Ś) Retai	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container Section IV	of 18 U.S 98-10 and FIFRA. phone (. per intainer 5. I Other	C. Sec. 1001 td 40 CFR 152.46 202) 828-890 2. Type of Co B B B C C C C C C C C C C C C C C C C	o willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. ntainer tal stic ss per ler (Specify) I Directions I ling accompanying product	
beling or the confic DEPA. I further und FIFRA and I may Please confirm Material This Proc Child Resistant Pac Yes* No Certification m e submitted Location of Net Co Label Manner in Which I Contact Point (Co ame	ponsistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging guide Yes guide No nust If "Yes" Unit Packaging wgt pontents Information Container Label is Affixed to Product	Itis product. I un is not consistent i ion and penalties i ynolds: mrey No. per Container 4. Size(Ś) Retai Lithographe Pager glued Stenciled r identification of ir	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of molds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container Section IV ndividual to be contacted, if i	o f 18 U.S 98-10 and FIFRA. phone (; 	C. Sec. 1001 to 40 CFR 152.46 202) 828-890 2. Type of Co 2. Type of Co 9 Ha 9 Pla 9 Gla 9 Pla 0 Ctr 0 n Labe 0 n Labe 0 n Labe 0 n Labe 1 Or Labe 1 Dr Coress this 1 Teleph	o willfully make any false stateme , this product may be in violation 57, or fax (202) 872-0745. ntainer tal stic ss per ler (Specify) I Directions I ling accompanying product	
abeling or the confic o EPA. I further und of FIFRA and I may Please confirm I. Material This Proc Child Resistant Pac Yes* No Certification in the submitted B. Location of Net Co Label S. Manner in Which I Label Contact Point (Co Name Micah T. Reynolds	Image: Second state of the second s	No. per Container 4. Size(Ś) Retai Pager glued Stenciled r identification of ir Certificatio e on this form and a	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of rnolds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container Section IV ndividual to be contacted, if it the anior Regulatory Consult n all attachments thereto are t	of 18 U.S 98-10 and FIFRA. phone (. per intainer 5. I Other necessary, cant	C. Sec. 1001 to 40 CFR 152.46 202) 828-890 202) 828-890 202) 828-890 202) 828-890 202) 828-890 202) 8 202) 8 2020 8 2020 2020	application.) one No. (Include Area Code) B28-8967 6. Date Application	
abeling or the confic to EPA. I further und of FIFRA and I may Please confirm 1. Material This Proc Child Resistant Pac U Yes* No * Certification in be submitted 3. Location of Net Co Label 5. Manner in Which I 1. Contact Point (Co Name Micah T. Reynolds	ponsistent with the provisions of dential statement of formula of derstand that if this notification be subject to enforcement act receipt with Micah Re duct Will Be Packaged In: kaging Unit Packaging duct Will Be Packaged In: kaging Unit Packaging gluct Will Be Packaged In: kaging Unit Packaging gluct Will Be Packaged In: kaging Yes gluct Will Packaging gluct Packaging Wat Dottents Information Gluct Container Label is Affixed to Product mplete items directly below for s, Technology Sciences Gr at the statements I have made adge that any knowingly false	No. per Container 4. Size(Ś) Retai Pager glued Stenciled r identification of ir Certificatio e on this form and a or misleading state	derstand that it is a violation with the terms of PR Notice under sections 12 and 14 of rnolds@tsgusa.com, Section III Water Soluble Packaging Yes No If "Yes" No Unit Packaging wgt. Co I Container Section IV ndividual to be contacted, if it the anior Regulatory Consult n all attachments thereto are t	of 18 U.S 98-10 and FIFRA. phone (. per intainer 5. L Other	C. Sec. 1001 to 40 CFR 152.46 202) 828-890 202) 828-890 202) 828-890 202) 828-890 202) 828-890 202) 8 202) 8 2020 202) 8 2020 8 2000 8 200 8 200 8 200 8 200 8 200 8 200 8 200 8 200 8 200 8 20	application.) one No. (Include Area Code) 328-8967	



ecce_c

CCCC

leccie

C C C C

cece

6.6666

Technology Sciences Group Inc. 1150 18th Street, Suite 1000 Washington, DC 20036 Direct: (202) 828-8967 Fax: (202) 872-0745 E-Mail: MReynolds@TSGUSA.com

Micah T. Reynolds Senior Regulatory Consultant

April 11, 2014

Hussey Copper <u>MD-CU₂₉ 3, EPA Reg. No. 89187-3</u> Label Notification

Mr. Marshall Swindell, PM-33 Antimicrobials Division (7510P) Office of Pesticide Programs U.S. Environmental Protection Agency Document Processing Center (NOTIF) Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, Virginia 22202

Dear Mr. Swindell:

Technology Sciences Group, Inc., on behalf of Libertas Copper, LLC dba Hussey Copper, is submitting the enclosed label notification that adds minor text to the fabricated product label that aids to call out the option for having a multi-packed product (i.e. multiple switch covers in a pack) and provides reference to a method of product installation. No other changes are being made at this time. Please find enclosed the following documents supporting this notification:

- 1) EPA Notification Form (EPA Form 8570-1);
- 2) One (1) copy of the product labeling with changes in redline text;
- 3) Three (3) copies of the revised product label.

If you have any questions or require additional information or clarification, please do not hesitate to contact me by phone at (202) 828-8967 or by e-mail at <u>mreynolds@tsgusa.com</u>.

Sincerely,

Regulatory Consultant to Hussey Copper

Enclosures CC: C. Acors, J. Linton, J. Chi (Hussey Copper)

Washington, D.C. 1150 18th St., NW, Suite 1000 Washington, D.C. 20036 Phone: (202) 223-4392 California 712 Fifth St., Suite A Davis, CA 95616 Phone: (530) 757-1245

Canada 275 Slater St., Suite 900 Ottawa, Ontario K1P 5H9 Phone: (613) 247-6285

MD-CU₂₉ 3 ANTIMICROBIAL COPPER ALLOYS AND ASSOCIATED FABRICATED PRODUCTS MASTER LABEL

The Master Label consists of the label that will accompany the Antimicrobial Alloys and a label that will accompany each product fabricated using a registered alloy from MD-CU₂₉ 3.

[Alloy Label – Front Panel]

MD-CU₂₉ 3 AND ASSOCIATED FABRICATED PRODUCTS

Active Ingredient:

Copper Other

Total

73.0% 27.0%


NOTIFICATION Date Reviewed: Reviewed By

100%

EPA Registration No. 89187-3 EPA Establishment No. *****

Made in the United States by Hussey Copper 100 Washington Street Leetsdale, Pennsylvania 15056

eeèei



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<u>MD-CU₂₉ 3</u>

These alloys are only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, laboratories, and various public, commercial, and residential buildings. [The claims listed on the attached fabricated product label may be made in connection with the marketing and sale of MD-CU₂₉ 3 Antimicrobial Copper Alloys and fabricated products made from MD-CU₂₉ 3 under EPA Registration Number 89187-3.]

A list of components that may be fabricated out of MD-CU₂₉ 3 Antimicrobial Copper Alloys is specified below. MD-CU₂₉ 3 Alloys are not approved for direct food contact or food packaging uses.

Touch Surface Components

Healthcare Facilities

- o Bedrails, footboards
- Over-bed tables
- Bed-side tables in hospitals, extended care facilities, senior housing etc. (knobs, pulls, handles; surfaces)
- Handrails, (corridor/hallways) (Senior housing), automatic door push plates
- Stair rails, handrails, tubular railing, and supports, rail fittings T's, elbows and brackets
- o Bedrails, assistance rails,
- Toilet safety rails

o Carts

0

- Hospital carts (table surfaces, handles, legs)
- Computer carts
- Record carts

Phlebotomy carts

Other Carts (tables/surfaces, shelving, railings, handles, pulls)

- Equipment carts (horizontal surfaces, frames, handles)
- Door push plates, kick plates, mop plates, stretcher plates
- Sinks: spigots, drains, sinks themselves
- Faucet: handles, spigot, drain control lever
- Water fountains: bubbler head, drain strainer, handle
- Alcohol sanitizer dispenser, handle

• Paper towel holders, facial tissue holders, toilet paper holders

- Air hand dryer, controls and push buttons on air hand dryers
- Hydrotherapy tanks (whirlpool tanks): shells, covers, headrests, drain fittings cocc (outer surfaces without water contact)
- o Door handles, doorknobs (outer touch surfaces)

• Grab bars in bathrooms showers and bathtubs

• Panic bars on emergency room doors

o Towel bars .

CCG

စစင်ငံငံ

ເເເັ້

00000

č

000000

66666

ις ειιες ε

o Showerheads

• Countertops and tabletops (non-food use only)

- Hinges, locks, latches, and trim
- Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- Toilet seat inlay for lifting of seat
- o Closures
- Vertical locking arms
- Vertical cover guards
- Protection bars
- o Light switches, switch plates
- Visitor chairs: armrests, metal frames
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- Kitchen surfaces (non-food contact only): table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o' Floor tiles
- Ceiling tiles (non-porous)
- Wall tiles
- o Instrument handles

Medical equipment knobs, pulls and handles for:

- Drug delivery systems
- Monitoring systems
- Hospital beds
- Office equipment
- Operating room equipment
- Stands and fixtures

Types of knobs: *e.g.*, Prong, fluted, knurled, push/pull, T-handle, tapered, and ball knobs

- Intravenous (IV) poles, bases, hangers, clips
- Trays (instruments, non-food contact)
- Pans (bed)
- Walkers, wheelchair handles, and tubular components
- \circ Computer keyboards: keys, housings, computer mouse surfaces $\frac{1}{2}$
- Exercise and rehabilitation equipment, handles, bars
- Physical therapy equipment: physical therapy tables, treatment chairs and portable taping tables
- o Chairs (shower chairs, patient chairs, visitor chairs): rails, backs, iegs, seats
- Lighting products: X-ray illuminators, operating rooms, patient examination coms, surgical suites, and reading lamps for hospital rooms and assisted living to facilities etc. Components can include bases, arms, housings, handles, hinges), and the summer of the summer o
- Headwall systems: the unit themselves, outlet covers, knobs and dials, lighting units (lamp housings and adjustable arms), CRT monitors with rotating knobs and levers and adjustments. Baskets, monitor housings, knobs, baskets, tables, IV poles

Critical care cart: Table top, drawer, drawer pull, lock, copper wire baskets for storage of equipment and charts.

• Bedside lavatory: sink, faucet, handles, drawer pulls, toilet seat, toilet seat cover, toilet handle, door and cabinet facings, counter tops

• Medical records: Chart holders, clipboards, filing systems

• Storage Shelving: wire shelving etc. for medical supplies

• Grab handles on privacy curtains

• Lids of laundry hampers, trash canisters, and other containers

• Bedside pitchers

• Closet rods and hangers

• Television controls: knobs; buttons, remote

o Monitor (television, computer, etc.) housing

o Cup Holder

• Toothbrush holder

• Soap holder, dispenser

• Magazine rack

o Signage

o Coat rack and hooks

o Shower curtain rings

o Radiator cover

o Bracelets

o Pens

o Badge clips.

• Name tags

• Patient gown snaps

o Window sills, pulls and locks

• Electrical wallplates

Community Facilities (including various public and commercial buildings)

• Shopping cart handles, child seats, handrails

• Cash registers: housing, keypads

• ATM machines: keys, housing

o Gym/Health club lockers, locker handles, locker shelving, trainers' tables,

• Exercise equipment, handles, bars

• Ice and water dispensers (outer surfaces without water contact) $\frac{c}{c}$

 Elevator: handrail, control panel, buttons, interior walls, floor tiles, exterior call button plate

• Paper towel dispensers. Housing itself, (turn) handle, (push) handle

o Soap holder

o Soap dispenser (wall mounted): push bar and dispenser itself

o Soap dispenser (sitting on counter): dispenser housing itself, push mechanismedia

• Toilet paper dispenser (housing)

• Windows (crank), Locking mechanism, pull handles

• Window treatments (cord pulls), Venetian blinds (wands, cord pulls)

• Jalousie Windows (crank)

• Casement (cranks, levers, hinges)

• Single and double-hung windows (locks and pulls)

4

сссс е ееео

¢

CCCC

eečc

CCCCL

• Light switches, switch plates

o Lids of laundry hampers, trash canisters, and other containers

• Magazine rack

o Signage

• Coat rack and hooks

• Shower curtain rings

o Radiator cover

o Bracelets

Badge clips

o Name tags

• Vending machines (non-food contact only)

Window sills

o Electrical wallplates

• Clip boards

• Office supplies: paper clips, staplers, tape dispensers

Residential Buildings (including homes, apartments, apartment buildings and other residences)

• Kitchen surfaces (non-food contact only): table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)

• Bedrails, footboards

• Handrails

o Stair rails

• Door push plates

• Sinks: spigots, drains, sinks themselves

• Faucet: handles, spigot, drain control lever

• Paper towel holders, facial tissue holders, toilet paper holders

• Door handles, doorknobs (outer touch surfaces)

• Grab bars in bathrooms showers and bathtubs

• Towel bars

o Showerheads

• Countertops and tabletops

o Hinges, locks, latches, and trim

• Door stops, door pulls, and protector guards

• Toilet and urinal hardware, levers, push buttons

• Toilet seat inlay for lifting of seat

• Light switches, switch plates

• Thermostat covers, control knobs and wheels

• Telephone handsets and surfaces (housings), keypad

o Floor tiles

• Ceiling tiles (non-porous)

o Wall tiles

• Computer keyboards: keys, housings, computer mouse surfaces

• Exercise equipment, handles, bars

• Windows (crank), Locking mechanism, pull handles

• Window treatments (cord pulls), Venetian blinds (wands, cord pulls)

5

cccc

e c č e

Jalousie Windows (crank) 0

Casement (cranks, levers, hinges) 0

Single and double-hung windows (locks and pulls) 0

Television control knobs and buttons 0

Lids of laundry hampers, trash canisters, and other containers 0

Bedside pitchers 0

o Closet rods and hangers

Television remote 0

o Cup Holder

Toothbrush holder 0

Soap holder, dispenser 0

Magazine rack 0

Coat rack and hooks 0

Shower curtain rings 0

o Radiator cover

Window sills 0

Electrical wallplates 0

0 Baby cribs: rails, fittings, brackets, supports

Bowl stands 0

0 Office supplies: paper clips, staplers, tape dispensers

Monitor (television, computer, etc.) housing 0

Mass Transit Facilities

o Handrails

Stair rails, tubular railing, and supports; elbows and brackets 0

Door push plates, kick plates 0

Door handles, door knobs (outer touch surfaces) 0

Grab bars and handles 0

Tiles: wall, floor, ceiling (non-porous) 0

Chairs and benches: rails, backs, legs, seats 0

Window sills, pulls, and handles 0

Signage 0

Vending machines (non-food contact only) 0

Laboratories

o Incubator interior and outside surfaces, including culture chambers, walls, shelving and support brackets, handles, circulating fan assemblies, pan

o Laboratory surfaces: table tops, counter tops, handles, cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs دد د د د

Laboratory carts, trays, and pans 0

o Door handles, knobs, latches and locks

Laboratory equipment: safety cabinets, enclosures, vent hoods 0

Other

o Play area equipment (indoor only): bars, handles, chains, push plates, handrails, stair rails and risers, wheels, knobs, flooring

Chapel pews

сçē

GUCEC

- Eye glass frames and protective eye wear
- o Pens
- o Combs
- o Ashtrays

Do not wax, paint, lacquer, varnish, or otherwise coat touch surfaces.

MD-CU₂₉ 3 – Fabricated Products

The MD- CU_{29} 3 fabricated products listed above may be sold and distributed under EPA Registration Number 89187-3. Products fabricated with MD- CU_{29} 3 must bear the EPA approved fabricated product label [below] with one or more of the listed claims.

STORAGE AND DISPOSAL

Dispose of excess by recycling.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

CCCC ссč e С cecce cece seco

MD-CU₂₉ 3 Fabricated Product Label

FRONT

(ADHESIVE) (SWITCH COVER)]

BACK

- This product is made of MD-CU₂₉ 3 antimicrobial copper.
- Laboratory testing has shown that when cleaned regularly this surface:
- [This surface] [Continuously reduces bacteria* contamination, achieving 99.9% reduction within 2 hours of exposure.]
- [Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.]
- [Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.]
- [Kills greater than 99.9% of bacteria* within two hours and continues to kill 99% of bacteria* even after repeated contaminations.]
- [This product/product name] [Helps inhibit the buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.]
- [This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills bacteria left behind [by dirty hands][on the surface] killing more than 99.9% of bacteria* within 2 hours.]
- * Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, Pseudomonas aeruginosa and, Vancomycin – Resistant Enterococcus faecalis (VRE).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proper Care and Use. Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

Do not wax, paint, lacquer, varnish, or otherwise coat this product.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses.

[Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and, therefore final impart (educe d) efficacy if not cleaned when visibly soiled.]

STORAGE AND DISPOSAL

Dispose of by recycling or put in trash.

WARRANTY STATEMENT

÷.

[If used as intended, this product is wear-resistant that the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.] [If product is defective, contact Hussey Copper at the address below for return authorization guidelines.]

[For more available products and to learn more about MD-Cu₂₉ scan the code with your smart phone] [www.md-cu29.com] [Patent Pending]

EPA Reg. No. 89187-3 EPA Est. No. [Product Manufacturer Number] 89187-XX-XXX Manufactured by: [Product Manufacturer Company Name and Address] Hussey Copper, 100 Washington Street, Leetsdale, Pennsylvania 15056

(c c e

εεις

ιὶ. ιις

9

ιιίς

MD-CU₂₉[']3 (EPA Reg. No. 89187-3) Master Label version dated April 11, 2014

[Optional Logo for Use with Alloy Label or Fabricated Product Label]

Antimicrobial Copper





Made In [the] U.S.A [American Flag image] [QR code] [Images of product placement and/or installation/instructions]



