11/8/2012

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Environmental Protection Office of Pesticide Programs Agency

NOV - 8 2012

Technical Sciences Group Inc. c/o Libertas Copper LLC dba Hussey Copper 1150 18th Street, Suite 1000 Washington, D. C. 20036

Attention: Micah T. Reynolds

Regulatory Consultant

Subject: MD-CU 29 4

EPA Registration No. 89187-4

Notification Dated October 10, 2012

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

Proposed Notification

- Label Notification to replace marketing logo and update company name

General Comments:

Based on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobial Division (7510P)

Please read instructions on re	verse side before completin	g form.	F	orm Approved	I. OMB No. 2070	0-0060. Approval expires 05-31-98	
⊕EPA	United States Environmental Protection Ag Washington, DC 20460			_ □ Ar	egistration nendment ther	OPP Identifier Number	
		Application	for Pesticide –	Section I			
1. Company/Product Number			2. EPA Produ		3. Proposed Classification		
89187-4 4. Company/Product (Name)			Warshall	Swindel	None Restricted		
MD-CU ₂₉ 4				33			
5. Name And Address Of Applicant (Include ZIP Code) Libertas Copper LLC dba Hussey Copper 100 Washington Street				6. Expedited Review . In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:			
Leetsdale, Pennsylvania 15056			EPA Reg. N	EPA Reg. No			
Check if this is a new address			Product Na	Product Name			
			Section II				
Explanation: Use additi Submission of Labe This notification is consiste labeling or the confidential to EPA. I further understa of FIFRA and I may be suited.	below. conal page(s) if necessary Pel Notification to resent with the provisions of statement of formula of and that if this notification oject to enforcement action	r. (For section I an place marketi PR Notice 98-10 at this product. I uncis not consistent won and penalties u	Agence "Me To Other of Section II.) Ing logo and updown and EPA regulations at derstand that it is a violation with the terms of PR No onder sections 12 and 1	t 40 CFR 152.4 ation of 18 U.S otice 98-10 and 14 of FIFRA.	w. 19 name. 16, and no other 15.C. Sec. 1001 to 140 CFR 152.46	changes have been made to the willfully make any false statement, this product may be in violation 57, or fax (202) 872-0745.	
			Section III				
1. Material This Product W	fill Be Packaged In:						
Child Resistant Packaging Yes* No * Certification must be submitted	Yes No		Water Soluble Packag Yes No If "Yes" Unit Packaging wgt.	No. per Container	2. Type of Col Mel Pla Gla Pap Oth	tal stic ss	
3. Location of Net Contents Information 4. Si Label Container		4. Size(S) Retail	Size(S) Retail Container		Location of Label Directions On Label On Labeling accompanying product		
6. Manner in Which Label	is Affixed to Product	Lithographed Pager glued Stenciled		Other			
			Section IV				

No * Certification must If "Yes" No be submitted Unit Packaging wgt. Со 3. Location of Net Contents Information 4. Si Label Container 6. Manner in Which Label is Affixed to Product 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Micah T. Reynolds, Technology Sciences Group, Inc. **Regulatory Consultant** (202) 828-8967 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature **Regulatory Consultant to Hussey Copper** Ltd. 4. Typed Name 5. Date Micah T. Reynolds October 10, 2012



Technology Sciences Group Inc.

1150 18th Street, Suite 1000 Washington, DC 20036 Direct: (202) 828-8967 Fax: (202) 872-0745

E-Mail: MReynolds@TSGUSA.com

Micah T. Reynolds Regulatory Consultant

October 10, 2012

Hussey Copper

MD-CU₂₉ 4, EPA Reg. No. 89187-4

Notification to Update Marketing Logo and Company Name

Mr. Marshall Swindell, PM-33
Antimicrobials Division (7510P)
Office of Pesticide Programs
U.S. Environmental Protection Agency
Document Processing Center (NOTIF)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202

Dear Mr. Swindell:

Technology Sciences Group, Inc., on behalf of Libertas Copper, LLC dba Hussey Copper, is submitting the enclosed label notification to update a marketing logo and to update the company name. A Company Address Update (COADR) letter has been filed with Kathleen O'Malley of OPP/ITRMD to update the company database. The following documents are herein submitted supporting this notification:

- 1) EPA Notification Form (EPA Form 8570-1);
- 2) One (1) copy of the product labeling with changes highlighted;
- 3) Three (3) copies of the revised product label.

If you have any questions or require additional information or clarification, please do not hesitate to contact me by phone at (202) 828-8967 or by e-mail at mreynolds@tsgusa.com.

Sincerely.

Regulatory Consultant to Hussey Copper

Enclosures

Washington, D.C. 1150 18th St., NW, Suite 1000 Washington, D.C. 20036 Phone: (202) 223-4392 California
712 Fifth St., Suite A

Davis, CA 95616 Phone: (530) 757-1245 Canada

990 أورانيور . 275 Slater S 990 Ottawa, Ontario K1P SH9 947-6285 Phone: (613)



MD-CU₂₉ 4 ANTIMICROBIAL COPPER ALLOYS AND ASSOCIATED FABRICATED PRODUCTS MASTER LABEL

The Master Label consists of the label that will accompany the Antimicrobial Alloys and a label that will accompany each product fabricated using a registered alloy from MD-CU₂₉ 4.

[Alloy Label - Front Panel]

MD- CU_{29} 4 AND ASSOCIATED FABRICATED PRODUCTS

Active Ingredient:

Copper

Other

66.5%

33.5%

Total

100%

EPA Registration No. 89187-4 EPA Establishment No. ***** Made in the United States by Hussey Copper 100 Washington Street Leetsdale, Pennsylvania 15056

Net Weight: XXX lbs XXX ounces of MD-CU₂₉ 4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MD-CU₂₉ 4

These alloys are only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, and various public, commercial, and residential buildings. [The claims listed on the attached fabricated product label may be made in connection with the marketing and sale of MD-CU₂₉ 4 Antimicrobial Copper Alloys and fabricated products made from MD-CU₂₉ 4 under EPA Registration Number 89187-4.]

A list of components that may be fabricated out of MD-CU₂₉ 4 Antimicrobial Copper Alloys is specified below. MD-CU₂₉ 4 Alloys are not approved for direct food contact or food packaging uses.

Touch Surface Components

Healthcare Facilities

- o Bedrails, footboards
- Over-bed tables
- Bed-side tables in hospitals, extended care facilities, senior housing etc. (knobs, pulls, handles; surfaces)
- o Handrails, (corridor/hallways) (Senior housing), automatic door push plates
- Stair rails, handrails, tubular railing, and supports, rail fittings T's, elbows and brackets
- o Bedrails, assistance rails,
- Toilet safety rails
- o Carts

Hospital carts (table surfaces, handles, legs)

Computer carts

Record carts

Phlebotomy carts

Other Carts (tables/surfaces, shelving, railings, handles, pulls)

- o Equipment carts (horizontal surfaces, frames, handles)
- O Door push plates, kick plates, mop plates, stretcher plates
- Sinks: spigots, drains, sinks themselves
- o Faucet: handles, spigot, drain control lever
- Water fountains: bubbler head, drain strainer, handle
- Alcohol sanitizer dispenser, handle
- o Paper towel holders, facial tissue holders, toilet paper holders
- o Air hand dryer, controls and push buttons on air hand dryers
- Hydrotherapy tanks (whirlpool tanks): shells, covers, headrests, drain fittings (outer surfaces without water contact)
- Door handles, doorknobs (outer touch surfaces)
- Grab bars in bathrooms showers and bathtubs
- Panic bars on emergency room doors
- Towel bars

- Showerheads
- o Countertops and tabletops (non-food use only)
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- o Closures
- Vertical locking arms
- Vertical cover guards
- Protection bars
- o Light switches, switch plates
- Visitor chairs: armrests, metal frames
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- Kitchen surfaces (non-food contact only): table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o Floor tiles
- o Ceiling tiles (non-porous)
- Wall tiles
- o Instrument handles

Medical equipment knobs, pulls and handles for:

- Drug delivery systems
- Monitoring systems
- Hospital beds
- Office equipment
- Operating room equipment
- Stands and fixtures

Types of knobs: e.g., Prong, fluted, knurled, push/pull, T-handle, tapered, and ball knobs

- o Intravenous (IV) poles, bases, hangers, clips
- o Trays (instruments, non-food contact)
- o Pans (bed)
- o Walkers, wheelchair handles, and tubular components
- o Computer keyboards: keys, housings, computer mouse surfaces
- o Exercise and rehabilitation equipment, handles, bars
- Physical therapy equipment: physical therapy tables, treatment chairs and portable taping tables
- o Chairs (shower chairs, patient chairs, visitor chairs): rails, backs, legs, seats
- Lighting products: X-ray illuminators, operating rooms, patient examination rooms, surgical suites, and reading lamps for hospital rooms and assisted living facilities etc. Components can include bases, arms, housings, handles, hinges)
- Headwall systems: the unit themselves, outlet covers, knobs and dials, lighting units (lamp housings and adjustable arms), CRT monitors with rotating knobs and levers and adjustments. Baskets, monitor housings, knobs, baskets, tables, IV poles

- O Critical care cart: Table top, drawer, drawer pull, lock, copper wire baskets for storage of equipment and charts.
- o Bedside lavatory: sink, faucet, handles, drawer pulls, toilet seat, toilet seat cover, toilet handle, door and cabinet facings, counter tops
- o Medical records: Chart holders, clipboards, filing systems
- o Storage Shelving: wire shelving etc. for medical supplies
- o Grab handles on privacy curtains
- Lids of laundry hampers, trash canisters, and other containers
- o Bedside pitchers
- o Closet rods and hangers
- o Television controls: knobs, buttons, remote
- o Monitor (television, computer, etc.) housing
- o Cup Holder
- o Toothbrush holder
- Soap holder
- o Magazine rack
- o Signage
- Coat rack and hooks
- o Shower curtain rings
- o Radiator cover
- o Bracelets
- o Pens
- Badge clips
- o Name tags
- o Patient gown snaps
- Window sills, pulls and locks
- o Electrical wallplates

Community Facilities (including various public and commercial buildings)

- Shopping cart handles, child seats, handrails
- o Cash registers: housing, keypads
- o ATM machines: keys, housing
- o Gym/Health club lockers, locker handles, locker shelving, trainers' tables,
- Ice and water dispensers (outer surfaces without water contact)
- Elevator: handrail, control panel, buttons, interior walls, floor tiles, exterior call button plate
- o Paper towel dispensers. Housing itself, (turn) handle, (push) handle
- Soap holder
- Soap dispenser (wall mounted): push bar and dispenser itself
- o Soap dispenser (sitting on counter): dispenser housing itself, push mechanism
- Toilet paper dispenser (housing)
- o Windows (crank), Locking mechanism, pull handles
- o Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- Jalousie Windows (crank)
- o Casement (cranks, levers, hinges)
- o Single and double-hung windows (locks and pulls)
- o Light switches, switch plates

8/

- o Lids of laundry hampers, trash canisters, and other containers
- o Magazine rack
- o Signage
- o Coat rack and hooks
- o Shower curtain rings
- Radiator cover
- o Bracelets
- o Badge clips
- o Name tags
- Vending machines (non-food contact only)
- o Window sills
- o Electrical wallplates
- o Clip boards
- o Office supplies: paper clips, staplers, tape dispensers

Residential Buildings (including homes, apartments, apartment buildings and other residences)

- Kitchen surfaces (non-food contact only): table tops, counter tops, handles
 (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o Bedrails, footboards
- Handrails
- o Stair rails
- o Door push plates
- Sinks: spigots, drains, sinks themselves
- o Faucet: handles, spigot, drain control lever
- Paper towel holders, facial tissue holders, toilet paper holders
- o Door handles, doorknobs (outer touch surfaces)
- o Grab bars in bathrooms showers and bathtubs
- Towel bars
- Showerheads
- Countertops and tabletops
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- o Light switches, switch plates
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- o Floor tiles
- o Ceiling tiles (non-porous)
- Wall tiles
- o Computer keyboards: keys, housings, computer mouse surfaces
- o Exercise equipment, handles, bars
- o Windows (crank), Locking mechanism, pull handles
- o Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- Jalousie Windows (crank)

9/

- o Casement (cranks, levers, hinges)
- o Single and double-hung windows (locks and pulls)
- o Television control knobs and buttons
- o Lids of laundry hampers, trash canisters, and other containers
- Bedside pitchers
- o Closet rods and hangers
- o Television remote
- o Cup Holder
- o Toothbrush holder
- o Soap holder
- Magazine rack
- o Coat rack and hooks
- Shower curtain rings
- Radiator cover
- Window sills
- o Electrical wallplates
- o Baby cribs: rails, fittings, brackets, supports
- Bowl stands
- o Office supplies: paper clips, staplers, tape dispensers
- o Monitor (television, computer, etc.) housing

Mass Transit Facilities

- Handrails
- o Stair rails, tubular railing, and supports; elbows and brackets
- o Door push plates, kick plates
- o Door handles, door knobs (outer touch surfaces)
- o Grab bars and handles
- o Tiles: wall, floor, ceiling (non-porous)
- o Chairs and benches: rails, backs, legs, seats
- o Window sills, pulls, and handles
- o Signage
- Vending machines (non-food contact only)

Other

- Play area equipment (indoor only): bars, handles, chains, push plates, handrails, stair rails and risers, wheels, knobs, flooring
- o Chapel pews
- o Eye glass frames and protective eye wear
- o Pens
- o Combs
- o Ashtrays

Do not wax, paint, lacquer, varnish, or otherwise coat touch surfaces.

MD-CU₂₉ 4 - Fabricated Products

The MD-CU₂₉ 4 fabricated products listed above may be sold and distributed under EPA Registration Number 89187-4. Products fabricated with MD-CU₂₉ 4 must bear the EPA approved fabricated product label [below] with one or more of the listed claims.

STORAGE AND DISPOSAL

Dispose of excess by recycling.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.



MD-CU₂₉ 4 **Fabricated Product Label**

FRONT

[This (touch surface) (product)] made from

MD-CU₂₉ 4

Active Ingredient:

Copper

Other...... 33.5% 100.0%]

See [Back/Side Panel][Insert] for Directions for

Net Weight: XXX lbs XXX ounces of MD-CU29

BACK

MD-CU₂₉ 4

Laboratory testing has shown that when cleaned regularly this surface:

- Continuously reduces bacteria* contamination, achieving 99.9% reduction within 2 hours of exposure.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.
- Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- Kills greater than 99.9% of bacteria* within two hours and continues to kill 99% of bacteria* even after repeated contaminations
- Helps inhibit the buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.
- [This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills bacteria left behind [by dirty hands][on the surface] killing more than 99.9% of bacteria* within 2 hours.
- Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, Pseudomonas aeruginosa and, Vancomycin - Resistant Enterococcus faecalis (VRE).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proper Care and Use. Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

Do not wax, paint, lacquer, varnish, or otherwise coat this product.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses.

[Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and, therefore, may impart reduced efficacy if not cleaned when visibly soiled.]

STORAGE AND DISPOSAL

Dispose of by recycling or put in trash.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

EPA Reg. No. 89187-4 EPA Est. No. [Product Manufacturer Nu Manufactured by: [Product Manufacturer Company Name and Address] Hussey Copper, 100 Washington Street, Leetsdale, Pennsylvania 15056 EPA Est. No. [Product Manufacturer Number] 89187-XX-XXX

12/12

Optional Logo for Use with Alloy Label or Fabricated Product Label

Antimicrobial Copper



