



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460**

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 30, 2023

Tasha Lott
Product Registration Manager
Albaugh, LLC
1525 NE 36th Street
Ankeny, IA 50021

Subject: Notification per PRN 98-10 – Addition of marketing statements, and graphics
Product Name: GPI RTU
EPA Registration Number: 89442-66
Application Date: 6/29/2023
Decision Number: 593104

Dear Ms. Lott,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Sayed Islam at 202-566-2796 or by email at islam.sayed@epa.gov.

 For
Heather McFarley, Product Manager 24
Fungicide and Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

GLUFOSINATE	GROUP	10	HERBICIDE
NONANOIC ACID	GROUP	27	HERBICIDE
IMAZETHAPYR	GROUP	2	HERBICIDE

GPI RTU

Herbicide for nonselective weed control of emerged weeds on Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Patios, Vacant lots, Paved areas including cracks and crevices, Warehouse areas, Urban areas, Play areas, Tennis courts, fencerows, along fences of paddocks, hedgerows, dry ditchbanks, around domestic dwellings, shelter beds, dog kennels, under trees, in landscape beds and gardens.

ACTIVE INGREDIENT:

Glufosinate-ammonium.....	0.50%
Ammonium nonanoate*.....	0.56%
Imazethapyr-ammonium**	0.16%

OTHER INGREDIENTS: 98.78%

TOTAL: 100.00%

* Equivalent to 0.5% nonanoic (pelargonic) acid equivalent.

** Equivalent to 0.15% imazethapyr acid equivalent.

This product contains 0.0417 lbs glufosinate ammonium, 0.0417 lbs pelargonic acid (0.0467 lbs ammonium nonanoate) and related fatty acids, and 0.0125 lbs imazethapyr acid equivalent per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Chemical Spill, Leak, Fire or Exposure, Call CHEMTREC (800) 424-9300. For Medical Emergencies Only, Call (888) 347-6732.	

[See inside booklet for additional [complete] [First Aid,] Precautionary Statements and Directions for Use.]

EPA Reg. No. 89442-66

EPA Est. No. _____

NET CONTENTS: _____ Gallons [Fluid Ounces] [Fl. Oz.] [Quarts]

MANUFACTURED FOR:

Prime Source, a division of Albaugh, LLC
1525 NE 36th Street
Ankeny, IA 50021

NOTIFICATION

89442-66

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/30/2023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. **DO NOT** clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources or land.

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several months or more after application.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of imazethapyr from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

DO NOT use on coarse soils classified as sand which have less than 1% organic matter.

Groundwater Advisory: Glufosinate-ammonium and imazethapyr-ammonium have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This product may not be mixed or loaded within 50 feet of any wells (including abandoned wells and drainage wells), sinkholes, perennial or intermittent streams and rivers, and natural or impounded lakes or reservoirs. This setback does not apply to properly capped or plugged abandoned wells and does not apply to impervious pad or properly diked mixing/loading areas.

Non-Target Organism Advisory: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT use this product until you have read the entire label. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

In the State of New York Only: Not For Use in Nassau and Suffolk Counties.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. The application for trimming and edging, industrial, recreational and public areas, and farmsteads are not within the scope of the WPS.

MANDATORY SPRAY DRIFT

- **DO NOT** apply via air.
- **DO NOT** apply when wind speeds exceed 10 miles per hour at the application site.
- **DO NOT** apply during temperature inversions.
- Applicators must select nozzles and pressure that deliver coarse to coarser droplets in accordance with American Society of Agricultural & Biological Engineers Standard 527 (ASABE 572).
- Spray at the appropriate boom height based on nozzle selection and nozzle spacing, but **DO NOT** exceed a boom height of 24 inches above target pest or crop canopy. Set boom to lowest effective height over the target pest or crop canopy based on equipment manufacturer's directions. Automated boom height controllers are recommended with large booms to better maintain optimum nozzle to canopy height. Excessive boom height will increase the potential for spray drift.
- For non-crop vegetation management ground applications, apply with the nozzle height no more than 4 feet above the ground or target vegetation, unless necessitated by the application equipment. Examples would include roadside, railroad, utility rights of way, forestry and other industrial vegetation management applications where safety or natural barriers obstruct application.
- User must only apply with the release height recommended by the manufacturer, but no more than 3 feet above the ground or crop canopy unless making a turf, pasture, or rangeland application, in which case applicators may apply with a nozzle height no more than 4 feet above the ground.

SPRAY DRIFT ADVISORY

POLLINATOR ADVISORY

This product contains an herbicide. Follow all label directions and precautions to minimize potential off-target exposure in order to prevent effects to non-target plants adjacent to the treated site which may serve as habitat or forage for pollinators.

SPRAY DRIFT MANAGEMENT

The interaction of many equipment and weather-related factors determines the potential for spray drift. The applicator is responsible for considering all these factors when making application decisions.

Importance of Droplet Size - The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. The presence of sensitive species nearby, the environmental conditions, and pest pressure may affect how an applicator balances drift control and coverage. **APPLYING LARGER DROPLETS REDUCES DRIFT POTENTIAL BUT WILL NOT PREVENT DRIFT IF APPLICATIONS ARE MADE IMPROPERLY OR UNDER UNFAVORABLE ENVIRONMENTAL CONDITIONS!**

See Wind, Temperature and Humidity, and Temperature Inversions sections of this label.

Techniques for Controlling Droplet Size -

Volume – Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.

Pressure – Use the lower spray pressures recommended for the nozzle. Higher pressure reduces droplet size and does not improve canopy penetration. **WHEN HIGHER FLOW RATES ARE NEEDED, USE A HIGHER-CAPACITY NOZZLE INSTEAD OF INCREASING PRESSURE.**

Nozzle Type – Use a nozzle type that is designed for the intended application. With most nozzle types, narrow spray angles produce larger droplets. Consider using low-drift nozzles.

Boom Height - Setting the boom at the lowest referenced height (if specified) which provides uniform coverage reduces the exposure of droplets to evaporation and wind. For ground equipment, the boom should remain level with the crop and have minimal bounce.

Drift Reduction Technology (DRT) - The EPA Drift Reduction Technology (DRT) Program was developed to encourage the manufacturer, marketing, and use of spray technologies scientifically verified to significantly reduce

pesticide drift. The use of DRTs should result in significantly less pesticide from spray applications drifting and being deposited in areas not targeted by those applications, compared to spray technologies that do not meet the minimum DRT standard. EPA-verified drift reduction technologies (DRTs) and their ratings will be added to the following webpage when they become available: <https://www.epa.gov/reducing-pesticide-drift/epa-verified-and-rated-drift-reduction-technologies>

Wind - Drift potential increases at wind speeds of less than 3 mph (due to inversion potential) or more than 10 mph. However, many factors including droplet size and equipment type determine drift potential at any given wind speed.

AVOID APPLICATIONS DURING GUSTY OR WINDLESS CONDITIONS.

Note: Local terrain can influence wind patterns. Every applicator needs to be familiar with local wind patterns and how they affect spray drift.

Temperature and Humidity - When making applications in hot and dry conditions, set up equipment to produce larger droplets to reduce effects of evaporation.

Temperature Inversions - Drift potential is high during a temperature inversion. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain close to the ground and move laterally in a concentrated cloud. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

Shielded Sprayers - Shielding the boom or individual nozzles can reduce the effects of wind. However, it is the responsibility of the applicator to verify that the shields are preventing drift and not interfering with uniform deposition of the product.

PRODUCT INFORMATION

This product is a nonselective water-soluble herbicide for application as a foliar spray for the control of a broad-spectrum of emerged annual and perennial grass and broadleaf weeds on non-crop sites including: paved areas including crack and crevice, railroad rights-of-way, highway, roadside, parking areas, pipeline and utility rights-of-way, industrial areas, warehouse areas, urban areas, play areas, tennis courts, fence rows (fence lines/along fences), hedgerows, dry ditch banks, sidewalks, around domestic dwellings, driveways and walkways, brick walks, gravel paths, patios, vacant lots, edging, shelter beds, dog kennels, under trees, in landscape beds and gardens. This product will also control certain woody species. Plants that have not yet emerged at the time of application will not be controlled. THOROUGH SPRAY COVERAGE IS IMPORTANT. Visual effects and control from application of this product will occur within 2 to 4 days after application under good growing conditions.

This product is nonselective and will injure or kill all green vegetation contacted by the spray. Avoid all contact with foliage or green tissue of desirable vegetation. Avoid direct spray contact with green, thin, or uncalledous bark of desirable vegetation or plant injury may result. If desirable vegetation is contacted, rinse the sprayed portion with water immediately.

This product works best when weeds are actively growing. Weed control may be reduced when applications are made to weeds under stress due to drought or cool temperatures. Weeds under stress or in dense populations will require application at the highest rate specified. Refer to the How to Apply section of this label.

Refer to the How to Apply section of this labeling for specified treatment rates and a list of weeds controlled. Applications may be made on a broadcast, banded or spot basis depending on the situation. Avoid direct spray or drift to desirable vegetation. Regrowth may occur due to the weed stage of growth at application, low use rate, or environmental conditions. Repeat treatments may be necessary to control plants generating from underground parts or seed.

WEED RESISTANCE MANAGEMENT

For resistance management, GPI RTU contains a Group 10, Group 27, and Group 2 herbicides. Any weed population may contain or develop plants naturally resistant to GPI RTU and other Group 10, 27, or 2 herbicides. The resistant biotypes may eventually dominate the weed population if these herbicides are used repeatedly in the same field. Appropriate resistance management strategies should be followed.

Fields should be scouted prior to application to identify the weed species present and their growth stage to determine

if the intended application will be effective. Field should also be scouted after application to verify that the treatment was effective.

Contact your local sales representative or extension agent to find out if suspected resistant weeds to this MOA have been found in your region. If resistant biotypes of target weeds have been reported, use the application rates of this product specified for your local conditions. Tank mix products so that there are multiple effective mechanisms of action for each target weed.

Suspected herbicide-resistant weeds may be identified by these indicators:

- Failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds;
- A spreading patch of non-controlled plants of a particular weed species; and
- Surviving plants mixed with controlled individuals of the same species.

Report any incidence of non-performance of this product against a particular weed species to your Albaugh representative or call 1-800-247-8013 or at www.albaughLLC.com. If resistance is suspected, treat weed escapes with an herbicide having a different mode of action and/or use non-chemical means to remove escapes, as practical, with the goal of preventing further seed production.

To delay herbicide resistance, take one or more of the following steps:

- **Diversified approach.** To the extent possible, use a diversified approach towards weed management. Whenever possible, incorporate multiple weed-control practices.
- **Know your weeds.** Identify weeds present by scouting and understand their biology. A weed-control program should consider all of the weeds present.
- **Rotate mechanisms of action.** Difficult to control weeds may require applications of herbicides with differing mechanisms of action.
- **Apply herbicide correctly.** Apply this herbicide at the correct timing and rate to control the most difficult weed in the field.

Contact your local extension specialist or certified crop advisors for additional pesticide resistance-management and/or integrated weed-management directions for specific weed biotypes.

Contact your local sales representative, crop advisor, or extension agent to find out if suspected resistant weeds to these MOAs have been found in your region. **DO NOT** assume that each listed weed is being controlled by multiple mechanisms of action. Co-formulated active ingredients are intended to broaden the spectrum of weeds that are controlled. Some weeds may be controlled by only one of the active ingredients in this product.

WHERE TO APPLY/USE

For outdoor use only.

Apply as a spot spray application [spot treatment] to kill weeds and grass around trees, shrubs, fences, walks, patios, driveways, sidewalks, in flower beds, around houses, buildings, and storage areas.

PRECAUTIONS: Do not spray plants or grasses you like- they will die. Avoid spray contact of green plant stems or green bark of young trees and shrubs. Not recommended for spot weed control in lawns since this product kills lawn grasses.

Trimming and Edging

This product may be used for trimming and edging landscape areas including: around individual trees and shrubs, landscape beds, foundations, fences, driveways, paths, and parking areas.

USE RESTRICTIONS

1. **DO NOT** add water.
2. **DO NOT** apply directly to or allow spray to contact desirable green tissue or green, thin, or uncalledous bark of desirable vegetation.
3. **DO NOT** apply to weeds when wet from dew, rain or water.
4. Apply in a minimum of 10 gallons spray per acre.
5. **DO NOT** apply to golf course putting greens or tees.
6. **DO NOT** apply north of North Dakota Highway 13 or Minnesota Highway 10.
7. **DO NOT** apply directly to landscape ornamentals or ornamental beds.
8. **DO NOT** apply if rainfall is expected within 2 hours.

9. People and pets must not touch treated plants or enter treated areas until after spray has dried.
10. **DO NOT** apply more than a total of 2 broadcast applications (excluding spot treatments) per year.
11. **DO NOT** make broadcast applications on residential lawns. Make spot treatments only.
12. **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area of application.
13. **DO NOT** apply more than 5.5 gallons GPI RTU per acre per application (0.23 lb glufosinate, 0.23 lb pelargonic acid equivalent, 0.069 lbs imazethapyr acid equivalent).
14. **DO NOT** apply more than 11 gallons per acre per year (0.46 lb glufosinate, 0.46 lb pelargonic acid, 0.14 lbs imazethapyr acid equivalent).
15. Spot treatment to residential lawns is limited to 1000 sq. ft. per acre. **DO NOT** apply more than 4.5 fl. oz. (0.0015 lbs glufosinate, 0.0015 lbs pelargonic a.e., 0.00044 lbs imazethapyr) per spot treatment.
16. **DO NOT** make more than 3 spot applications (same spot no greater than 1000 sq. ft.) per year.
17. The minimum retreatment interval is 14 days.
18. **DO NOT** apply this product through any type of irrigation system.
19. **DO NOT** apply to soils classified as sand with less than 1% organic matter.
20. **DO NOT** allow grazing of vegetation treated with this product or feed livestock forage cut from treated areas.
21. **DO NOT** spray plants or grasses you like – they will die. Avoid spray contact of green plant stems or green bark of young trees and shrubs. Not recommended for spot weed control in lawns since this product kills lawn grasses.

HOW TO APPLY

Pull 'N Spray, Pump 'N Go [2] and Battery Operated Sprayers

- Follow illustrations and/or instructions in the How to Assemble and Use Instructions section to prime the sprayer.
- Spray the weeds or grasses you want to kill until **thoroughly wet**.
- [When spot treating [weeds] around desirable plants, shield plants from drift with a [sheet/ piece] of cardboard or plastic.] If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

Quick Connect Sprayers and Trigger Sprayers

- Adjust nozzle to the desired spray setting [(foam or spray)].
- Spray the weeds or grasses you want to kill until **thoroughly wet** [(or covered with foam)].
- When spot treating [weeds] around desirable plants, shield plants from drift with a [sheet/ piece] of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

WHEN TO APPLY

- Apply when weeds are actively growing. [Use anytime weeds [and grasses] are actively growing.]
- For best results, apply during warm, sunny weather above 60° F [to accelerate systemic movement from foliage to roots]. [Product is effective when applications are made under cool and cloudy conditions as low as 50° F.]
- Spray when air is calm to prevent drift to desirable plants.

Alternative Text: PGI RTU is Rainproof in [10/30] minutes.]

- [Weeds yellow and wilt within hours with complete kill in 1 to 2 weeks for annual weeds. Perennial weeds including poison ivy may take 4 or more weeks for complete kill].
- [Apply when weeds are small and before seeds form.]
- [Established [perennial/ hard to kill] weeds may require a repeat application.] **Alternative Text:** [Repeat application if necessary if new growth appears.]

Optional Section:

HOW TO REFILL

For Ready-To-Use Containers with Applicators Intended to be Reused/ Refilled

To refill this empty container, pour product carefully and directly from the GPI RTU container designated as the ready-to-use refill container. **DO NOT** add water.

For Ready-To-Use Refill Containers

[**DO NOT** reuse or refill this container. Use this product to refill the empty GPI RTU container by pouring product carefully and directly into the container. **DO NOT** add water.]

For Battery Operated Sprayers with Wand Containers

The container can be reused with the GPI RTU refill [bottle/container]. Read and follow instructions in REFILL DIRECTIONS section to reuse the [handheld sprayer/ wand/ applicator].

Optional Section: Battery Operated Sprayer ONLY Select Any of the Options Below

HOW TO CLEAN

- Battery operated [wand/handheld sprayer] may be used with other glufosinate brand products, it will replace any sprayer fitted with a quick-connect cap.

Alternative Text:

Before using the [wand/handheld sprayer] with other glufosinate products, clean the sprayer thoroughly.

- Disconnect sprayer unit from the [quick-connect/ bottle] cap.
- Place ONLY the end of the hose into a bucket of water and spray continuously for 30 seconds onto [bare soil or gravel/ treated area].

Alternative Text: Rinse sprayer and sprayer parts [including the] [(hose/ cone/ dome/ guard/ shield)] with water 3 times. Spray rinse water on [bare soil or gravel/ treated area]. Discard empty sprayer bottle as instructed in STORAGE AND DISPOSAL section.

Alternative Text:

[Rinse sprayer with water 3 times and then spray [clean] water through sprayer for 30 seconds.] [Spray rinse water on [bare soil or gravel/ treated area].]

- Connect [wand/applicator] to any glufosinate product with a quick-connect cap.
- Failure to properly clean sprayer before using with other glufosinate products may cause damage to your plants.

Optional Section: Select Any of the Options Below

ADDITIONAL TIPS

FOR [FLOWERBED AND] GARDEN [PLOT] PREPARATION

Use GPI RTU to kill weeds, grasses and brush before planting flowers, trees or shrubs.

- [If soil is dry, water before application and 2 to 3 days after application.]
- [Apply evenly over treatment area.]
- [Wait 4 to 6 days for product to kill plants then cleanup plant refuse and till soil.]
- [Wait 1 to 3 days after last application before planting garden [flowers, trees and shrubs].]

TO KILL VINES

- [If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.]
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a [sheet/ piece] of cardboard or plastic.

KUDZU

For best results, apply in mid to late summer when vines are mature and actively growing.

WILD BLACKBERRY

Spray anytime plants are actively growing. Dead canes must be cut down and removed. Reapplication is often required to kill deep roots.

POISON IVY & POISON OAK

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

Optional Section: Select from the list below

KILLS ALL TYPES OF WEEDS AND GRASSES

[Kills [insert from Table 1below]].

Alternative Text: [CONTROLS WEEDS, GRASSES [AND/ &] BRUSH INCLUDING/ WEEDS CONTROLLED INCLUDE:]

Table 1. WEEDS CONTROLLED:

Broadleaf Weeds	
Algae	Mugwort
Bittercress, hairy	Mustards
Bindweed	Mullein
Buffalobur	Nettle

Burdock	Nightshade
Canada thistle	Nimblewill
Chickweed, common, mouse-ear	Oxalis
Clover	Pansy, wild
Cocklebur, common	Pennycress, field
Corn spurry	Pigweed, red root
Dandelion	Plantain
Dock, curly	Pigweed, smooth, redroot
Dogbane, hemp	Pokeweed
Filaree	Prickly lettuce
Fleabane, annual	Purslane
Groundsel	Ragweed, common
Goldenrod	Rocket, yellow
Heath aster, white	Russian thistle
Henbit	Shepherd's purse
Horsetail	Smartweed
Jimsonweed	Sorrel, sheep
Kochia	Sowthistle, annual
Lambsquarters, common	Spurge, spotted
Leafy spurge	Thistle, musk
Liverwort	Velvetleaf
London rocket	Vervain
Mallow, roundleaved	Virginia copperleaf
Malva (little mallow)	Wild buckwheat
Marestail	Wild mustard
Moneywort	Wild onion
Morningglory, annual	Wild turnip
Moss	Wood sorrel

Grassy Weeds and Sedges

Bahiagrass	Dallisgrass
Barley	Fall panicum
Barnyardgrass	Fescue, creeping red, hard
Bentgrass, colonial	Foxtail, giant, green, yellow
Bermudagrass (wireweed)	Goosegrass
Bluegrass, annual	Nimblewill
Bromegrass, downy, smooth	Nutsedge, yellow
Carpetgrass	Onion, wild
Crabgrass, large	Rygrass, perennial
Cupgrass	Star-of-Bethlehem

Brush Suppressed or Controlled*

Blackberry	Poison ivy
Deer brush	Poison oak
Douglas fir	Roundleaf greenbriar
Gallberry	Salmonberry
Hazel	Sumac
Honeysuckle	Sweetgum
Huckleberry	Thimbleberry
Maple	Trumpetcreeper
Multiflora rose	Vine maple
Oak	Western red cedar
Pine	

[* Not for use in California]

[NOTE: Well established difficult to control weeds, including Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application.]

Optional Instructions for Booklet

[OPEN/ ABRA]

[Open Booklet for Assembly and Use Instructions] [Open booklet for details]

[Please open booklet below for detailed instructions] [Press to Reseal]

[Resealable Label for Directions & Precautions]

Optional text for Pump 'N Go® [2] Sprayer

[The FAST and EASY Way to Kill Weeds!] [Insert Claims from APPENDIX 1 or 2]

- [[The] Pump 'N Go® [2] sprayer provides up to [10/ insert length of spray time] minutes of continuous spray!]
- [Extendable wand provides greater accuracy without bending over.]
- [Connect/ Extend/ Pump [insert# of time]/ Spray/ Store/ Depressurize/ Retighten to Store]

[How it Works]

Kills All Types of Weeds & Grasses

GPI RTU is absorbed by weed leaves.

It moves through the weed to the root.



Kills the root. So the weeds won't grow back

[Kills only what you spray.]

[DID YOU KNOW?] [Insert Claims from APPENDIX 1 or 2]

HOW TO USE Select applicable packaging type below

Battery Operated Sprayer Containers

Connect hose

Extend [Wand/ Handheld Sprayer] [Add /Cone/ Dome/ Guard/ Shield]

Twist Nozzle [and/ &] Spray

Pump 'N Go® 2 Container

[Connect Hose & Extend Wand]

[Pump & Spray]

Pull 'N Spray Container

Connect Hose

[Flip up spout/ Flip up [Insert Color] spout until fully upright/ [Turn/ Twist] [spout/knob] to ON/ Pull spout up]

Pull ring slowly

Let go & spray weeds

Quick Connect Sprayers

Pull tubing out

Insert into cap [(until it clicks)]

[Flip cap up/ Flip up spout/ [Turn/ Twist] [spout/knob] to ON/ Pull spout up]

Adjust spray nozzle

[Spray weeds]

Refill Containers

Pour refill into empty container
[or] [Connect/ Reuse/ Transfer] [Handheld Sprayer/ Wand] [on/ to/ this] [Container/ Bottle] **DO NOT** add water

Trigger Sprayers

Adjust nozzle
Spray weeds [you want to kill]

Insert Applicable Storage and Disposal Statements from Section above per Packaging Type

Optional Section***CONSUMER GUARANTEE**

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will [replace the product or] refund the purchase price.

Optional Spanish Translations:

[Insert Label Language in Spanish as Applicable]

Pump 'N Go® [2] Container Only: Insert 'HOW TO ASSEMBLE AND USE INSTRUCTIONS' from APPENDIX 3

Optional Section:**PRODUCT FACTS**

[KILLS WEEDS/KILLS ALL TYPES OF WEEDS & GRASSES]
[Insert Claims from APPENDIX 1 or 2]

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Made in USA/ Manufactured in/ Produced in/ Assembled in/ Product of] [USA/ [Insert Country]] [with [insert# %] or more US parts/ with over [insert# %] US parts/ with foreign and domestic parts]

Anti-theft device statement: [This bottle [may] contain[s] an anti-theft device [, either inside or on the back of the bottle]. [It does not affect product performance.]]

[Insert LOT number or LOT number will be printed directly on the container]

[Guaranteed Satisfaction.*]

STORAGE AND DISPOSAL *Select applicable packaging type below:*

Plastic Battery Operated Sprayer Containers (<5 gallons):

PESTICIDE STORAGE: Flip spout down.

Alternative Text: [Close [Insert Color] spout on cap/ [Turn/ Twist] [spout/knob] to OFF/ Push spout down]. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** [Completely dispense product in sprayer prior to storage.] Twist sprayer nozzle to [the] OFF position.

Alternative Text: Close nozzle on wand sprayer. [Engage trigger lock.] [Retract and] Flip the [wand/ Insert Applicator Name] closed and place in side [carrier/ clip/ holder]. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

Plastic Non-Sprayer (Refill) Containers (<5 gallons):

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

Plastic Quick Connect Sprayer Containers (<5 gallons):

PESTICIDE STORAGE: Flip spout down. **Alternative Text:** [Close [Insert Color] spout on cap/ [Turn/ Twist] [spout/ knob] to OFF/ Push spout down]. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** [Completely dispense product in sprayer prior to storage.] Close nozzle on trigger sprayer. Snap sprayer back in place. **Alternative Text:** [Place sprayer back inside [carrier/ clip/ holder]. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

Plastic Pull 'N Spray Containers (<5 gallons):

PESTICIDE STORAGE: Completely dispense product in sprayer prior to storage. Rotate sprayer nozzle to the [closed] OFF position. Flip spout down. **Alternative Text:** [Close [Insert Color] spout on cap/ [Turn/ Twist] [spout/ knob] to OFF/ Push spout down]. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Place sprayer back inside carrier on bottle with nozzle facing down. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

Plastic Pump 'N Go [2] Containers (<5 gallons):

PESTICIDE STORAGE: Push the [Insert Color/ yellow] button and retract the wand until the [Insert Color/ yellow] button snaps back into the original STORAGE POSITION. Place wand back onto [the top of] the bottle [in the integrated holster] with nozzle [facing down/ tip extended through the eyelet opening]. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

Plastic Trigger Sprayer Containers (<5 gallons):

PESTICIDE STORAGE: Rotate nozzle to closed position. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

For Plastic Containers <5 gallons with Refill Instructions:

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. **DO NOT** reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section.

For Plastic Containers <5 gallons without Refill Instructions:

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. **DO NOT** reuse or refill this container.

ALL Packaging Types:

If Empty: Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

APPENDIX 1: Consolidated List of Label Claims

Guarantee

- [Guaranteed Satisfaction/ Consumer Guarantee] If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will [replace the product or] refund the purchase price.
- 100% Satisfaction Guaranteed
- Guaranteed Results [or your money back]
- {100%} Satisfaction [Guaranteed] or your money back
- Money Back Guarantee
- Guaranteed effective: Kills over 200 types of weeds and grasses, roots and all GPI RTU ***qualify guarantee***
- Guaranteed (we guarantee it) ***qualify guarantee***
- Guaranteed results [with one application] ***qualify guarantee***
- Guaranteed to kill to the root so weeds won't come back ***qualify guarantee***
- Guaranteed Satisfaction ***qualify guarantee***

Performance

- GPI RTU kills listed weeds and grasses in – Patios – Driveways – Sidewalks – Ornamental Gardens
- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Absorbed through the leaves, it goes all the way to the root for total kill [on weeds you directly spray]
- Be smarter than your weeds
- Begins absorbing on contact
- Begins to Work in [1] hour[s]
- Begins working in hours
- Kills even the toughest listed weeds and grasses
- Contains glufosinate
- Controls emerged weeds
- Dead Weeds Guaranteed [or Your Money Back] ***qualify guarantee***
- **DO NOT** add water
- Provides residual control
- Effective even in cool and cloudy conditions [as low as 50°F]
- Even if it rains –won't lose its effectiveness
- Fast-acting formula
- Fast Uptake
- Fast-acting for visible results in [[1] hour[s]/ sixty minutes]
- For general weed control - kills weeds and grasses - roots and all
- [Formulated] for [outdoor] residential use [only]
- Gets to the Root in hours
- Goodbye weeds
- Got Tough Weeds – Get GPI RTU
- Great for driveways, sidewalks, patios and mulched beds
- Hard on weeds, [effortless/painless/simple] [for/on] you [versus/ vs./ compared to/ hand pulling]
- Ideal for killing unwanted weeds and grasses. Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs
- Ideal for spot treatment on driveways, sidewalks, and patios
- Ideal for tough to reach [weeds/ places] found in [landscaping/ landscaped/ mulch/ mulched/ flower/ beds]
- Keeps driveways, walkways, [landscaping/ landscaped] beds, and flower gardens weed-free
- Kill listed weeds, even in your flowerbeds
- Kills all types of tough weeds
- Kills [all] [annual and perennial] listed weeds, and grasses
- Kills even [tough/ the toughest] weeds
- Kills [Poison Ivy/ Poison Oak/ Poison Sumac/ Blackberry/ Kudzu/ Wild Berries]
- Kills [the toughest] [weeds and grasses] the root so [weeds/ they] don't come back
- Kills the roots of [both] listed broadleaf and grassy weeds
- Kills the weed you see and the root you don't

- Kills Tough Weeds [& Grasses] [to the Root]
- Kills tough weeds in 1 to 2 weeks
- Kills Ugly, Annoying Weeds [& Brush]
- Kills [unwanted/ undesirable] listed weeds [and grasses] [roots and all]
- Kills listed weeds [and grasses] [clear down to the root] [1-2 weeks] [roots and all]
- Kills listed weeds [and unwanted grasses] – [roots and all/ to the root]
- Kills weeds clear down to the root, 1st time, every time so weeds don't come back – guaranteed
- Kills listed weeds dead
- [Kills/ spray] listed weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways.
- Kills listed weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, and driveways
- Kills listed weeds and grasses in – Patios – Driveways – Sidewalks – Ornamental Gardens
- Kills listed weeds, roots and all
- Kills what you directly spray. Provides residual [herbicidal activity/weed control] in soil
- Multipurpose grass and broadleaf weed control
- No mix Formula
- No Mix, No Mess
- No Mixing [necessary]
- [Next day/ this weekend] results: Begins killing on contact, visible results in [1] hour[s]
- No more hand pulling
- No root. No weed. No problem
- No waiting, weeds wilt in hours
- Non-staining [formula]
- Not All Weed Killers Are the Same
- One application kills weeds and grasses, [roots and all/ to the root]
- Ornamental gardens can be reseeded or planted 1 day after treatment
- Outdoor use only
- Provides maximum control: Kills [existing] weeds to the root so they don't come back
- [Provides/ See] Visible results in [[1] hour[s]/ sixty minutes]
- Rainproof Protection [in 10 minutes/ less than 30], after application.
- [RainFast/ RainProof/ Rainproof Protection:] [in 10 minutes/ less than 30 minutes] [for control that won't wash away]
- Rainproof in 10 Minutes!
- Ready-To-Use [grass & weed killer] [Tough Weed Killer]
- Requires no mixing
- GPI RTU can be used [almost] anywhere weeds and grasses grow, including paver patios, walkways and driveways; along fences; under decks; in [landscaped/ mulched] beds; or around flowers, shrubs and trees
- GPI RTU formula won't be washed away by rain or watering [10/ 30] minutes after treatment
- GPI RTU formula kills to the root so weeds don't come back
- Satisfaction guaranteed or [we will gladly refund purchase price/ your money back with proof of purchase]
- [See/ visible] results in [[1] hour[s]]
- So long, weeds
- Spray the [weed/ leaves] to kill the root
- Starts to kill [the same day/ hours/ overnight]
- Starts working [immediately/ in hours/ overnight]
- Strong enough to kill even the toughest brush
- Suitable for use around flower beds, trees, shrubs, fences, and walks
- Systemic weed and grass killer [for spot treatment of undesirable vegetation]
- The easy way to kill tough weeds [and brush]
- This bottle [may] contain[s] an anti-theft device, [either inside or on the back of the bottle]. [It does not affect product performance].
- Tough formula [kills to the roots]
- Unlike hand pulling, GPI RTU kills all the way to the roots
- Unique formula starts working to kill listed problem weeds and grass [immediately/ within hours]
- Use along fences, paths, paver patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, under decks and in brick and gravel walkways.

- Use around flower beds, trees and shrubs
- Use as a first step for turning brushy fields into grassy areas or parks
- [Use] For Spot Spraying: Use in and around flowerbeds, ornamental, shrubs, fences, driveways and walkways
- Use to trim and edge landscape areas.
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.
- Visible Results in [as little as] [[1] Hour[s]/ sixty minutes]!
- Water-based formula
- Weeds start dying [in hours]
- Works on [insert weeds from Table 1]
- Works on contact
- Works only when absorbed by the [foliage/ leaves] of weeds
- Kills the weed you see and the root you don't
- Kills weeds dead...Fast
- Kills weeds dead [fast]
- Quick Kill Formula
- Quick and Dead
- Not All Weed Killers Are the Same
- So long weeds
- Proven Weed Killer
- Highly Effective Protection
- Works the first time, every time
- Field Tested
- Proven Effective
- Proven Efficacy
- Effective Killing Power
- Kills the root [dead]
- [Fast] [and powerful] root kill [action]
- Once and done power
- Proven [Efficacy] [Results] [Peace of Mind]
- Fast [effective] root killing [power] [action]
- Deep root killing [power] [action]
- 1 application = [dead roots] [dead weeds]
- Dead root, dead weed
- Dead weed, dead root
- Spray and Walk Away
- EZ Kill Technology
- Quick Kill Technology
- Root Kill Technology
- Root Killing Power
- Five-star [Performance] [Reviews]
- Get to the Root of the Problem
- Outsmart your weeds
- Be smarter than your weeds
- Deactivates in soil
- Does not have soil activity
- Results speak for themselves
- Seeing is believing
- See the difference
- Make the [Smart] Switch
- [With] [Featuring] [Features] AccuRoot Technology[™]
- Kills and prevents for up to 12 months
- Kills vegetation for up to 12 months
- [Driveways/ Patios/ Sidewalks] Stay[s] clear [of weeds] for up to [1/ a] year
- Dual [2-way] Action [kills and prevents]
- Dual [2-way] Action: Kills existing weeds [roots and all] and prevents new weeds from appearing for up to [1 year/ 12 months/ 52 weeks/ 365 days]
- Keeps driveways, walkways, patios and weed-free for up to [1 year/ 12 months/ 52 weeks/ 365 days]

- Keeps weeds from growing [for up to [1 year/ 12 months]
- Kills and prevents for up to [1 year/ 12 months/ 52 weeks/ 365 days]
- Kills vegetation [weeds/ and grasses] for up to [1 year /12 months/ 52 weeks/ 365 days]
- [One application] Kills [existing] weeds [& grasses] [roots & all/ to the root] and prevents [new] [weeds/ seeds] [from sprouting/ germinating/ appearing/ growing] for up to [1 year/ 12 months/ 365 days]
- One [application/ spray] kills weeds and grasses, [roots and all/ to the root] [maximum effectiveness]
- One [application/ spray] kills weeds [to the root] and prevents [new] weeds for up to [1 year/ 12 months/ 365 days]
- [One/ 1] [step/ stop] [weed] protection [for up to/ 1 year/ 12 months/ 365 days/ 52 weeks]
- Powerful protection against weeds [for up to/ 1 year/ 12 months/ 52 weeks/ 365 days]
- Prevents [growth/ re-growth/ new growth] for up to [1 year/ 12 months/ 365 days/ 52 weeks]
- [Protects against/ Prevents] [new] weeds [for up to/ 1 year/ 12 months/ 52 weeks/ 365 days]
- Provides extended [up to 1 year/ 12 months] control of weeds in driveways, walkways and patios
- [Insert Brand Name] create[s] an invisible [weed] [shield/ barrier] for up to [1 year/ 12 months/ 365 days/ 52 weeks]
- [Insert Brand Name] [is/ are] [Relentless in the fight against weeds [for up to/ 1 year/ 12 months/ 52 weeks/ 365 days]
- [Insert Brand Name] [is/ are] tougher than the toughest weed[s]
- [Insert Brand Name] [are the/ most] [advanced/ powerful] formula [[to protect against/ to prevent] weeds] [for up to/ 1 year/ 12 months/ 52 weeks/ 365 days]
- [The/ A] fast & easy way to kill and prevent weeds for up to [1 year/ 12 months/ 52 weeks/ 365 days]
- Up to [1 year/ 12 months/ 52 weeks/ 365 days] without weeds
- Use on [driveways/ sidewalks/ patios/ brick walks/ hardscapes/ gravel paths/ fence lines] to prevent [weed growth/ weeds from growing] [for up to/ 1 year/ 12 months/ 365 days/ 52 weeks]
- Visible results in 12 hours, weed free for up to [1 year/ 12 months/ 52 weeks/ 365 days]
- [Weeds won't grow for] up to [1 year/ 12 months/ 52 weeks/ 365 days] [without weeds]
- [Year long/ 12 month/ 52 week/ 365 day] weed control

Promotional Offering Options

[NOTE to Reviewer: Size/Pack/%/# will be determined by the manufacturer/distributor at the time of packaging.]

- [Insert #] Bottles [Included]
- [Insert value]% Free [More] [than] **qualify**
- [Insert value]% More Value size [than] **qualify**
- [Insert #] Refill[s] [Included/ Attached]
- [Insert Dollar Amount] Rebate A [Insert dollar amount] Value Bonus [Size/ Pack/ Pak]
- Bundle Pack
- Can be used in [Insert Packaging Type/ Container/ Sprayer]
- Can be used to REFILL [Insert Packaging Type/ Container/ Sprayer]
- Club [Pack/ Pak/ Size]
- Combo [Pack/ Pak/ Size]
- [CONE/ DOME/ GUARD/ SHIELD] INCLUDED!
- Free [Insert Description] with this purchase of GPI RTU [Insert Container Size]
- FREE [CONE/ DOME/ GUARD/ SHIELD]
- FREE GPI RTU [Insert Amount] [VALUE]
- FREE REFILL [with purchase [of GPI RTU]
- FREE SAMPLE
- Great Value
- [Insert Packaging Type/ Sprayer] Refill
- NOT FOR INDIVIDUAL SALE
- Refill [Included]
- Refill Size
- SAMPLE NOT FOR SALE
- Save up to \$[Insert Value] on [your] net purchase
- TWIN [PACK/ PAK]
- VALUE [SIZE/ SIZED]
- Value [Pack/ Pak]
- TWIN [PACK/PAK]

- VALUE [SIZE/SIZED]
 - Great Value
 - Club [Pack/Pak/Size]
 - Combo [Pack/Pak/Size]
 - Bonus [Size/Pack/Pak]
 - A [Insert dollar amount] Value
-
- **Refill**
 - Refill [Included]
 - Refill Size
 - [Insert Packaging Type/Sprayer] Refill
 - Can be used in [Insert Packaging Type/Container/Sprayer]
 - Can be used to REFILL [Insert Packaging Type/Container/Sprayer]
 - Bundle Pack

APPENDIX 2: Packaging Related Claims

- Accurate
- Accurately targets [what/ the weeds] you want to [spray/ kill]
- Accurately targets [precisely/ exactly] [what/ the weeds] you want to [spray/ kill]
- Adjustable [spray/ sprayer] nozzle for maximum control
- Adjustable spray pattern for maximum control
- [Insert Brand Name of Batteries] Batteries included
- Be smarter than your weeds
- Change the way you spray
- Convenient
- No Mixing], No Mess
- No Mixing [necessary] [No measuring]
- [Simple/ Convenient] To Use
- Easy to store [(see back for instructions)]
- SIMPLE-TO-USE [Handheld Sprayer/Wand] [convenient/ handy/ useful]
- Fast and easy [application/ way to spray]
- Give your hands a break
- Great for large or small [jobs/ areas]
- Handy
- It's always ready to spray
- No leaks or mess
- [Precise/ Precision] control – [sprays/ targets/ only what you want]
- [Precise /Precision] control for maximum accuracy
- Pre-mixed, pre-measured, easy-to-use
- Power Up with Duracell® [Batteries]
- Powered by Duracell® [Batteries]
- Quick [& and] easy to use
- Recycle symbol
- Redesigned [Wand/ Sprayer]
- Refillable [Container]
- Requires no mixing
- Reusable [Wand/Sprayer]
- [Save/ Saves] time and energy
- Targeted spray
- Targets weeds [in tight/ hard to reach/ places]
- The easy way to kill weeds
- The easy way to spray
- The fast and easy way to kill weeds
- The fast way to spray
- You're always ready to spray

Pull 'N Spray™ Sprayer:

- Consistent spray for maximum accuracy
- Continuous, adjustable spray
- Continuous spray
- Easy to use tank sprayer
- No [More] Hand Fatigue
- No more squeeze, squeeze, squeeze
- No more tired [aching] hands
- No [constant] pumping
- No constant trigger squeezing [pulling]
- No more pumping [just pull/ and spray]
- No pumping. Just Pull N' Spray
- [One/ 1] pull [=/ equals] [Insert #] trigger sprays
- [One/ 1] pull delivers [Insert #] trigger sprays

- Quickly covers large areas

Pump 'N Go® [2] Sprayer

- Consistent spray for maximum accuracy
- Continuous, adjustable spray
- Convenient [Extendable wand]
- Cover more ground faster
- Simple to use tank sprayer
- Extendable wand provides greater accuracy without bending over
- Long[er] spray time with less pumping
- No [constant] pumping
- No [More] Hand Fatigue
- No constant trigger [squeezing /pulling]
- No more pumping, no more pulling, just spray
- No more squeeze, squeeze, squeeze
- No more tired [aching] hands
- One pump [= / equals] [insert #] trigger sprays
- One pump delivers [Insert #] trigger sprays
- [Handheld Wand Applicator] [Provides] Up to [Insert #] minutes of continuous spray
- Quickly covers large areas

Refill Container

- Don't Forget Your Refill
- Just [connect/ plug in] [Comfort Wand/ Sure Shot Wand] and it's ready to spray
- Pour refill [directly] into [container/ sprayer]
- [Ready-To-Use] Refill [Available]
- [Refills/ Recharges/ Reloads/ Renews] [Comfort Wand/ Sure Shot Wand/ Pump 'N Go 2] [sprayer]
- Reuse with [Comfort Wand/ Sure Shot Wand]
- The fast and easy way to refill your [container/ sprayer]
- There is no mixing and no measuring, you just [pour/ connect] and go
- Works with [Comfort Wand/ Sure Shot Wand]

Battery Operated Sprayer with Wand:

- Batteries included
- Battery Operated
- Comfort Wand® [with Extended reach/ with continuous spray]
- Consistent spray for maximum accuracy
- Continuous Spray [Wand]
- Continuous spray wand [with Extended reach]
- Continuous, adjustable spray
- Control Wand [with Extended reach]
- Control Wand [with continuous spray]
- Easy reach Extendable spray wand
- Extended Reach [Wand]
- Extendable spray wand – less bending
- Extendable [Insert Applicator Name] spray wand
- No [constant] pumping
- No constant trigger [squeezing/ pulling]
- No [More] Hand Fatigue
- No more pumping, no more pulling, just spray
- No more squeeze, squeeze, squeeze
- No more tired [aching] hands
- [One-Touch] [Precision] Wand
- Power Sprayer [for large areas]
- [PUSH/ TWIST/LOCK]

- Quickly covers large areas
- The powerful way to spray
- [Unsnap holder/ Twist left/ Pull]

Battery Operated Sprayer with Extendable Wand:

- [Adds control so] [the spray] [only] goes where you want it to go
- Apply faster with the [Extended wand/ Insert Applicator Name]
- [Avoid accidental spray to [surrounding/ nearby] [flowers/ and/ desirable plants]]
- [Bending [down/ over] to kill weeds is [a thing of the past/ in the past/ no longer needed]]
- [Cone/ Dome/ Guard/ Shield] attaches to the bottle [stores easily] [when not in use]
- [Cone/ Dome/ Guard/ Shield] helps protect [nearby/ desirable plants/ flowers] [from spray/ drift/ damage] [even in windy conditions]
- [Cone/ Dome/ Guard/ Shield] keeps the spray contained so wind won't carry it to [desirable plants/ flowers and shrubs].
- [Cone/ Dome/ Guard/ Shield] helps protects [nearby plants/ desirable plants] [from splashing/ from spray]
- Direct application reduces unintended damage to nearby plants [from the wind] [due to accidental spray]
- Extended [Reach/ Continuous Spray] Sure Shot® [with Extended reach/ with continuous spray]
- Extended [Reach/ Continuous Spray] Wand [with Extended reach/ with continuous spray]
- [Extended/ Extendable] wand puts more distance between you and the spray
- Extends 2 feet [so no more [bending over/ aching back]]
- Focus the spray [where you need it most/ where you want it to go]
- [Helps] [Contain/ Isolate/ Target] [the product/ spray]
- Helps protect desirable plants [including flowers and shrubs]
- Helps protect desirable [plants/ vegetation/ flowers/ shrubs/ vegetables]
- [Handheld Applicator/Wand] gives you an easy way to kill weeds
- [Just/ Simply] spray the leaves to kill the [weed to the] root
- Kill weeds confidently in your garden [with the [Handheld Applicator/ Sure Shot Wand]]
- [Lightweight/ and/ durable] applicator
- [[Protective] [cone/ dome/ guard/ shield] makes it] Easier to kill weeds in more places
- Pinpoint the weeds [you want] to kill
- [Precisely] Target[s] [hard to reach weeds/ the weeds you want to kill]
- [Precision/ Precise/ Adjustable] sprayer
- [Protective] [cone/ dome/ guard/ shield] fits over weeds to help contain spray [even in windy conditions]
- [Protective] [cone/ dome/ guard/ shield] helps [focus/ target] the spray on the weed[s]
- [Protective] [cone/ dome/ guard/ shield] [at the end of the wand] fits over the weed [(like an umbrella)] [so the spray is contained/ to help contain the spray]
- Reach[es] into tight places weeds like to grow
- Removable [protective] [cone/ dome/ guard/ shield]
- [Sprayer provides the best way to] Focus the spray on the leaves where it does the most [good/ damage]
- Sure Shot™ [Extended/ Reach/ Continuous Spray] Wand [with Extended reach/ with continuous spray]
- Target[s] hard to reach [weeds] [places/ areas]
- Targets the weed[s] under the [cone/ dome/ guard/ shield]
- The extra long wand [lets/ allows] you [to] treat weeds with ease
- [Use [Cone/ Dome/ Guard/ Shield] to] [Confidently] spray weeds in [garden/ landscaped/ mulch/ beds] [without the worry of killing nearby [flowers/ or/ shrubs/ desirable plants]]
- [Use in and around] [Ideal for targeting weeds in] [flower beds/ gardens/ garden beds/ mulch beds/ ornamentals/ shrubs/ fences/ driveways/ sidewalks/ patios]
- Use with the [protective] [cone/ dome/ guard/ shield] for targeted application [in landscaped beds/ in flower beds/ in garden beds/ in mulch beds/ and/ around desirable plants]
- Use without the [protective] [cone/ dome/ guard/ shield] on [patios/ walkways/ driveways/ and/ gravel]
- [Wand/ Handheld Applicator] Extends [to the top of the weeds for direct application] [2 feet] [letting you more precisely [pinpoint/ focus on] the weeds you want to kill]
- [Wand/ Handheld Applicator] [Extends 2 feet] [to] Reduce[s] [back] bending [and the] [continuous spray wand helps reduces hand fatigue] [putting more distance between you and the spray]
- [Wand/ Handheld Applicator] [provides the best way to] Focus the spray on the leaves [to kill to the root]
- [Wand/ Handheld Applicator] [provides] precision control to [maximize every spray/ get the most effect from every spray]

APPENDIX 3: Packaging Related Instructions

QUICK CONNECT SPRAYER

1. Remove sprayer. Pull cord/tubing ALL THE WAY OUT.
2. Insert [Insert Color] plug into [spout/ knob/ opening] on cap [until it clicks].
3. Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout until fully upright/ [Turn/ Twist] [spout/ knob] to ON/ Pull spout up.] [Open/ Adjust] nozzle [at end of sprayer] to the desired spray setting [(foam or spray)].

PULL 'N SPRAY

Printing Instructions for Pull 'N Spray Handle: [PULL OUT SLOWLY AND HOLD FOR [Insert #] SECONDS.]

- Remove sprayer from side carrier and unwrap hose completely.
- Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks].
- Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout until fully upright/ [Turn/ Twist] [spout/ knob] to ON/ Pull spout up.]
- Point sprayer away from body.
- Grasp sprayer by the handle.
- SLOWLY pull ring at bottom of sprayer handle until it stops [and hold for 2 seconds] to prime the sprayer.
- Adjust nozzle [at the end of sprayer] to the desired spray setting [(foam or spray)].
- Press and hold [trigger] button on sprayer to begin spraying [and hold down for continuous spray].
- Pull ring at sprayer bottom again as needed to continue spraying.

PUMP 'N GO® [2]

Instructions for Printing on the Wand and Handle:

Wand: STORAGE POSITION Push button and pull nozzle end. Extend to spray position. SPRAY POSITION

Handle: RELEASE PRESSURE AFTER USE Push handle to cap & turn. RETIGHTEN.

1. CUT

Carefully cut the [Insert#/ two] [Insert Color/ white] zip ties securing the hose and pump handle with scissors. Use caution not to cut the [Insert Color/ white] hose.

2. CONNECT

Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks into place.

3. EXTEND WAND

Lift sprayer wand off bottle. Push [Insert Color/ yellow] button while pulling out on the wand nozzle tip. Fully Extend wand until [Insert Color/ yellow] button snaps into SPRAY POSITION. **NOTE:** [Insert Color/ white] trigger will not function until wand is fully Extended and [Insert Color/ yellow] button is visible in the SPRAY POSITION.

4. PUMP

Make sure handle is screwed on **tightly** or the bottle will not pressurize. Pump container 3 to 5 times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. **NOTE:** This bottle is designed to expand under pressure and cannot be over-pressurized.

5. SPRAY

Aim wand. Spray by pushing down [Insert Color/ white] trigger with thumb. Adjust spray pattern by rotating [Insert Color/ white] nozzle tip up to one-half rotation. Spray weeds [and grasses] until **thoroughly wet**.

6. STORE

When finished spraying, push the [Insert Color/ yellow] button and [retract/ push] the wand until the [Insert Color/ yellow] button snaps back into the original storage position. Place wand back onto [the top of] the bottle [in the integrated holster] with nozzle [facing down/ tip Extended through the eyelet opening].

7. DEPRESSURIZE

Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store.

REFILL CONTAINER

How to attach [handheld applicator/ wand] to GPI RTU [Refill] [Bottle/ Container]: Removing [Insert Applicator Name] from original empty [bottle/ container]:

1. Remove the [handheld applicator/ wand] by pulling the [Insert Color] plug from the [Insert Color] [spout/opening/ knob] on cap.
2. At the bottom of the side [clip/ carrier/ holder] press the middle tab up and slide the [clip/ carrier/ holder] upwards to remove it from the empty [bottle/ container]. Adding [handheld applicator/wand] to GPI RTU [Refill] [bottle]:
3. Slide the side [clip/ carrier/ holder] downward on the knob located [on the] [right-hand] side of the refill [bottle/container].
4. [Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks].]

BATTERY OPERATED SPRAYER with Wand

Wand Safety Sticker or Printed on the Handle: Always lock after use

Alternative Text: [Always lock sprayer when opening and closing]

1. Remove [Unsnap holder/ Twist left/ Pull]

- Remove [wand/ handheld applicator] [from] [side/ carrier/ holder/ clip/ bottle].
- Pull connector by slightly twisting from [side/ carrier/ holder/ clip/ bottle] and unwrap hose completely.
- Remove protective strip from battery compartment to activate batteries.

2. Connect

- Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks]. Flip up spout. **Alternative Text:** [Flip up [Insert Color] spout until fully upright/ [Turn/ Twist] [spout/ knob] to ON/ Pull spout up.] [Spout must remain up while spraying.]

3. Extend

- Flip open [wand/ handheld applicator] until it clicks and locks into position.

4. Spray

- Slide trigger lock on [wand/ handheld applicator] handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- Point [handheld applicator/wand] nozzle away from body and hold [Insert Color] trigger for continuous spray.

Important Use Information: **DO NOT** submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of [wand/ handheld applicator] with a small screwdriver.

Remove used batteries and replace with [Insert #/ four] new [AA/ alkaline] batteries [in correct position as marked inside battery compartment].

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

BATTERY OPERATED SPRAYER with Extendable Wand

Wand Safety Sticker or Printed on the Handle: Always lock after use

Alternative Text:

[Always lock sprayer when opening and closing]

1. Remove [Unsnap holder/ Twist left/ Pull]

- Remove [wand/ Insert Applicator Name] [from] [side/ carrier/ holder/ clip/ bottle].
- [Pull connector by slightly twisting from [side/ carrier/ holder/ clip/ bottle] and unwrap hose completely.]
- Remove protective strip from battery compartment to activate batteries.

2. Connect

Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks]. Flip up spout.

Alternative Text:

- [Flip up [Insert Color] spout until fully upright/ [Turn/ Twist] [spout/ knob] to ON/ Pull spout up.] [Spout must remain up while spraying.]
- [Remove [protective] [cone/ dome/ guard/ shield] [from side clip/ from bottle] and attach over nozzle [for targeted application].]

3. Extend

- Flip open [wand/ Insert Applicator Name] until it clicks and locks into position.
- [Extend [wand/ fully].]

4. Spray

- Slide trigger lock on [wand/ Insert Applicator Name] handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- [Place the [cone/ dome/ guard/ shield] [on the ground] over weeds or grasses you want to kill.] [Use the [cone/ dome/ guard/ shield] to cover the weeds or grasses you want to kill.]
- Point [Insert Applicator Name] nozzle away from body and hold [Insert Color] trigger for continuous spray.
- [[Cone/ Dome/ Guard/ Shield] can be removed when applying product to [areas including] [driveways/ walkways/ patios/ and/ gravel].]

Important Use Information: **DO NOT** submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of [wand/ Insert Applicator Name] with a small screwdriver.

Remove used batteries and replace with [Insert #/ four] new [AA/ alkaline] batteries [in correct position as marked inside battery compartment]

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

For Battery Operated Sprayer Only: IMPORTANT SPRAYER INFORMATION

- Read and follow all directions before use.
- [Insert Applicator Name] is to be used only with GPI RTU products with a quick-connect cap. [Insert Applicator Name] may not be compatible with other products.
- **DO NOT** drop or throw sprayer.
- **DO NOT** [submerge/ immerse] sprayer in water. Never place sprayer in dishwasher.
- **DO NOT** use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.

- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge [handheld applicator/wand] of liquid for winter storage or place [wand/ handheld applicator] in a heated storage area.

***Optional Section:
TROUBLESHOOTING SECTION FOR BATTERY OPERATED SPRAYER***

[Troubleshooting Section for [Battery Powered/ Comfort Wand/ One-Touch Wand/ Extendable Wand/ Sure Shot Wand] Directions]

Troubleshooting Tips:

Problem: Sprayer does not [spray/ function].

Possible Cause: Batteries not installed properly.

Solution: See instructions for correct battery placement.

Problem: Sprayer makes a straining noise. [Sprayer runs but no product comes out].

Possible Cause: Nozzle is turned Off.

Solution: Twist nozzle to desired spray pattern.

Possible Cause: [Insert Color] plug at end of hose is not [flipped up/ open].

Solution: Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks] and [flip up spout/ flip up [Insert Color] spout until fully upright/ [turn/ twist] [spout/ knob] to ON/ pull spout up.]

Possible Cause: Sprayer is not primed.

Solution: Press and hold button on sprayer for about 15 seconds to prime the sprayer.

Problem: Spray pattern is weak [or uneven]. [Product flow is uneven or dribbles out of nozzle].

Possible Cause: Weak batteries.

Solution: Install a fresh set of alkaline batteries.

Possible Cause: [Insert Color] plug at end of hose is not [in the fully upright position/ in the ON position]. Solution: Insert [Insert Color] plug at end of hose into [Insert Color] [spout/ knob/ opening] on cap [until it clicks]. [Attach coupler to the cap] and [flip up spout/ flip up spout/ flip up [Insert Color] spout until fully upright/[turn/ twist] [spout/knob] to ON/ pull spout up.]

Possible Cause: Sprayer nozzle not fully open.

Solution: [Turn/ Twist] nozzle to desired spray pattern.

APPENDIX 4: OPTIONAL MARKETING GRAPHICS + TEXT



PLANTS CONTROLLED	
ALL TYPES OF WEEDS	
ALL TYPES OF GRASSES	
WHERE TO USE	
AROUND TREES & SHRUBS	
PATIOS	
ALONG FENCES & FOUNDATIONS	
FLOWER BEDS	
DRIVeways & WALKWAYS	
WHAT TO KNOW	
Rainproof in 10 minutes	
KILLS THE ROOT	

PLANTS CONTROLLED	
ALL TYPES OF WEEDS	
ALL TYPES OF GRASSES	
WHERE TO USE	
AROUND TREES & SHRUBS	
ALONG FENCES & FOUNDATIONS	
DRIVeways & WALKWAYS	
PATIOS	
FLOWER BEDS	

KILLS ONLY
WEEDS & GRASS



Questions or comments? Call toll-free [phone-number] or visit us online at [website]



+Or your money back

{NOTE TO REVIEWER: This label may be translated into Spanish.}

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Albaugh, LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Albaugh, LLC MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Albaugh, LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Albaugh, LLC DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR at Albaugh, LLC ELECTION, THE REPLACEMENT OF PRODUCT.

AD040722062923

LABEL HISTORY

Not included in final printed label

File Name	Version Mark	Comment
089442-000XX.20220817.DRAFT	081722	Section 3 Draft Label
089442-000AA.20230406.DRAFT	040623	(e) Label Revision
089442-00066.20230407.MASTER	AD040723	EPA SAL (Registration Granted)
<u>089442-00066.20230629.DRAFT</u>	<u>062923</u>	<u>Label Notification</u>