



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 6, 2023

Noelle Sanfilippo
Regulatory Affairs Specialist
Central Garden & Pet Company
1501 East Woodfield Road, 200W
Schaumburg, Illinois 60173

Subject: Registration Review Label Mitigation for Permethrin
Product Name: Cattle Armor Ultra
EPA Registration Number: 89459-74
Application Date: 12/15/2020
Decision Number: 581768

Dear Noelle Sanfilippo:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.


A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently

Page 2 of 2
EPA Reg. No. 89459-74
Decision No. 581768

approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at (202) 566-2273, or via email at smith.carolyn@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive style with a large initial 'J'.

Jaclyn Pyne
Team Leader
Risk Management & Implementation Branch III
Pesticide Re-evaluation Division
Office of Pesticide Programs

Enclosure

Note to reviewer: Brackets [] denote optional language. The final label may include some or all of the optional text.

PERMETHRIN GROUP 3A INSECTICIDE

Cattle Armor Ultra

[Alternate brand name: Ultra Cattle Armor]

[Alternate brand name: Starbar® Cattle Armor Ultra Synergized Pour-On]

[Controls lice and flies on beef cattle, lactating and non-lactating dairy cattle and calves when applied as a pour-on, mist, spray or back rubber.]

[Controls keds on sheep and lambs when applied as a pour-on.]

[Controls flies on horses when applied as a wipe-on, pour-on or ready to use spray.]

[Controls] [Flies] [Keds] [Lice] [Gnats] [Ticks]

[For use on beef cattle, lactating and non-lactating dairy cattle, calves, horses, foals, sheep and lambs.]

[Premise spray in and around animal housing.]

[Ready-to-Use]

For both indoor and outdoor use

[Pour-On] [Back Rubber] [Wipe-On] [& Ready-to-Use Spray Applications]

[Oil-based]

[Treats 63 cattle [10 cwt cattle] [for quart size packaging]

[Treats 126 cattle [10 cwt cattle] [for ½ gallon size packaging]



[Treats 252 cattle [10 cwt cattle] [for gallon size packaging]

[Treats 630 cattle [10 cwt cattle] [for 2.5 gallon size packaging]

[Controls lice and flies on beef cattle, lactating and non-lactating dairy cattle and calves when applied as a pour-on, mist spray or back rubber.]

[Controls keds on sheep and lambs when applied as a pour-on. Controls flies on horses when applied as a wipe-on, pour-on or ready to use spray.]

OPTIONAL GRAPHICS



ACTIVE INGREDIENTS:

Permethrin* 7.4%

Piperonyl Butoxide** 7.4%

OTHER INGREDIENTS***: 85.2%

TOTAL 100.0%

*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate). Cis-trans isomers ratio: Min. 45% (+ or -) cis and Max. 55% (+ or -) trans

** (butylcarbityl)(6-propylpiperonyl) ether and related compounds

***Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-[800-347-8272] for emergency medical treatment information.	
NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard. Contains petroleum distillate.	

**See inside label booklet for additional PRECAUTIONARY STATEMENTS.
For Chemical Spill, Leak, Fire, or Exposure, Call: CHEMTREC 1-800-424-9300
For Medical Emergencies Only, Call: 1-800-347-8272**

EPA Reg. No. 89459-74

EPA Est. No.

Manufactured for:
Central Garden & Pet Company
1501 East Woodfield Road 200W
Schaumburg, IL 60173

Net Contents:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Contains Petroleum Distillate. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators (except for hand-held foggers or fog/mist generator use in indoor spaces) and other handlers must wear the following:

- Long-sleeve shirt,
- Long pants,
- Shoes and socks,
- Chemical-resistant gloves for all handlers except for applicators made of barrier laminate, or nitrile rubber ≥ 14 ml, neoprene rubber ≥ 14 ml or viton ≥ 14 ml,
- Chemical-resistant apron for mixers/loaders, persons cleaning equipment and persons exposed to the concentrate and for handlers performing animal dip applications.

In addition to the above PPE, applicators using hand-held foggers or fog/mist generators in indoor spaces must wear:

- Coveralls over long-sleeve shirt and long pants,
- Chemical-resistant gloves, made of barrier laminate, or nitrile rubber ≥ 14 ml, neoprene rubber ≥ 14 ml or viton ≥ 14 ml,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear, if overhead exposure; and,
- A minimum of a NIOSH-approved particulate filtering facepiece respirator with any R or P filter, OR a NIOSH-approved elastomeric particulate respirator with any R or P filter, OR a NIOSH-approved powered air purifying respirator with HE filters.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Under some conditions, it may also have a potential for transport into surface water in runoff (primarily adsorbed to suspended soil particles), for several months or more after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, and areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage system that drain to surface waters. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RESISTANCE-MANAGEMENT

For resistance management, Cattle Armor Ultra contains a Group 3A insecticide. Any insect population may contain individuals naturally resistant to Cattle Armor Ultra and other Group 3A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly. Appropriate resistance-management strategies should be followed. To delay insecticide resistance, take the following steps:

- Rotate the use of Cattle Armor Ultra or other Group 3A insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, record keeping and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance, contact Central Garden & Pet Company at 1-800-XXX-XXXX.

For both indoor and outdoor use.

USE RESTRICTIONS:

Apply this product only as specified on this label.

Do not contaminate food or feedstuffs.

Do not use in aircraft cabins.

This product is not for use in residential misting systems (indoor or outdoor).

This product is not for use in metered release misting systems.

Do not make applications with a sponge.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application. Treat surfaces to ensure thorough coverage but avoid runoff.

Spot treatments must not exceed two square feet in size (for example, 2 feet by 1 foot or 4 feet by 0.5 foot).

Do not use this product directly on domestic (companion) animals (dogs, cats, puppies, or kittens).

Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.

Except when applying to livestock, only protected handlers may be in the area during application.

Do not use in food/feed areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where food is served, such as dining rooms, but excluding areas where foods may be prepared or held.

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces or wash them before use.

When used in dairy barns or facilities; close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: (1) Applications to pervious surfaces such as lawns, turf, and other vegetation; (2) Perimeter band treatments of 7 feet wide or less from the base of a manmade structure to pervious surfaces (e.g., soil, mulch, or lawn); (3) Applications to underside of eaves, soffits, doors, or windows, permanently protected from rainfall by a covering, overhang, awning, or other structure; (4) Applications around potential exterior pest entry points into manmade structures such as doorways and windows, when limited to a band not to exceed one inch; (5) Applications to vertical surfaces (such as the side of a manmade structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level. (6) Applications to vertical surfaces directly above pervious surfaces, (such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios, except as a spot or crack-and-crevice treatment.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Do not apply the product into fish pools, ponds, streams, or lakes.

Do not allow the product to enter any drain during or after application.

Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not apply within 25 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries, and commercial fish ponds).

Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off prior to use.

IMPORTANT: This is a highly concentrated formulation. Use only with an accurate measuring container or applicator.

READY TO USE – No dilution necessary except for back rubber devices.

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef Cattle and Calves	<p>Lice, Horn Flies, Face Flies</p> <p>Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes, Black Flies and Ticks.</p> <p>Controls Horn Flies up to 6 weeks after application.</p>	<p>DOSAGE: Apply 0.07 fl oz (2 mL) per 100 lbs. body weight of animal, up to a maximum of 0.68 fl oz (20 mL) for any one animal spray.</p> <p>POUR ON: Pour correct dose along back and down the face.</p> <p>READY TO USE SPRAY: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears.</p> <p>BACK RUBBER USE: Mix 2.1 fl oz (64 mL) per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.</p>
Sheep and Lambs	Sheep Keds, Lice	<p>POUR ON: Pour along back. Apply 0.034 fl oz (one mL) per 50 lbs. of body weight of animal, up to a maximum of 0.41 fl oz (12 mL) for any one animal. For optimum control, all animals in the flock should be treated after shearing.</p>
Horses and Foals	<p>Stable Flies, Horn Flies, Face Flies, House Flies, Eye Gnats and Ticks.</p> <p>Aids in control of Horse Flies, Mosquitoes and Black Flies.</p>	<p>WIPE ON: Apply 0.27 to 0.54 fl oz (8 mL to 16 mL) as a wipe on. Dampen applicator mitt, cloth or toweling (Turkish) with product. Rub over hair with special attention to the legs, shoulders, neck and facial areas where flies tend to congregate. Be especially careful not to get in horse's eyes. Repeat treatment as needed.</p> <p>READY-TO-USE SPRAY: Use product after riding or exercise. Use undiluted in a mist sprayer, applying 0.27 to 0.54 fl oz (8 mL to 16 mL) per animal. Apply directly onto attached ticks. Repeat as needed.</p>
Horses	<p>Stable Flies, Horn Flies, Face Flies, House Flies, Eye Gnats and Ticks.</p> <p>Aids in control of Horse Flies, Mosquitoes and Black Flies.</p>	<p>POUR ON: After riding or exercise, pour 0.27 to 0.54 fl oz (8 mL to 16 mL) of this product along the back and down the face of MATURE horses, being careful to avoid the eyes. Do not use this method of application on foals. Repeat treatment as needed.</p>
Premises – in and around Horse, Beef, Dairy, Swine, Sheep and Poultry premises. Animal Hospital Pens and Kennels and “outside” Meat Processing Premises.	<p>House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (<i>Fannia</i> spp.).</p> <p>Aids in control of cockroaches, ants, spiders, and crickets.</p>	<p>READY-TO-USE SPOT OR PREMISE SPRAY: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. 16.9 fl oz (500 mL) will treat approximately 7,200 square feet.</p>

For cattle and sheep repeat treatment as needed, but no more than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

This product is not effective in controlling cattle grubs.

This product is an oil-based, ready-to-use product that may leave an oily appearance on the hair coat of some animals

This product should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry (preferably locked) place in an area that is inaccessible to children and animals. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL:

[Nonrefillable Container (5 gallons or less)] Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Nonrefillable Container (greater than 5 gallons)] Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

For information or in case of an emergency, call 1-800-347-8272.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Central Garden & Pet Company or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Central Garden & Pet Company and Seller harmless for any claims relating to such factors.

Central Garden & Pet Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Central Garden & Pet Company and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, **CENTRAL GARDEN & PET COMPANY MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

To the extent consistent with applicable law, neither Central Garden & Pet Company nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CENTRAL GARDEN & PET COMPANY AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CENTRAL GARDEN & PET COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Central Garden & Pet Company and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Central Garden & Pet Company.