



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

89459-80

Date of Issuance:

2/8/18

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 02/08/2020

Name of Pesticide Product:

RF9908 SPOT ON II FOR DOGS

Name and Address of Registrant (include ZIP Code):

James McFadden
 Central Garden & Pet Company
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.
2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 02/08/2020.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 04
 Invertebrate-Vertebrate Branch I, Registration Division (7505P)

Date:

2/8/18

EPA Form 8570-6

3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 07/02/15.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.


Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 02/02/2015

If you have any questions, please contact Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Enclosure

Text within braces { } denotes notes to reviewer.
Text within brackets [] denotes optional language.
Text within parentheses () is meant to be included on the label



RF9908 Spot On II for Dogs

Alternate brand name: Zodiac® Groomers' Spot On® Pack for Dogs



{A large, clear picture of a dog in the weight range for the product as packaged will be included in the final printed label.}

{Font size for word "Dog" in product name must be at least 75% the height of the largest letter in the primary brand name}

For Use Only on Dogs and Puppies weighing 7-17 lbs [puppies, toys, & miniatures]/18-35 lbs [small dogs]/36-55 lbs [medium dogs]/over 55 lbs [large dogs] & 6 Months of Age or Older

{Front Panel}

ACTIVE INGREDIENTS:

Permethrin [CAS #52645-53-1]45%
(S)-Methoprene [CAS #65733-16-6]3%

OTHER INGREDIENTS:52%
Total 100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for First Aid and additional precautionary statements

Net Contents: 3-0.022 fl oz (0.65 mL) [applicators][tubes] (dogs 7-17 lbs)
3-0.044 fl oz (1.3 mL) [applicators][tubes] (dogs 18-35 lbs)
3-0.066 fl oz (1.95 mL) [applicators][tubes] (dogs 36-55 lbs)
3-0.110 fl oz (3.25 mL) [applicators][tubes] (dogs >55 lbs)

EPA Reg. No. 89459-80
EPA Est. No. 2724-TX-1
{Lower right, Front panel}



{A 1.5cm x 1.5cm cat prohibition icon will be in a box in the lower right hand corner of the front panel in yellow with black images.}

{Back Panel}

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES 6 MONTHS OF AGE OR OLDER AND WEIGHING [7-17 LBS][18-35 LBS.][36-55 LBS.][>55 LBS.]. DO NOT USE ON CATS!

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:

Humans: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Domestic Animals:

DO NOT USE ON CATS!

May be toxic and potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

Do not use on puppies less than six months of age or weighing less than [7][18][36][55] pounds. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog/puppy with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. In the event of an emergency, contact 1-800-950-4783.

FIRST AID

If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • [Call a poison control center or doctor for treatment advice.] (if space available)
--------------------------------	--

HOT LINE NUMBER: For additional information on this pesticide product (including human and veterinary concerns, medical emergencies or pesticide incidents), you may call 1-800-950-4783 [1-800-766-7661/1-800-234-2269 or a Poison Control Center], twenty-four (24) hours per day, seven (7) days per week.

{First Aid statement paragraph format may be used if space is limited}

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

{Use of either tube or applicator is optional but must be consistent throughout the label}

USE RESTRICTIONS: Do not apply to dogs/puppies weighing less than [7 lbs][18 lbs.][36 lbs.][55 lbs] Do not use more than one [applicator][tube] per dog/puppy regardless of the dog's weight. {not required for groomers pack}.

Do not retreat more than once per month. Do not allow your dog/puppy to ingest this product.

{Back Panel}

{Graphics for Each Step (see below)}

APPLICATION METHOD



{Alternate [applicator][tube] sizes permissible as long as dosage/ratios are maintained the same.}

{APPLICATION LANGUAGE FOR DOGS AND PUPPIES 7-17 LBS [PUPPIES, TOYS & MINIATURES] AND 18-35 LBS [SMALL]}

1. Bend at perforation and tear off first month's [applicator] [tube].

2. {4 alternate statements}
 [Hold [applicator] [tube] and bend area of plastic at perforation, tear off and discard.]
 [Hold [applicator] [tube] upright and snap tip back, away from face and body.]
 [Hold [applicator] [tube] and bend numbered area of plastic at perforation, tear off and discard.]
 [Hold applicator [tube] upright away from face and body, and use scissors to cut secure seal [applicator] [tube] tip.]
3. Position the tip of the [applicator] [tube] on the dog's back between the shoulder blades. Apply ½ of the contents of the tube and proceed with step 4.
4. Invert the [applicator] [tube] to an upright position and position the tip of the [applicator] [tube] at the base of the tail and apply the remaining contents of the [applicator] [tube].
5. Do not reapply product for [30 days][1 month][4 weeks].

Note: DO NOT APPLY [this product] [or product name] to cats. For use only on dogs.

IN TABLE FORMAT

DOG WEIGHT	SIZE	WHERE TO APPLY
7-17 lbs	0.022 fl oz (0.65 mL)	½ at neck, ½ at tail

DOG WEIGHT	SIZE	WHERE TO APPLY
18-35 lbs	0.044 fl oz (1.3 mL)	½ at neck, ½ at tail

{APPLICATION LANGUAGE FOR MEDIUM DOGS, 36-55 LBS AND LARGE DOGS, OVER 55 LBS}



1. Bend at perforation and tear off first month's [applicator] [tube].
2. {4 alternate statements}
 Hold [applicator] [tube] and bend area of plastic at perforation, tear off and discard.
 Hold [applicator] [tube] upright and snap tip back, away from face and body. **OR**
 Hold [applicator] [tube] and bend numbered area of plastic at perforation, tear off and discard
 Hold [applicator] [tube] upright away from face and body, and use scissors to cut secure seal [applicator][tube] tip.
3. Position the tip of the [applicator] [tube] at the base of the dog's neck. Apply ⅓ of the contents of the [applicator] [tube].
4. Invert the [applicator] [tube] to an upright position and move to the middle of the dog's back. Apply ½ of the remaining contents of the [applicator] [tube].
5. Invert the [applicator] [tube] to an upright position and move to the base of the dog's tail. Apply the remaining ⅓ of the contents of the [applicator] [tube].
6. Do not reapply product for [30 days][1 month][4 weeks].

IN TABLE FORMAT

DOG WEIGHT	SIZE	WHERE TO APPLY
36-55 lbs.	0.066 fl oz (1.95 mL)	⅓ at neck, ⅓ at mid-back, ⅓ at tail

DOG WEIGHT	SIZE	WHERE TO APPLY
Greater than 55 lbs.	0.110 fl oz (3.25 mL)	⅓ at neck, ⅓ at mid-back, ⅓ at tail

Although [this product] [or product name] is applied only between the shoulder blades and at the base of the tail [and in the middle of the back [(medium dogs [36-55 lbs])] [(large dogs [over 55 lbs])], the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. [This product] [or product name] is most effective when used as part of a total flea and tick management program. Use other [Zodiac][Wellmark][Adams][Bio Spot] products registered for residential area control of these pests in conjunction with this treatment. [For additional control of fleas in and around the home, use [product names] Do not use more than one tube per treatment regardless of dog's weight.

TREATMENT SCHEDULE Dosage: One [applicator] [tube] every [30 days][month][4 weeks] per dog/puppy			
First Treatment Date	Second Treatment Date ([30 Days][1 month][4 weeks] From 1 st)	Third Treatment Date ([30 Days][1 month][4 weeks] From 2 nd)	Fourth Treatment Date ([30 Days][1 month][4 weeks] From 3 rd)

Reminder: I purchased RF9908 Spot On II from: _____
 {Treatment table can be expanded based on package size. (6 months)}

{ALTERNATE DIRECTIONS FOR USE LANGUAGE FOR DOGS OF ALL SIZES PROFESSIONAL/GROOMERS PACK ONLY}

{Alternate applicator sizes permissible as long as dosage/ratios are maintained the same.-} Do not dose more than 1 treatment per application, regardless of dog's size.

Net Contents: 48- 0.65 mL [applicators][tubes]

1. Bend at perforation and tear off first month's [applicator][tube].
2. {4 alternate statements}
 [Hold [applicator][tube] and bend numbered area of plastic at perforation, tear off and discard.]
 [Hold [applicator][tube] upright away from face and body, and use scissors to cut secure seal [applicator][tube] tip.
 [Hold [applicator] [tube] and bend area of plastic at perforation, tear off and discard.]
 [Hold [applicator][tube] upright and snap tip back, away from face and body.]
3. Apply as directed in table.
4. Do not reapply product for [30 days][1 month][4 weeks].



MONTHLY [product name] APPLICATION

Application by Weight	# of 0.65 mL [Tubes][applicators]	Where to Apply
Dogs 7 - 17 pounds & 6 months of age or older	One [tube] [applicators] 0.022 fl oz (0.65 mL)	½ [tube] [applicator] at base of neck ½ [tube] [applicator] at base of tail
Dogs 18 -35 pounds & 6 months of age or older	Two [tubes] [applicators]0.044 fl oz (1.3 mL total)	1[tube] [applicator] at base of neck 1[tube] [applicator] at base of tail
Dogs 36-55 pounds & 6 months of age or older	Three [tubes] [applicators] 0.066 fl oz (1.95 mL total)	1[tube] [applicator] at base of neck 1[tube] [applicator] in middle of back 1[tube] [applicator] at base of tail
Dogs Greater than 55 pounds & 6 months of age or older	Five[tubes] (applicators) 0.110 fl oz (3.25 mL total)	5 [tubes] [applicators] Distribute in 5 spots down the middle of the back.

STORAGE AND DISPOSAL

Pesticide Storage: Keep this product in its original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Pesticide Disposal and Container Handling: If Empty:** Do not reuse this container [empty [applicator]][tube]]. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Made in USA


Central Garden & Pet Company
1501 East Woodfield Road Suite 200W
Schaumburg, Illinois 60173
(www.central.com)

Questions? Call (1-800-950-4783/234-2269) Monday through Friday, [time]
[In case of emergency or for product use information, call (1-800-950-4783/234-2269) or visit our Web site:
(www.central.com)]

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Brand] at 1-800-950-4783/234-2269.

{A box labeled Side Effects will be immediately above the cat warning box on the back panel}

(Lower right, Back panel)



{A 1.5cm x 1.5cm cat prohibition icon and warning text in a box will be located at the lower right hand corner of the back panel in yellow with black images and text.}

{TEXT FOR TUBE/APPLICATOR}

Product Name

Permethrin 45%, S-methoprene 3%

KEEP OUT OF REACH OF CHILDREN

CAUTION

[READ DIRECTIONS BEFORE USING] (if space permits)

EPA Reg No. 89459-80

Net Contents: [0.022 fl. oz. (0.65 mL)][0.044 fl. oz. (1.3 mL)][0.066 fl. oz. (1.95 mL)][0.110 fl. oz. (3.25 mL)]



For Use Only on Dogs and Puppies 7-17 lbs [puppies, toys, & miniatures]/18-35 lbs [small dogs]/36-55 lbs [medium dogs]/over 55 lbs [large dogs] & 6 Months of Age or Older

{Optional Marketing Claims}

[Topical] Flea and Tick Treatment only for Dogs and Puppies six months and older
Contains [With] Precor®, Vigren®, [Insect Growth Regulator (IGR)], or FGR® (Flea Growth Regulator)
Easy and Convenient to Use

Quick drying formula

3 [Number] Month Supply [1 [applicator][tube] = 1 month treatment]

3 [Number] month Flea & Tick Treatment

[Number] Monthly Treatments

Once a Month Flea and Tick Treatment

[Once a month] [Monthly] Flea and Tick [Prevention] [Treatment] [Control]

[28 day] [30 day] [1 month] [4 weeks] Flea and Tick [Prevention] [Treatment] [Control]

3 [Number] Month treatment

Month 1 Month 2 Month 3 Month [#]

[Number] Convenient, Pre-filled [Applicators]/[Tubes]

[Each [applicator][tube]] Kills and Repels Fleas, Flea Larvae, and Ticks for up to [30 Days][4 weeks][1 month]

Kills flea eggs

Kills Fleas Before they Lay Eggs

Kills [and repels] fleas, flea larvae, ticks [for up to [30 days][4 weeks][1 month]]

Kills Brown Dog Ticks, for up to [30 days][4 weeks][1 month]

Kills [fleas][and] [ticks] [by][through] contact

Protects against fleas and ticks

[Contains Insect Growth Regulator (IGR) to kill flea eggs]

[Contains Insect Growth Regulator (IGR) to prevent reinfestation of fleas on your dog]

[Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation of fleas on your dog]

Prevents reinfestation of fleas on your dog

Prevents Flea Eggs from Developing into Biting Adults for up to [30 Days][4 weeks][1 month]

This product [or product name] prevents eggs from developing into adult fleas for up to [30 days] [4 weeks][1 month]

This product [or product name] also kills and repels ticks for up to [30 days] [4 weeks][1 month].

Unique [applicator][tube] design [shape] helps prevent misapplication

Helps prevent misapplication with unique [applicator][tube]

Sold in sets of 3 [applicators][tubes], 1 [applicator][tube]/month for 3 months

Longer [applicator][tube] tip for easy application to long-haired dogs

Accu-Tip Dispenser

Pet Specifix™ Applicator/EZ-Squeeze Applicator