



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 24, 2018

Nancy Huebl
Sr. Registration Specialist
Wellmark International
1501 East Woodfield Rd., Suite 200 W
Schaumburg, IL 60173

Subject: Notification per PRN 98-10 – ABN and minor label change
Product Name: RF2280 DP COLLAR
EPA Registration Number: 89459-98
Application Date: 5/21/2018
Decision Number: 541488

Dear Ms. Huebl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The alternate brand name “*Direct Protect™ Plus Flea & Tick Collar for Dogs & Puppies*” has been added to the product record.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Angela Hollis at 703-347-0216 or via email at hollis.angela@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

[] indicates optional statements

() indicates location of text

(Note to reviewer: Container is either a cardboard carton, or a tin with booklet affixed to base, where visible text of booklet matches text on base of tin.)

RF2280 DP Collar

Alternate brand name: Adams™ Flea & Tick Collar Plus for Dogs & Puppies

Direct Protect™ Plus Flea & Tick Collar for Dogs & Puppies

(FRONT PANEL of Carton, Tin & In Booklet)

ACTIVE INGREDIENTS:	Percentage by Weight
Deltamethrin.....	4%
Pyriproxyfen	1%
OTHER INGREDIENTS:	<u>95%</u>
Total:	100%

**DO NOT LET CHILDREN PLAY WITH THIS COLLAR
CAUTION**

See Base of Tin and Booklet for First Aid, additional Precautionary Statements and Directions for Use **OR** See Back Panel for First Aid, additional Precautionary Statements and Directions for Use

Adjustable – One Size Fits All

Do not use on puppies under 12 weeks

NET WT. (not to exceed 1.0 oz.)

NET CONTENTS:

BATCH/LOT #

(End Front Panel of Tin, IF Present)

(Booklet Cont.)

NOTIFICATION

89459-98

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/24/2018

EPA Reg No. 89459-98

EPA Est. No.

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS**

One [Product Name] collar provides up to 6 months protection against fleas and ticks.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION:

Do not open protective pouch until ready to use. Do not let children play with this collar.

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Do not use on puppies under 12 weeks. Do not use on Cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This collar is intended for use only as an insecticide and is not to be taken internally by man or animals. Applying other pesticides on the dog may not be necessary while the collar is being worn.

(Base of Tin & Booklet IF Present)

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>For incidents involving HUMANS, call 1-800-xxx-xxxx. For incidents involving ANIMALS, call 1-800-xxx-xxxx. Have the product container or label with you when calling a poison control center or doctor, or going for treatment</p>	

(Base of Tin End, If Present)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For external use only.

Do not let children play with this collar.

Place the collar around dog's neck, buckle and adjust for proper fit. Cut off approximately 2 inches from the buckle and dispose of excess length by wrapping in newspaper and placing in trash. The collar must be worn loosely so that two fingers may be placed between collar and dog's neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Living and rest areas of the dog must also be treated with appropriate pest control measures to ensure control of pests. Wetting will not impair the collar's effectiveness or the dog's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. [Product Name] may be used in addition to a lead or constraint collar. Use only one [Product Name] at a time. This collar should be worn continuously. Reapply a new collar every 6 months.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store this product in a cool, dry place away from children and pets. **Pesticide Disposal and Container Handling:** Do not reuse container or used collar. Dispose of in trash.

IMPORTANT NOTICE: DISCLAIMER

To the extent consistent with applicable law, Central Garden & Pet Company warrants only that the product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Central Garden & Pet Company, and user assumes the risk of any such use. To the extent consistent with applicable law, Central Garden & Pet Company MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. To the extent consistent with applicable law, in no case shall Central Garden & Pet Company be liable for consequential, special, indirect or incidental damages resulting from the use or handling of this product. To the extent consistent with applicable law, the foregoing conditions of sale and warranty can be varied only by an agreement in writing signed by a duly authorized representative of Central Garden & Pet Company.

Manufactured for:
Central Garden & Pet Company
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173

[www.adamspetcare.com][www.GetDirectProtect.com]

Made in USA

(Booklet End, If Present)

[OPTIONAL/ALTERNATE LABEL TEXT]

Fleas (*Ctenocephalides sp.*) on the dog will be killed.

Collar will kill ticks for up to 6 months including: Lone Star tick (*Amblyomma americanum*), Brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) which may carry the Lyme disease.

Kills fleas and ticks for [up to] 6 months

Kills Fleas and Ticks for [up to] 180 days

Protects your dog from [fleas][and][ticks][and][mosquitoes]* for up to 6 months [*Excluding California]

Provides up to 180 days control of fleas and [&] ticks

Provides up to [6][six] months control of fleas and [&] ticks

Repels mosquitoes[*] for up to six months [*Excluding California]

Reduces mosquito bites for up to six months.* [*Excluding California]

Reduces blood feeding by mosquitoes for up to six months.* [*Excluding California]

Protects against mosquito bites for up to six months.* [*Excluding California]

Long lasting protection for up to 6 months

Continuous protection

Kills fleas

Flea [control] [prevention] for dogs [&] puppies 12 weeks of age or older]

Kills [Adult] Fleas for up to 180 days

Kills [Adult] Fleas for up to [6][six] months

Provides [long lasting] 180 days protection against fleas

Provides [long lasting] 6/six months protection against fleas

Kills, fleas and ticks.

Prevents [new] flea infestations

Kills adult fleas [before they lay eggs]

Kills [adult] fleas that may cause Flea Allergy Dermatitis (FAD)

Kills [adult] fleas which may be a source of flea allergy dermatitis [and][flea bite anemia][and] [tapeworm]

[RF2280 DP Collar] kills fleas that may cause Flea Allergy Dermatitis (FAD)

[RF2280 DP Collar] kills fleas that may cause anemia.

[RF2280 DP Collar] kills fleas that may transmit bartonellosis.

[RF2280 DP Collar] kills fleas that may transmit tapeworms.

Kills ticks [including deer ticks which may transmit *Lyme disease*]

Kills ticks [which may transmit Rocky Mountain Spotted Fever]

Kills ticks [which may transmit anaplasmosis, babesiosis, ehrlichiosis, tularemia, Lyme disease and Southern Tick-Associated Rash Illness (STAR)]

[Kills ticks for 6 months, including Deer ticks (vector of Lyme disease and anaplasmosis), American dog ticks (vector of Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (vector of ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)]

[RF2280 DP Collar] kills ticks that may transmit babesiosis.

[RF2280 DP Collar] kills ticks that may transmit anaplasmosis.

[Kills the ticks that may carry Rocky Mountain spotted fever]
[Kills ticks that may transmit disease]
Tick [control][prevention] for dogs [& puppies 12 weeks of age or older]
Kills Ticks for up to 180 days
Kills Ticks for up to [6][six] months
Provides [long lasting] 180 days protection against ticks
Provides [long lasting] 6 month[s] protection against ticks
Provides [long lasting] six month[s] protection against ticks
Kills Deer Ticks
Kills American Dog Ticks
Kills Brown Dog Ticks

Wetting will not impair the collar's effectiveness or the dog's protection from fleas, ticks and mosquitoes
Not affected by water
Water resistant
Contains an Insect Growth Regulator (IGR)
Flea and [&] Tick Collar for Dogs with [4%] Deltamethrin plus an Insect Growth Regulator (IGR)
Long Lasting, 6 month Collar for Dogs
Deltamethrin/IGR Collar for Dogs
Tick and [&] Flea Collar for Dogs
Tick Collar for Dogs
Flea Collar for Dogs

Six [6] Month Tick [&] and Flea Collar for Dogs
Six [6] Month Tick Collar for Dogs
Six [6] Month Flea Collar for Dogs
Dog Collar for Tick and [&] Flea Control
Dog Collar for Tick Control
Dog Collar for Flea Control

Two collars provide [up to] [a total of] twelve months protection against fleas [,][and] ticks [and] mosquitoes [*] [*Excluding California]

2 collars provide [up to 12] months protection against fleas, ticks and mosquitoes[*] [*Excluding California]

A full year's protection with two collars [in each tin][in one package][!]

Up to a total of 12 months protection against ticks and fleas with 2 collars in 1 package

Up to twelve months protection against ticks and fleas with two collars in one package

2 collars per package

Convenient, easy to apply collar

Cut to size

Size to fit

Fit to size

Adjustable

[Easy to (use) (apply) (attach)]

Slide Fit [and] Stay Design

Fits right over existing dog collar

One size fits [most][all] dogs

Value Size/Club Size

Value Pack/Club Pack

[Multi]/[x] Pack

[Coupon Inside!]