

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 5, 2018

Ann Tillman TruRx, LLC c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. Ct. NW Gig Harbor, WA 98332

Subject: Label Amendment – changes to organization, clarification of mitigation, updated

company information and Reg. No. post transfer

Product Name: VetGuard for Cats EPA Registration Number: 89609-3 Application Date: 1-Aug-2017 Decision Number: 532088

Dear Ms. Tillman:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 89609-3 Decision No. 532088

with FIFRA section 6. If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Sincerely,

Kable Bo Davis, Product Manager 3 Invertebrate and Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

Enclosure

- **{1. Carton (front, back, inside and side panels)**
- 2. Optional text for front or Optional text for back of cardboard insert if security packaging used
- 3. Text for back of blister
- 4. Text for back of applicator}
- 5. Package Insert
- 6. Optional card with tips for use
- 7. Reminder Stickers}

Note to reviewer: optional text is placed in brackets []; text in {} denotes section of label and notes to reviewer. Optional marketing claims that may be used throughout the label are found at end of this label.

{1. Carton Text - Front Panel}

VETGUARD FOR CATS

[Alternate brand names: PETLOCK FOR CATS, PETBALANCE TRIPLEGUARD FOR CATS]





ACCEPTED

02/05/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

89609-3

{The word "Cats" in the product name will be 75% of the height of the largest letter in the primary brand name.}

{The front panel will have a large, clear picture of a cat in the weight range for the product as packaged}

For use ONLY on CATS & KITTENS over 1.5 lbs. and 8 weeks and older

ACTIVE INGREDIENT:

Net Contents [3-pak] 0.051 fl. oz. (1.5 mL) (3 applicators containing 0.017 fl. oz. each)

[3 Doses]

KEEP OUT OF REACH OF CHILDREN CAUTION

See Label Insert for First Aid, Precautionary Statements and complete Directions for Use.

See Inside Panel for Storage and Disposal

{Optional marketing claims}



{1. Carton Text - Back Panel}

VETGUARD FOR CATS

[Alternate brand names: PETLOCK FOR CATS, PETBALANCE TRIPLEGUARD FOR CATS]



{The word "Cats" in the product name will be 75% of the height of the largest letter in the primary brand name}

{Optional marketing claims}

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.



Manufactured for:

TruRx, LLC

500 E. Shore Drive, Suite 130

Eagle, ID 83616

[Customer Service: 1-888-314-8588]

EPA Reg. No. 89609-3

EPA Est. No.

[Made in Germany]

[Batch/Lot No.] {Batch/Lot No. will be found either on the back panel or side panel}

[Bar Code]

[VetGuard is a registered trade name of TruRx, LLC]

VetGuard for Cats can be used on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lb. and are older than 8 weeks. VetGuard for Cats controls fleas, ticks, chewing lice and mosquitoes and keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

DIRECTIONS FOR USE

It is a violation of law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR ON DOGS OR ON OTHER ANIMALS.

To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:

Remove and Open Package

See package insert for opening instructions.

Open Applicator and Apply VetGuard for Cats

Hold upright with foil side away from you and snap applicator tip back to open.











Cat must be dry at the time of application and remain dry for 24 hours after application. Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment per cat regardless of the cat's weight.

In multi-cat households, do not allow cats to groom each other until product has dried.

{The following text in a box will be placed in the lower right hand corner of back panel.}

Side Effects. After applying VetGuard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

{1. Carton Text - Inside Panel}

[3 Month Supply]

[3 Applicators]

READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE.

USE ONLY ON CATS & KITTENS OVER 1.5 LBS. AND 8 WEEKS AND OLDER

KEEP OUT OF REACH OF CHILDREN

CAUTION

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every 30 days.

Ticks: VetGuard for Cats kills ticks for up to one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for up to one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Adult Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 48 hours for up to 28 days.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{1. Carton Text -Side Panel}

VetGuard for Cats

[3 Month Supply]

[3 Applicators]

[3 Doses]

[Batch/Lot No.] {Batch/Lot No. will be found either on the back panel or side panel}

[EPA Reg. No. 89609-3]

[EPA Est. No.]

VETGUARD FOR CATS

[Alternate brand names: PETLOCK FOR CATS, PETBALANCE TRIPLEGUARD FOR CATS]



For use ONLY on CATS & KITTENS over 1.5 lbs. and 8 weeks and older

{The word "Cats" in the product name will be 75% of the height of the largest letter in the primary brand name}

{The front panel will have a large, clear picture of a cat in the weight range for the product as packaged}

ACTIVE INGREDIENT:

Fipronil:	9.7%
OTHER INGREDIENTS:	90.3%
TOTAL:	100.00/

Net Contents (one box) [0.051 fl. oz. (1.5 mL), 3 applicators containing 0.017 fl. oz. each), 3 doses]

Net Contents (two boxes) [1.02 fl. oz. (3.0 mL), each box has 3 applicators containing 0.017 fl. oz. each, 6 doses]

KEEP OUT OF REACH OF CHILDREN CAUTION

See Inside Carton and Label Insert for First Aid, Precautionary Statements and complete Directions for Use.

[Optional marketing claims]

EPA Reg. No. 89609-3

EPA Est. No.



Manufactured for:

TruRx, LLC

500 E. Shore Drive, Suite 130

Eagle, ID 83616

[Customer Service: 1-888-314-8588]

[Bar code]



[Photo for Alternate Brand Name is below.]

{2. Optional text for back of cardboard insert if security packaging used}

VETGUARD FOR CATS

[Alternate brand names: PETLOCK FOR CATS, PETBALANCE TRIPLEGUARD FOR CATS]



For use ONLY on CATS & KITTENS over 1.5 lb. and 8 weeks and older

{The word "Cats" in the product name will be 75% of the height of the largest letter in the primary brand name}

ACTIVE INGREDIENT:

Fipronil:	9.7%
OTHER INGREDIENTS:	<u>90.3%</u>
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

{Optional marketing claims}

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may call 1-855-844-4375, twenty-four (24) hours per day, seven (7) days per week.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS

CAUTION. FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 1.5 lbs. and under 8 weeks of age. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. It is advisable to consult a veterinarian before using this product with ANY other pesticide product or drug. This product is not a substitute for prescribed Heartworm preventative.

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment per cat regardless of the cat's weight.

In multi-cat households, do not allow cats to groom each other until product has dried.

{The following text in a box will be placed in the lower right hand corner of back panel.}

Side Effects. After applying VetGuard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON DOGS OR ON OTHER ANIMALS.

VetGuard for Cats is for use on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lbs. and are older than 8 weeks.

VetGuard for Cats keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every 30 days.

Ticks: VetGuard for Cats kills ticks for up to one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for up to one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 48 hours for up to 28 days.

Use VetGuard for Cats on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lbs. and are 8 weeks or older.

A one-spot application is convenient and easy for effective treatment of fleas, ticks, chewing lice, and mosquitoes. Cat must be dry at the time of application and remain dry for 24 hours after application.


VetGuard for Cat is applied at a single point on the surface of the skin between the cat's shoulders and rapidly covers the entire cat by localizing in the hair, on the surface of the skin and in the sebaceous glands.

Soon after coming into contact with a treated cat, fleas, ticks, mosquitoes, and chewing lice are killed. To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:

{CRP package is a blister (CR component) containing an applicator. CRP text and format will not change from that used in SAUE testing. The term "applicator will be used throughout the label.}

REMOVE AND OPEN PACKAGE

1. Cut along scissor cut line to separate unit



OPEN APPLICATOR Hold upright with foil side away from you and snap applicator tip back to open. APPLY VETGUARD FOR CATS

Cat must be dry at the time of application and remain dry for 24 hours after application. Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.











PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of TruRx, LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, TruRx, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither TruRx, LLC, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.]

{3. Text on Back of Blister }

VetGuard for Cats

Only for cats and kittens weighing over 1.5 lbs and 8 weeks or older Fipronil 9.7%

0.017 fl oz [(0.5 ml)]

CAUTION


EPA REG. No. 89609-3

KEEP OUT OF REACH OF CHILDREN

CAUTION: See full label for additional instructions and precautions before using

Lot/Batch No. {only number will appear}

{Pictogram for opening outer blister to remove inner applicator}



{4. Text for back of applicator}

VetGuard for Cats
Only for cats weighing over 1.5 lbs and 8 weeks or older
Fipronil 9.7%
0.017 fl. oz. [(0.5 ml)]
EPA Reg. No. 89609-3
See full label for additional instructions and precautions before using
KEEP OUT OF REACH OF CHILDREN

{5. Package Insert, Text}

VETGUARD FOR CATS

{Alternate brand names: PETLOCK FOR CATS, PETBALANCE TRIPLEGUARD FOR CATS}



[PETBALANCE

TRIPLE GUARD

FOR

CATS]

{The word "Cats" in the product name will be 75% of the height of the largest letter in the primary brand name.}

For use ONLY on CATS & KITTENS over 1.5 lbs. and 8 weeks and older

{Optional marketing claims}

ACTIVE INGREDIENT:

Fipronil:	9.7%
OTHER INGREDIENTS:	90.3%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may call 1-855-844-4375, twenty-four (24) hours per day, seven (7) days per week.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS

CAUTION. FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 1.5 lbs. or under 8 weeks of age. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. It is advisable to consult a veterinarian before using this product with ANY other pesticide product or drug. This product is not a substitute for prescribed Heartworm preventative.

Side Effects. After applying VetGuard for Cats, check your cat for side-effects such as redness from skin irritation, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported from grooming after treatment. If you observe these signs or symptoms in your treated cat, contact your veterinarian. You may also contact SAFETYCALL INTERNATIONAL at 1-855-844-4375 (independent veterinarians and pharmacists on staff 24 hours/7 days per week). For Customer Service call 1-888-314-8588.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS ON PACKAGE AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON DOGS OR OTHER ANIMALS.

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment per cat regardless of the cat's weight.

In multi-cat households, do not allow cats to groom each other until product has dried.

VetGuard for Cats is for use on cats including breeding, pregnant and lactating queens, and on kittens that weigh over 1.5 lbs and are older than 8 weeks.

VetGuard for Cats keeps on working even after cats are shampooed, rinsed with water, or if cats are outdoors and exposed to the sun or rain.

Frequency of Application

Monthly application of VetGuard for Cats controls flea, tick and chewing lice infestations. You can reapply VetGuard for Cats once every 30 days.

Fleas: VetGuard for Cats kills adult fleas for up to six weeks. If your cat becomes reinfested with fleas, or if your cat is in situations where reinfestation may occur, you may apply VetGuard for Cats every 30 days.

Ticks: VetGuard for Cats kills ticks for up to one month. Apply VetGuard for Cats every 30 days to control ticks (larva, nymph and adult) that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis.

Chewing Lice: VetGuard for Cats kills chewing lice for up to one month. Apply VetGuard for Cats every 30 days to control chewing lice.

Mosquitoes: Apply VetGuard for Cats every 30 days to kill mosquitoes. Mosquitoes are killed within 48 hours for up to 28 days.

Use VetGuard for Cats on cats including breeding, pregnant and lactating queens, and on kittens weighing over 1.5 lbs. and 8 weeks or older.

A one-spot application is convenient and easy for effective treatment of fleas, ticks, chewing lice, and mosquitoes. Cat must be dry at the time of application and must remain dry for 24 hours after application.


VetGuard for Cat is applied at a single point on the surface of the skin between the cat's shoulders and rapidly covers the entire cat by localizing in the hair, on the surface of the skin and in the sebaceous glands.

Soon after coming into contact with a treated cat, fleas, ticks, mosquitoes, and chewing lice are killed. To kill fleas, ticks, chewing lice and mosquitoes apply VetGuard for Cats as follows:

{CRP package is a blister (CR component) containing an applicator. CRP text and format will not change from that used in SAUE testing. The term "applicator will be used throughout the label.}

REMOVE AND OPEN PACKAGE

1. Cut along scissor cut line to separate unit



OPEN APPLICATOR

Hold upright with foil side away from you and snap applicator tip back to open.

APPLY VETGUARD FOR CATS

Find a spot between the cat's shoulder blades and part hair. Place the open end of the applicator just above the skin and squeeze. Apply the entire contents of the applicator in a single spot directly onto the cat's skin. Avoid applying on top of the hair coat. Do not touch treated area until dry.











PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of TruRx, LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, TruRx, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither TruRx, LLC, the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

EPA Reg. No.: 89609-3

[EPA Est. No.:]

Manufactured for:

TruRx, LLC

500 E. Shore Drive, Suite 130

Eagle, ID 83616

[Made in Germany]
[VetGuard is a registered trade name of TruRx, LLC]
[Optional Bar Code]

[Customer Service: 1-888-314-8588

{6. Optional Card with Tips, Text}

[Optional marketing claims]

[VetGuard for Cats]

[See other side for stickers to remind you it's time to reapply VetGuard for Cats.]

[Some Tips and Other Information for Using VetGuard for Cats]

[Do not apply more than one applicator per treatment per cat and only with the proper dose of VetGuard for Cats.]

[Follow the label instructions for how to apply and be sure that VetGuard for Cats is applied to the skin, not on top of the fur and not near the collar. Removing the collar before application may help to prevent the collar from absorbing the VetGuard dose.]

[Your cat must be dry at the time of application and remain dry for 24 hours after application. Make sure you apply all of the dose that is in the applicator.]

[Even indoor cats need flea and tick control if other household pets bring fleas into the home.]

[Fleas have many life stages and serious infestations can require treatment every 30 days for 3 consecutive months for control.]

{7. Text for Reminder Stickers}



[Reminder: It's time to repurchase VetGuard for Cats!]

Use these stickers to remind you when to apply and to purchase VetGuard for Cats.

The first time you treat your cat, peel off the sticker and place on your calendar that day. To remind you when the next application is due, place the other two stickers on your calendar 1 and 2 months after the first application.

[For Customer Service call 1-888-314-8588.]



[Optional Bar code]

{Optional marketing claims}

- 1. [Quick-acting]
- 2. [Long-lasting]
- 3. [Waterproof]
- 4. [For monthly control of fleas, ticks, chewing lice, mosquitoes]
- 5. [Kills adult fleas]
- 6. [Kills newly emerged adult fleas prior to egg-laying]
- 7. [Effective treatment that kills adult fleas which may cause flea allergy dermatitis]
- 8. [Kills all life stages of ticks (larva, nymph, and adult) including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)]
- 9. [Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis]
- 10. [Kills Brown dog ticks, American dog ticks, Lone Star ticks and deer ticks for up to one month]
- 11. [Eliminates chewing lice infestations]
- 12. [Kills adult mosquitoes]
- 13. [Kills fleas, ticks*, chewing lice and mosquitoes (*including Brown dog ticks, American dog ticks, and deer deer ticks that may transmit Lyme disease)]
- 14. [3 Month Supply]
- 15. [3 Applicators]
- 16. [3 Doses]