



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

90780-5

Date of Issuance:

7/8/15

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

TC MOUSE KILLER 138

Name and Address of Registrant (include ZIP Code):

The Scotts Company  
d/b/a Tomcat Brands  
P.O. Box 190  
Marysville, OH 43040

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 90780-5."

Signature of Approving Official:

Venus Eagle, Product Manager 01  
Invertebrate-Vertebrate Branch 3, Registration Division (7505P)

Date:

7/8/15

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/17/2015
- Alternate CSF A dated 06/17/2015

If you have any questions, please contact Dr. William W. Jacobs by phone at 703-305-6406, or via email at [jacobs.bill@epa.gov](mailto:jacobs.bill@epa.gov).

Enclosure

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

**OUTER PACKAGE - COMPLETE LABEL**

# TC MOUSE KILLER 138

**Alternate Brand Names:**

TOMCAT® Mouse Killer<sub>e</sub> [with] Child Resistant, Refillable Station  
TOMCAT® Mouse Killer<sub>e</sub> [with] Kid Resistant, Refillable Station  
TOMCAT® Mouse Killer<sub>e</sub>

**This Bait Station is Resistant to Tampering by Children. Use Indoors Only.**

ACTIVE INGREDIENT:	
Bromethalin (CAS #63333-35-7):.....	0.01 %
OTHER INGREDIENTS*:	<u>99.99%</u>
	100.00%

\*Contains Denatonium Benzoate

## KEEP OUT OF REACH OF CHILDREN CAUTION

See [back] [bottom] [and] [side] [panel/panels] for First Aid, additional precautionary statements, and Directions for Use.

NET WT:

2 oz. (57 g)	to	16 oz. (454g)
4 x 0.5 oz. Block Bait & 1 Refillable Bait Station		32 x 0.5 oz. Block Bait & 1 Refillable Bait Station

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Bait contents harmful if swallowed. Keep away from children, domestic animals, and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**FIRST AID [icon]**


**HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE**

**IF SWALLOWED:**

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

**IF ON SKIN:**

- Wash with plenty of soap and water.



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

### **TREATMENT FOR PET POISONING**

If an animal eats this bait, call a veterinarian at once.

#### **NOTE TO PHYSICIAN OR VETERINARIAN**

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

#### **USE RESTRICTIONS:**

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** For control only of house mice. This bait station can only be refilled with the block bait sold with this station. [TOMCAT MOUSE KILLER 138] [This product] must be used in buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored bait blocks in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store bait block refills out of reach of children and pets.

**Note to PM: “SELECTION OF TREATMENT AREAS”, “APPLICATION DIRECTIONS”, “LOADING INTO BAIT STATION” sections of label will be treated in one of the fashions shown below.**

[Option 1]

**SELECTION OF TREATMENT AREAS [Indoors]:** Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

#### **APPLICATION DIRECTIONS:**

While wearing gloves, place one block of bait in the bait station. See additional GRAPHICS AND TEXT. Place the bait station at point of highest activity along a wall or in corner where signs of house mice have been seen. If additional units are to be used, place bait stations at intervals of 8- to 12-feet. [To monitor for refilling, view bait via see-through lid.] While wearing gloves, replace bait in bait station if bait is consumed or contaminated and house mice still are using the bait station. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas. [Note: Mice will eat a small amount of bait and leave the station. You likely will not find a dead mouse in the station.] / [Note: Mice will eat a small amount of bait and cease feeding after consuming a toxic dose. They then leave the station. You likely will not find a dead mouse in the station.] / [Note: Mice cease feeding after consuming a toxic dose, so there may not be large amounts of bait missing from the station. This does not mean that the product is not working.]

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

**LOADING  
BAIT INTO  
STATION**

**1 REMOVE BAIT CARTRIDGE FROM BOTTOM OF STATION**



With your left hand push tab up.




While still holding tab, squeeze prongs of bait cartridge and pull it away from station.

*Note to PM:* alternate language: “While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull it away from station.”

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.



Note to PM: Visual of “Loading Bait Into Station” can be in either photos shown above or icons as shown below with text from chart.









Note to PM: Alternate language: “While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull away from station.”

**Follow-up:** Wearing gloves, collect and properly dispose of any leftover bait or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

[Option 2]

APPLICATION DIRECTIONS

<p><b>1. Selection of Treatment Areas [Indoors]</b></p> 	<p><b>2. Remove Bait Cartridge</b></p> 	<p><b>3. Load Bait</b></p> 	<p><b>4. Placing Bait Stations</b></p> 	<p><b>5. Monitor</b></p> 	<p><b>6. Follow Up</b></p> 
<p>Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.</p>	<p>Flip station over to remove the cartridge from the bottom of the station. With your left hand, push tab up. While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull it away from station.</p>	<p>While wearing gloves, place one block of bait in the bait station. Place bait into cartridge. Push the loaded cartridge into station until the cartridge clicks into place.</p>	<p>Place bait station at point of highest activity along a wall or in a corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals.</p>	<p>Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas. To monitor for refilling, view bait via see-through lid. While wearing gloves, replace the block of bait if it has been consumed or contaminated and house mice are still using the bait station. [Note: Mice will eat a small amount of bait and leave the station.] / [Note: Mice will eat a small amount of bait and cease feeding after consuming a toxic dose. They then leave the station. You likely will not find a dead mouse in the station.] / [Note: Mice cease feeding after consuming a toxic dose, so there may not be large amounts of bait missing from the station. This does not mean that the product is not working.]</p>	<p>Wearing gloves, collect and properly dispose of any leftover bait and/or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.</p>

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

### STORAGE AND DISPOSAL

**Pesticide Storage:** Store only in original container, in a cool dry place inaccessible to children and pets.

**Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill this container except as described in the Directions for Use.

**If Empty:** Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Note to PM- Warranty/Guarantee or notice statements may or may not appear on market label**

**Notice:** To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

**+Tomcat [Brands]** [or insert sub-registrant company name] **Guarantee [Satisfaction Guaranteed or Your Money Back]** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[phone icon] Questions or Comments[?]

¿Preguntas o Comentarios

1-877-332-0755 [www.tomcat.com] [computer icon]

Available Exclusively From/Distributed by/Sold by/Manufactured For:

Tomcat Brands  
PO Box 190  
Marysville, OH 43040  
[www.tomcat.com]

EPA Reg. No. 90780-NEW

EPA Est No. 12455-WI-1; xxxxx-xx-x

[Superscript is first letter of lot number]

[Made in U.S.A]

[20xx][Licensed by] Tomcat Brands. World Rights Reserved [patent pending]



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

**BAIT STATION LABEL**

# TC MOUSE KILLER 138

**This Bait Station is Resistant to Tampering by Children. Use Indoors Only.**

**ACTIVE INGREDIENT:**

Bromethalin (CAS #63333-35-7): .....	0.01 %
OTHER INGREDIENTS*.....	<u>99.99%</u>
	100.00%

\*Contains Denatonium Benzoate

EPA REG. NO. 90780-New	EPA EST. NO. 12455-WI-1
Net Wt.: 0.5 oz. (14g) block bait	

**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION**

This bait station can only be refilled with the block bait sold with this station.

**CAUTION:** See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS.

If swallowed, call a poison control center, doctor, or 1-877-332-0755

[Batch Code]

[Model No. MR2a]

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

**NOTE TO PM: THE FOLLOWING CLAIMS MAY OR MAY NOT APPEAR ON ANY LABEL OR IN ADVERTISING. APPROPRIATE FORMULA AND COMPANY SPECIFIC INFORMATION WILL BE INSERTED ON FINAL PRINTED LABEL TO REPLACE X.**


**OPTIONAL MARKETING STATEMENTS:**

1. House mice usually consume a lethal dose in a single night's feeding but it may take two or more days from time of consumption for them to die.
2. Includes Blocks of Bait
3. Kills house mice
4. House mice cease feeding after consuming a toxic dose
5. Refillable [house mouse] bait station
6. [House Mouse] bait station
7. See-thru lid [for easy monitoring]
8. With bromethalin
9. House mouse killer
10. Includes xx oz of refill bait (blocks)
11. Contains xx – 0.5 oz blocks (bait)
12. [House mouse] feeding station
13. Reusable/Refillable
14. Portico allows entry from either side
15. One half ounce of bait per placement
16. Contains 0.5 oz block bait
17. House mouse bait in a child tamper-resistant [bait/feeding] station
18. House mouse killer in a child tamper-resistant [bait/feeding] station
19. Child tamper-resistant [bait] station
20. Child resistant [bait] station
21. Use indoors
22. Durable design of [bait] station is child resistant
23. Station is child resistant
24. Kid tested [bait] station
25. Kid Resistant [Bait] Station
26. Kid Tamper-Resistant [Bait] Station
27. Clear lid [for easy bait monitoring]
28. xx Bait Blocks and One Refillable Bait Station
29. Kills up to 6 mice [per bait block]\* \*based on no-choice laboratory testing
30. Each block kills up to 6 mice\* \*based on no-choice laboratory testing
31. Each station can hold/contains enough bait to kill up to 6 mice\* \*based on no-choice laboratory testing
32. Enough bait to kill up to 6 mice\* \*based on no-choice laboratory testing
33. Bait station made from 72% recycled content.
34. Kills house mice [,] guaranteed [,]+
35. House mice may enter, feed on the bait, and then leave the bait station.
36. Results Guaranteed
37. This bait station is not a trap

*Note to EPA: Depending on the number of blocks in a package, we are requesting to use the following statements.*  
 [Includes] [This package includes/contains] Enough bait to kill up to (24) (xx) (xxx) (192) mice\* \* based on no-choice laboratory testing

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

*Optional Graphics*



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.



[Patent Pending] [Patented]

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.

**NOTE TO PM: ARROW OPTIONS BELOW MAY BE USED INSTEAD OF THE RED ARROWS FOR IMAGES ABOVE.**

**Load 1 Block Into Refillable Station**

Bait must always be used with in this bait station. Store other blocks OUT OF THE REACH OF CHILDREN & PETS



**Load 1 Block Into Refillable Station**

Bait must always be used with in this bait station. Store other blocks OUT OF THE REACH OF CHILDREN & PETS



**Load 1 Block Into Refillable Station**





Bait must always be used in this bait station





**Load 1 Block Into Refillable Station**

Bait must always be used in this bait station









<p><b>LOADING BAIT INTO STATION</b></p>	<p><b>1 REMOVE BAIT CARTRIDGE FROM BOTTOM OF STATION</b></p>  <p>With your left hand push tab up.</p>  <p>While still holding tab, squeeze prongs of bait cartridge and pull it away from station.</p>	<p><b>2 LOAD BAIT</b></p>  <p>Place bait into cartridge.</p>  <p>Push cartridge into station until it clicks into place.</p>
---	---	---

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.


	 <p><b>BEHIND APPLIANCES</b></p>	 <p><b>IN ATTICS</b></p>
 <p><b>INSIDE CABINETS</b></p>	 <p><b>GARAGES</b></p>	 <p><b>BASEMENTS</b></p>

All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.  
 [Option 2]

	<p>BEHIND APPLIANCES</p> 	<p>IN ATTICS</p> 
<p>INSIDE CABINETS</p> 	<p>GARAGES</p> 	<p>BASEMENTS</p> 

All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional ] Text separated by / denotes and/or options.



See-thru/See-through lid for easy bait monitoring

