



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

90780-7

Date of Issuance:

7/7/15

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

TC MOUSE KILLER 123

Name and Address of Registrant (include ZIP Code):

The Scotts Company
d/b/a Tomcat Brands
P.O. Box 190
Marysville, OH 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 90780-7."

Signature of Approving Official:

Venus Eagle, Product Manager 01
Invertebrate-Vertebrate Branch 3, Registration Division (7505P)

Date:

7/7/15

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/17/2015
- Alternate CSF A dated 06/17/2015

If you have any questions, please contact Dr. William W. Jacobs by phone at 703-305-6406, or via email at jacobs.bill@epa.gov.

Enclosure

OUTER PACKAGE - COMPLETE LABEL

TC MOUSE KILLER 123

ABNs:

Tomcat Mouse Killer.
Tomcat Mouse Killer [with] Child Resistant, Disposable Station
Tomcat Mouse Killer [with] Kid Resistant, Disposable Station

**This Bait Station is Resistant to Tampering by Children.
Use Indoors Only.**

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01%

OTHER INGREDIENTS*:..... 99.99%
100.00%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back] [bottom] [and] [side] [panel/panels] for First Aid, additional precautionary statements, and Directions s for Use.


NET WT:

1 oz. to 16 oz.
1 oz. x 1 Bait Station (28g) 1 oz. x 16 Bait Stations (454g)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.



USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID [icon]

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.**

This product may only be used to control house mice. [TC Mouse Killer 123] [This product/This bait station] must be used in buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

Note to PM: “SELECTION OF TREATMENT AREAS”, “APPLICATION DIRECTIONS”, “LOADING INTO BAIT STATION” sections of label will be treated in one of the fashions shown below.

[Option 1]





SELECTION OF TREATMENT AREAS [Indoors]: Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station at point of highest activity along a wall or in a corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals. [Stations can be used/placed horizontally or vertically.] Maintain an uninterrupted supply of fresh bait for at least 15 days or until there are no longer fresh signs of house mouse activity in infested areas. [View/Monitor bait via see-through lid and] replace bait station when bait is consumed or contaminated and there still is house mouse activity at that location. Note: Mice will eat a small amount of bait and leave the station. You likely will not find a dead mouse in the station.]/ [Note: Mice will eat a small amount of bait and cease feeding after consuming a toxic dose. They then leave the station. You likely will not find a dead mouse in the station.]/ [Note: Mice cease feeding after consuming a toxic dose, so there may not be large amounts of bait missing from the station. This does not mean that the product is not working.]

Follow-up: Wearing gloves, collect and properly dispose of any emptied bait stations or carcasses. [Carcasses should be placed in an outdoor garbage can.]To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

[Option 2]
APPLICATION DIRECTIONS

<p>1. Selection of Treatment Areas [Indoors]</p> 	<p>2. Placing Bait Stations</p> 	<p>3. Monitor</p> 	<p>4. Follow Up</p> 
<p>Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.</p>	<p>Place the bait station at the point of highest activity along a wall or in a corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals.</p> <p>[Stations can be used/placed horizontally or vertically.]</p>	<p>Maintain an uninterrupted supply of fresh bait for at least 15 days or until there are no longer fresh signs of house mouse activity in infested areas. [View/Monitor bait via see-through lid and] remove bait station if bait is has been consumed or contaminated. Replace station with a new on if house mouse activity continues at that location.</p> <p>[Note: Mice will eat a small amount of bait and leave the station. You likely will not find a dead mouse in the station.] /</p> <p>[Note: Mice will eat a small amount of bait and cease feeding after consuming a toxic dose. They then leave the station. You likely will not find a dead mouse in the station.] /</p> <p>[Note: Mice cease feeding after consuming a toxic dose, so there may not be large amounts of bait missing from the station. This does not mean that the product is not working.]</p>	<p>Wearing gloves, collect and properly dispose of any emptied bait stations and/or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.</p>

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill container except as described in the Directions For Use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note to PM: Warranty/Guarantee or notice statements may or may not appear on market label

Notice: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

+Tomcat [Brands] [or insert sub-registrant company name] **Guarantee [Satisfaction Guaranteed or Your Money Back]** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[phone icon] Questions or Comments
¿Preguntas, o Comentarios?
1-877-332-0755 [www.tomcat.com] [computer icon]

Available Exclusively From/Distributed by/Sold by/Manufactured For:
Tomcat Brands
PO Box 190
Marysville, OH 43040
[www.tomcat.com]
[Patent pending]

EPA REG. NO. 90780-NEW
EPA EST. NO. 12455-WI-1, XXXX
[superscript is first letter of lot number]
[Made in U.S.A.]
©20XX, [Licensed by] Tomcat Brands. Worldrights reserved

BAIT STATION LABEL

TC MOUSE KILLER 123

**This Bait Station is Resistant to Tampering by Children.
Use Indoors Only.**

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01%

OTHER INGREDIENTS*: 99.99%
100.00%

*Contains Denatonium Benzoate

EPA REG. NO.90780-XXXX

EPA EST. NO. 12455-WI-1, XXXX

[Superscript is first letter of lot number]

Net Contents: 1 x 1 oz. (28g) bait block

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

CAUTION : See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS.

If swallowed, call a poison control center, doctor, or 1-877-332-0755

[BATCH CODE XXX] [MODEL # MD2]

***The following claims may or may not appear on any label panel or in advertising.
Appropriate formula and company specific information will be inserted on Final Printed
Label to replace "X"***

OPTIONAL MARKETING STATEMENTS

1. House mice usually consume a lethal dose in a single night's feeding but it may take two or more days from time of consumption for them to die.
2. Kills house mice
3. House mice cease feeding after consuming a toxic dose
4. [House mouse] bait station
5. Ready to use
6. Disposable
7. Pre-baited/prefilled
8. See-thru lid [for easy monitoring]
9. With bromethalin
10. Contains bait block
11. Pre-filled, 1 oz. block bait
12. Contains one bait station prefilled with 1 oz. bait block
13. House mouse killer
14. Contains xx -1 oz. block bait
15. Pre-filled (pre-baited), ready to use bait station
16. [House mouse] feeding station
17. Contains one ounce of bait per placement
18. Can be used horizontally or vertically
19. House mouse killer in a child tamper-resistant [bait/feeding] station
20. House mouse bait in a child tamper-resistant [bait/feeding] station
21. Can be used indoors
22. Child tamper-resistant [bait] station
23. Child resistant [bait] station
24. Use indoors
25. Durable design of [bait] station is child resistant
26. Station is child resistant
27. Kid tested [bait] station
28. Kid Resistant [Bait] Station
29. Kid Tamper-Resistant [Bait] Station
30. Clear lid/See-thru lid [for easy bait monitoring]
31. No need to touch the bait when placing station
32. x disposable bait stations each containing one block
33. Kills up to 12 mice [per bait block]* * based on no-choice laboratory testing
34. Each block kills up to 12 mice* * based on no-choice laboratory testing
35. Each station contains enough bait to kill up to 12 mice* * based on no-choice laboratory testing
36. Bait station made from 67% recycled resin/content.
37. Kills house mice[,] guaranteed[.]+
38. Results Guaranteed
39. House mice may enter, feed on the bait, and then leave the bait station.
40. This bait station is not a trap

Note to EPA: Depending on the number of blocks in a package, we are requesting to use the following statements.

[Includes] [This package includes/contains] Enough bait to kill up to 12, (xx, (xxx), (192) mice* * based on no-choice laboratory testing

OPTIONAL GRAPHICS:





Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 90780-T



NOTE TO PM: ARROW OPTIONS BELOW MAY BE USED INSTEAD OF THE RED ARROWS FOR IMAGES ABOVE.


*Non-Refillable
Station - Bait
Preloaded Inside*




*Bait Preloaded Inside
Non-Refillable
Station*




CAN BE USED IN A VARIETY OF LOCATIONS




BEHIND APPLIANCES



INSIDE CABINETS



GARAGES



BASEMENTS



ATTICS

All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.

CAN BE USED HORIZONTALLY OR VERTICALLY



HORIZONTAL









VERTICAL

SEE-THRU LID FOR EASY BAIT MONITORING




DISPOSABLE




	<p>BEHIND APPLIANCES</p> 	<p>IN ATTICS</p> 
<p>INSIDE CABINETS</p> 	<p>GARAGES</p> 	<p>BASEMENTS</p> 

All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label


For use as optional graphics for T3 Disposable Mouse:




Selection of Treatment Areas
(For Indoor Use Only)



Placing Bait Station




Monitor




Follow up

Use horizontally or vertically



Disposable



See-thru/See-through lid for easy
bait monitoring

