



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91090-4

Date of Issuance:

07/29/16

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 07/29/2018

Name of Pesticide Product:

Neove Spot On #003 for Dogs

Name and Address of Registrant (include ZIP Code):

Ann M. Tillman
 Shanghai Neway Animal Health Co., Ltd.
 c/o Pyxis Regulatory Consulting Inc.
 4110 136th St. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 03
 Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

Date:

07/29/16

2. This registration is time-limited and expires 07/29/2018.
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred (mm/dd/yyyy)
 - State in which the incident occurred (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
- Table showing number of incidents for each dog breed, where provided.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. You are required to comply with the data requirements described in the DCI Orders identified below:
 - a. Fipronil GDCI-129121-1305
 GDCI-129121-1512

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://www.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-pesticide-re-evaluation-division>

6. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 91090-4.”
7. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is

referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSF:

- Basic CSF dated 09/28/2015

If you have any questions, please contact Tim Ciarlo by phone at 703-347-8082, or via email at Ciarlo.Timothy@epa.gov.

Master Label:

- 1. Carton Label (Front, back, top, bottom, right & left panels)**
- 2. Package Insert**
- 3. Label on Individual Tubes**
- 4. Label on Back of Blister**
- 5. Optional Text for Carton Label/Package Insert**

{1. Carton Label: Front Panel}

{Note to Reviewer: The word “Dogs” will be at least 75% in height of the largest letter in the primary brand name.}

Neove Spot On #003 for Dogs

[Alternate Brand Names: FIPRENE PLUS FOR DOGS, FIPMETH PLUS FOR DOGS]

{Drawing of tube}


{Picture of appropriate size of dogs}

Kills Fleas, Flea Eggs and Larvae, Chewing Lice, Mosquitoes

Kills Ticks, including those that may transmit Lyme disease

Aids in control of sarcoptic mange mite infestations

- [Fast acting]
- [Long lasting]
- [Waterproof]
- [Contains the same active ingredients used in FRONTLINE® Plus for Dogs. This product is not manufactured or distributed by Merial, the maker of FRONTLINE® Plus for Dogs. FRONTLINE® Plus is a registered trademark of Merial.]



For Use ONLY on DOGS and PUPPIES 8 Weeks or Older and 5 to 22 lbs

OR

DOGS 23 to 44 lbs

OR

DOGS 45 to 88 lbs

OR

DOGS 89 to 132 lbs

ACTIVE INGREDIENTS

Fipronil 9.8%

(S)-methoprene 8.8%

OTHER INGREDIENTS 81.4%

TOTAL 100.0%

NET CONTENTS: [X fl. oz (Y mL)]

[[3][4][6][8] - 0.023 fl. oz. (0.67 mL) tubes or 0.045 fl. oz. (1.34 mL) tubes or 0.091 fl. oz. (2.68 mL) tubes or 0.136 fl. oz. (4.02 mL) tubes]

{1. Carton Label: Front Panel}

KEEP OUT OF REACH OF CHILDREN

CAUTION



DO NOT USE ON CATS

{Note to Reviewer: Cat icon will be 1.5 cm x 1.5 cm and will appear on the lower right hand corner of the front panel.}

SEE INSERT AND BACK PANEL FOR FIRST AID AND PRECAUTIONARY STATEMENTS

{1. Carton Label: Back Panel}

Neove Spot On #003 for Dogs

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY AND DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

Neove Spot On #003 for Dogs contains fipronil and (S)-methoprene that effectively kill and control fleas, ticks, chewing lice, mosquitoes and sarcoptic mites for use **ONLY** on dogs and puppies 8 weeks or older and [weighing 5 to 22 lbs] [weighing 23 to 44 lbs] [weighing 45 to 88 lbs] [weighing 89 to 132 lbs].

Neove Spot On #003 for Dogs remains effective after bathing, water immersion, or exposure to sunlight. Neove Spot On #003 for Dogs is approved for use on breeding, pregnant, and lactating bitches and puppies as young as 8 weeks & weighing at least [5 lbs][23 lbs][45 lbs][89 lbs]. Apply this product ONLY on dogs/puppies 8 weeks of age or older to kill fleas, flea eggs and flea larvae, chewing lice, mosquitoes and all stages of ticks (larva, nymph and adult), including brown dog ticks, American dog ticks, lone star ticks, and deer ticks. This product can also be used to aid in the control of sarcoptic mange mites.

{1. Carton Label: Back Panel}

HOW TO APPLY

- REMOVE and OPEN the child resistant package according to the instructions on package insert.
- To APPLY Neove Spot On #003 for Dogs: Part the dog's hair and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.

FOR EXTERNAL USE ONLY. DO NOT RE-APPLY FOR 30 DAYS.

FREQUENCY OF APPLICATION

FLEAS: When used monthly, this product breaks the flea life cycle and controls flea, flea eggs, and flea larvae on your dog.

TICKS: This product kills all stages of ticks and adult ticks that may transmit Lyme disease for at least one month. For best control of ticks, apply once every month.

CHEWING LICE: This product kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

SARCOPTIC MITES: Apply once a month to aid in the control of sarcoptic mange mite infestation.

MOSQUITOES: Apply once a month to kill mosquitoes within 24 hours for up to 7 days and within 48 hours for up to 28 days.

Side Effects: Monitor your dog after application. Dogs may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment.

{Note to Reviewer: Cat icon will be 1.5 cm x 1.5 cm and will appear on the lower right hand corner of the back panel.}

**FOR DOG USE ONLY
DO NOT USE ON CATS**

Keep cats away from treated dogs for 24 hours or until product has completely dried.

If applied to or ingested by a cat, contact your veterinarian immediately.



Made in [China]

Manufactured by:

SHANGHAI NEWAY ANIMAL HEALTH CO., LTD

Rm. 509, 1438 Shan Xi Bei Road,
Shanghai, 200060

[PRODUCT BAR CODE]

Neove Spot On #003 for Dogs
MASTER LABEL

Note: [Brackets indicate alternate language] and {braces indicate notes to reviewer}.

P. R. China
All rights reserved.
EPA Reg. No. 91090-
EPA Est. No.

{1. Carton Label: Top, Left and Right Panels}

Neove Spot On #003 for Dogs
{Drawing of tube}

For Use ONLY on **DOGS and PUPPIES 8 Weeks or Older and 5 to 22 lbs**
OR
DOGS 23 to 44 lbs
OR
DOGS 45 to 88 lbs
OR
DOGS 89 to 132 lbs

{1. Carton Label: Bottom Panel}

For Dog Use Only
Lot/Batch No.: XXXXXX

{2. Package Insert}

Neove Spot On #003 for Dogs

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS & PUPPIES OVER 8 WEEKS OF AGE OR OLDER AND WEIGHING [5-22 lbs][23-44 lbs][45-88 lbs][89-132 lbs].

Neove Spot On #003 for Dogs provides a fast-acting, long-lasting and waterproof treatment to:

- Kill Fleas, Flea Eggs and Larvae, Chewing Lice, Mosquitoes
- Kill Ticks, including those that may transmit Lyme disease
- Aid in control of sarcoptic mange mite infestations

ACTIVE INGREDIENTS

Fipronil	9.8%
(S)-methoprene	8.8%
OTHER INGREDIENTS	<u>81.4%</u>
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

If Swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice immediately• Have person sip a glass of water if able to swallow• Do not induce vomiting unless told to do so by the poison control center or doctor• Do not give anything to an unconscious person
If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice
If on Skin	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water and soap for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
Hotline Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-XXX-XXX-XXXX for emergency treatment information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS - CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

{2. Package Insert}

HAZARDS TO DOMESTIC ANIMALS

For External Use Only. Do NOT use on puppies under 8 weeks of age or weighing less than 5 lbs. Do NOT use on cats, rabbits or any other animals. Sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs of irritation persist, or become more severe, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

Side Effects: Monitor your dog after application. Dogs may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat or open flame.

Do not mix or allow coming in contact with oxidizing agents. Hazardous chemical reaction may occur.

{2. Package Insert}

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

{For package insert of 0.67 ml (0.023 fl oz) and 1.34 ml (0.045 fl oz) tubes}




HOW OPEN BLISTER PACK

1. Snap off **ONE** blister pack along the segment line.



2. Use scissors to cut across the top bubble section (Do not harm the tube inside).



3. Peel off the foil from the cut line and take out the tube.


{2. Package Insert}




{For package insert of 2.68 ml (0.091 fl oz) and 4.02 ml (0.136 fl oz) tubes}

HOW TO OPEN BLISTER PACK

1. Snap off ONE blister pack along the segment line.



2. Use scissors to cut open the blister pack.
Option 1: Cut across the top bubble section;
Option 2: Cut into the blister cavity across the narrow side (Do not harm the tube inside).



3. Peel off the foil from the cut line and take out the tube.

HOW TO APPLY

Remember, your dog or puppy needs to be dry at the time when this product is applied and must remain dry for 24 hours after application.

1. Hold the tube in an upright position facing away from you and your dog's face and eyes. Screw the cap off the tube.
2. The dog should be standing for easy application. Part the dog's hair and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry. Do not use more than one tube per dog per month.

[Visual Depicting Application To Dogs]

3. Make sure the tube is empty after application and discard empty tube as described in the Storage and Disposal section.

{2. Package Insert}

FREQUENCY OF APPLICATION

FLEAS: When used monthly, this product breaks the flea life cycle and controls flea, flea eggs, and flea larvae on your dog.

TICKS: This product kills all stages of ticks and adult ticks that may transmit Lyme disease for at least one month. For best control of ticks, apply once every month.

CHEWING LICE: This product kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

SARCOPTIC MITES: Apply once a month to aid in the control of sarcoptic mange mite infestation.

MOSQUITOES: Apply once a month to kill mosquitoes within 24 hours for up to 7 days and within 48 hours for up to 28 days

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store unused tubes in the original child-resistant package; keep out of reach of children and animals.

Pesticide Disposal: If Partly Filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

Container Handling: Non-refillable container. If Empty: Do not reuse or refill the container. Place in trash or offer for recycling if available.

OPTIONS FOR DIFFERENT DOGS

[Full brand name] comes in four different packages for different sizes of dogs and puppies 8 weeks or older:

- Weighing 5-22 lbs [5-22 lbs] [5 to 22 lbs]
- Weighing 23-44 lbs [23-44 lbs] [23 to 44 lbs]
- Weighing 45-88 lbs [45-88 lbs] [45 to 88 lbs]
- Weighing 89-132 lbs [89-132 lbs] [89 to 132 lbs]

If your dog weighs more than 132 lbs, please consult with your veterinarian.

Do **NOT** use more than one tube per dog per [month][30 days][4 weeks].

WARRANTY

To the extent consistent with applicable law, Sellers makes no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions.

{Note to Reviewer: Cat icon will be 1.5 cm x 1.5 cm and will appear on the lower right hand corner of the package insert.}

USE ON DOGS ONLY

DO NOT USE ON CATS OR ANY OTHER ANIMALS



Neove Spot On #003 for Dogs
MASTER LABEL

Note: [Brackets indicate alternate language] and {braces
indicate notes to reviewer}.

SHANGHAI NEWAY ANIMAL HEALTH CO., LTD

All rights reserved.

{3. Label on Individual Tubes}

Neove Spot On #003 for Dogs

9.8% Fipronil

8.8% (S)-methoprene

[0.023 fl. oz. (0.67 mL)]

OR

[0.045 fl. oz. (1.34 mL)]

OR

[0.091 fl. oz. (2.68 mL)]

OR

[0.136 fl. oz. (4.02 mL)]

ONLY for [DOGS & PUPPIES 8 Weeks or Older and 5-22 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 23-44 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 45-88 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 89-132 lbs]

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read entire label before each use

[NEWAY]

EPA Reg. No. 091090-

Lot No. 0000000

USE ON DOGS ONLY

DO NOT USE ON CATS OR ANY OTHER ANIMALS



{4. Label on Back of Blisters}

Neove Spot On #003 for Dogs

9.8% Fipronil
8.8% (S)-methoprene

[0.023 fl. oz. (0.67 mL)]

OR

[0.045 fl. oz. (1.34 mL)]

OR

[0.091 fl. oz. (2.68 mL)]

OR

[0.136 fl. oz. (4.02 mL)]

ONLY for [DOGS & PUPPIES 8 Weeks or Older and 5-22 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 23-44 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 45-88 lbs]

OR

[DOGS & PUPPIES 8 Weeks or Older and 89-132 lbs]

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read entire label before each use

[NEWAY]

EPA Reg. No. 091090-

[Lot No. 0000000]

USE ON DOGS ONLY

DO NOT USE ON CATS OR ANY OTHER ANIMALS



{5. Optional Text for Carton Label/Package Insert}

{NON-PESTICIDE RELATED TEXT}

- [Buy “X” get “Y” free]
- [X% more free]
- [[Value Pack]][Great Value]][Bonus Pack]]
- [[Convenient/Easy] to use]
- [[X] month supply]
- [Best results when used monthly (30 days)]
- [Remains effective after [bathing]][swimming]][exposure to sunlight]]
- [Apply directly to your dog’s skin]

{PESTICIDE RELATED TEXT}

- [Provides [Easy], [Fast] and [effective] control of flea, tick, chewing lice, mosquito and sarcoptic mite for dogs and puppies]
- [Effective monthly treatment of [fleas], [ticks], [chewing lice] and [mosquitoes]]
- [Monthly [flea], [tick], [chewing lice] and [mosquitoes] protection]
- [[Prevents] all stages of flea [eggs, larvae, pupae] from developing]
- [Effective [against] all stages of the flea life cycle]
- [[Kills] fleas which may cause [flea allergy dermatitis]][FAD]][flea bite anemia]]
- [Controls flea reinfestations on your dog]
- [[Contains (S)-methoprene, an Insect Growth Regulator, which breaks the flea life cycle]]
- [[Breaks] the flea life cycle]
- [[Dual action: Fipronil & (S)-methoprene IGR]]
- [[A once-a-month application may be needed if dog is at a high risk for flea reinfestation]]
- [[Kills] all stages of ticks [larva, nymph and adult]: Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease.]
- [[Kills] ticks that may transmit [Lyme disease], [Rocky Mountain spotted fever], [haemobartonellosis], [babesiosis], [ehrlichiosis], [anaplasmosis] and other tick-borne diseases]
- [Kills ticks for up to [4 weeks]][1 month]][30 days]]
- [Rapidly [controls] infestations of chewing lice]
- [[Apply monthly to control] chewing lice]
- [[Once a month application] for chewing lice]
- [Kills mosquitoes [within 24 hours for up to 7 days]][and within 48 hours for up to 28 days]]
- [[Controls mites that may cause sarcoptic mange]]