

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

91090-7

11/9/16

Term of Issuance:

Conditional, Time-Limited

Expires: 11/9/18

Name of Pesticide Product:

Neove Spot On #2 for Dogs

Name and Address of Registrant (include ZIP Code):

Shanghai Neway Animal Health Co., Ltd. c/o Mary Hunt

Exponent, Inc.

1150 Connecticut Ave., N.W., Suite 1100

Washington, D.C. 20036

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Planamers

Venus Eagle, Product Manager 01 Invertebrate & Vertebrate Branch 3 Registration Division (7505P)

Office of Pesticide Programs

Date:

11/9/16

EPA Form 8570-6

Registration Notice Conditional Time-Limited Dog Spot-On v.20150724

Page 2 of 4 EPA Reg. No. 91090-7 Decision No. 512074

- 2. This registration is time-limited and expires 11/9/18.
- 3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
  - EPA Registration Number
  - Product name (brand name)
  - Lot #
  - Where purchased: internet, store, veterinarian
  - Active Ingredient(s)
  - Weight range for product
  - Date on which incident occurred (mm/dd/yyyy)
  - State in which the incident occurred (standard 2 letter abbreviation)
  - Registrant case #
  - Species: dog, cat, other (specify)
  - Breed: (as reported by pet owner)
  - Age: months or years
  - · Sex: M, F, or neutered
  - · Weight: pounds
  - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
  - · Body System: neurological, dermatological, GI, respiratory, ocular, other
  - Major signs noted with separate column for each sign, using standard terminology
  - Time to Onset: (hours, days)
  - Treated by veterinarian: yes or no
  - First time product used: yes or no
  - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
  - · Any known precondition
  - EPA Severity Code: death, major, moderate, minor
  - Outcome: died, recovered, still treated, unknown
- 4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
  - All incidents should be reported including all minor dermal and ocular irritation reports.
  - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

Page 3 of 4 EPA Reg. No. 91090-7 Decision No. 512074

- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
- Table showing number of incidents for each dog breed, where provided.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

- 5. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
  - a. Imidacloprid GDCI-071503-1243
  - b. Pyriproxfen GDCI-129032-1299
  - c. Imidacloprid EDSP-129099-179

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 6. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 91090-7."
- 7. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples

Page 4 of 4 EPA Reg. No. 91090-7 Decision No. 512074

of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

Basic CSF dated 12/5/2015

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043, or via email at lewis.marianne@epa.gov.

Enclosure

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## Master Label:

- 1. Carton Label (Front, back, top, bottom, right & left panels)
- 2. Package Insert
- 3. Label on Individual Tubes
- 4. Label on Back of Blister
- 5. Optional Text for Carton Label/Package Insert

# ACCEPTED

Nov 09, 2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 91090-7

## {1. Carton Label: Front Panel}

{Note to EPA - The word "Dogs" text size will be 75% of the height of the largest letter in the brand name.}

## **Neove Spot On #002 for Dogs**

[Alternate Brand Names: IMIDACARE PLUS FOR DOGS; IMIDASTAR PLUS FOR DOGS; PETIMIDA PLUS FOR DOGS]

Picture of appropriate size of dogs within the weight range for the product.

Once-A-Month Topical Treatment for Fleas and Lice

0.014 fl. oz. (0.4 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs

OR

0.034 fl. oz. (1.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 - 20 lbs

OR

0.085 fl. oz. (2.5 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 - 55 lbs

OR

0.135 fl. oz. (4.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs


[Contains the active ingredients used in Advantage® II. This product is not manufactured or distributed by Bayer, the maker of Advantage® II. Advantage® is a registered trademark of Bayer.]

#### **ACTIVE INGREDIENTS**

Imidacloprid	9.10%
Pyriproxyfen	0.46%
OTHER INGREDIENTS	90.44%
TOTAL	100.00%

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

{1. Carton Label: Front Panel Continued}



### KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel and insert for First Aid, Precautionary Statements, Storage and Disposal statements and Directions for Use.

**NET CONTENTS:** Each blister card contains [3][4] tubes [0.014 fl oz (0.4 mL) for Dogs and Puppies Weighing 3-10 lbs] or [0.034 fl oz (1.0 mL) for Dogs and Puppies Weighing 11-20 lbs] or [0.085 fl oz (2.5 mL) for Dogs and Puppies Weighing 21-55 lbs] or [0.135 fl oz (4.0 mL) for Dogs and Puppies Weighing Over 55 lbs]

#### DO NOT USE ON CATS




{Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm and will appear in the lower right hand corner of the panel/insert.}

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

{1. Carton Label: Back Panel}

## Neove Spot On #002 for Dogs



#### FIRST AID

If Swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice
If on Skin	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.

doctor, or going for treatment. Call 1-XXX-XXXX for emergency treatment information.

#### PRECAUTIONARY STATEMENTS

#### **HAZARDS TO HUMANS**

Caution. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### HAZARDS TO DOMESTIC ANIMALS

For External Use Only. Do NOT use on puppies under seven weeks of age or weighing less than [3 lbs][11 lbs][21 lbs][55 lbs]. Do NOT use on cats, rabbits or any other animals. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, may occur after using ANY pesticide product for dogs. If signs persist or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. USE ON DOGS ONLY AND DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## {1. Carton Label: Back Panel Continued}

#### **HOW TO APPLY**

- REMOVE and OPEN the child resistant package according to the instructions on package insert.
- For dogs and puppies 7 weeks and older and weighing [3-10 lbs][11-20 lbs] To APPLY Neove Spot On #002 for Dogs: Part the dog's hair and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.
- For dogs and puppies 7 weeks and older and weighing [21-55 lbs][55 lbs and over] To APPLY Neove Spot On #002 for Dogs: Apply the entire contents evenly to three to four spots on the top of the back from the shoulder to the base of the tail. At each spot, place the tip of the tube through the dog's hair to the skin level. Gently squeeze the tube to expel a portion of the solution on the dog's skin. Do not apply excessive amount at any one spot and avoid contact with the treated area until dry.

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort such as hypersalivation. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian.

## FOR USE ON DOGS ONLY DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours.

If applied to a cat or ingested by a cat, contact your veterinarian immediately.



{Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm and will appear in the lower right hand corner of the panel/insert}

## RESTRICTIONS

ILL	STRICTIONS
	USE ONLY on dogs or puppies 7 weeks of age or older weighing [3-10 lbs][11-20 lbs][21-55 lbs][Over
	55 lbs]. DO NOT use on other animals.
	DO NOT apply more than one (1) tube per treatment for one dog regardless of the dog's weight.
	DO NOT have contact or allow children to have contact with treated area until completely dry.
	FOR EXTERNAL USE ONLY.
	Dog is to be dry prior to application and remain dry for 24 hours after application [for product to work
	effectively].
	Do not allow children to apply the product.

11/07/2016 ·

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## {1. Carton Label: Back Panel Continued}

Manufactured/Distributed by:

#### SHANGHAI NEWAY ANIMAL HEALTH CO., LTD

[PRODUCT BAR CODE]

Rm 509, 1438 Shan Xi Bei Road,

Shanghai, 200060 P. R. China


Made in [China]

EPA Reg. No.

EPA Est. No.:

## {1. Carton Label: Top, Left and Right Panels}

Neove Spot On #002 for Dogs



0.014 fl. oz. (0.4 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs *OR* 

0.034 fl. oz. (1.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 - 20 lbs OR

0.085 fl. oz. (2.5 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 - 55 lbs OR

0.135 fl. oz. (4.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs

## {1. Carton Label: Bottom Panel}

For Use on dogs Only.

Lot/Batch No.:

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## {2. Package Insert}

{The commercial package insert will be specific for one weight range with appropriate tube/package size:

0.014 fl. oz. (0.4 mL)For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs OR

 $0.034~\mathrm{fl.}$  oz.  $(1.0~\mathrm{mL})$ For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 -  $20~\mathrm{lbs}$  OR

 $0.085 \, \text{fl.}$  oz.  $(2.5 \, \text{mL})$ For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 -  $55 \, \text{lbs}$  OR

0.135 fl. oz. (4.0 mL)For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs}

## Neove Spot On #002 for Dogs

READ THE ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 7 WEEKS AND OLDER AND WEIGHING [3-10 lbs][11-20 lbs][21-55 lbs][OVER 55 lbs]

#### For the Prevention and Treatment of Flea and Lice Infestations

#### **ACTIVE INGREDIENTS**

Imidacloprid	9.10%
Pyriproxyfen	0.46%
OTHER INGREDIENTS	90.44%
TOTAL	100.00%

#### KEEP OUT OF REACH OF CHILDREN

## **CAUTION**

#### **FIRST AID**

If Swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> </ul>
	Call a poison control center or doctor for treatment advice
If on Skin	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
Hotline Number:	Have the product container or label with you when calling a poison control center or

doctor, or going for treatment. Call 1-XXX-XXXX for emergency treatment information.

Neove Spot On #002 for Dogs EPA Reg. No. 91090-T {2. Package Insert Continued} [Brackets indicate alternate language] and {braces indicate notes to reviewer}

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

Caution. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### HAZARDS TO DOMESTIC ANIMALS

For External Use Only. Do NOT use on puppies under seven weeks of age or weighing less than [3 lbs][11 lbs][21 lbs][55 lbs]. Do NOT use on cats, rabbits or any other animals. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort such as hypersalivation. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian.

## FOR USE ON DOGS ONLY DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours.

If applied to a cat or ingested by a cat, contact your veterinarian immediately.



{Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm and will appear in the lower right hand corner of the panel/insert}

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## {2. Package Insert Continued}

#### RESTRICTIONS

- □ USE ONLY on dogs or puppies 7 weeks of age or older weighing [3-10 lbs][11-20 lbs][21-55 lbs][Over 55 lbs]. DO NOT use on other animals.
- DO NOT apply more than one (1) tube per treatment for one dog regardless of the dog's weight.
- DO NOT have contact or allow children to have contact with treated area until completely dry.
- ☐ FOR EXTERNAL USE ONLY.
- □ Dog is to be dry prior to application and remain dry for 24 hours after application [for product to work effectively].
- ☐ Do not allow children to apply the product.

Neove Spot On #002 for Dogs contains imidacloprid and an insect growth regulator, pyriproxyfen, that effectively kill multiple stages of flea life cycle (flea eggs, flea larvae and adult fleas) within 12 hours and prevents further infestation, which may reduce the incidence of Flea Allergy Dermatitis (FAD) or Flea Bite Hypersensitivity (FBH).


Neove Spot On #002 for Dogs remains effective after bathing. Monthly treatments are recommended for control and prevention of fleas.



[For package insert of 0.4 ml (0.014 fl oz) and 1.0 ml (0.034 fl oz) tubes]

## HOW TO REMOVE AND OPEN THE CHILD RESISTANT PACKAGE


1. Snap off ONE blister pack along the segment line.



2. Use scissors to cut across the top bubble section (Do not harm the tube inside).

[Brackets indicate alternate language] and {braces indicate notes to reviewer}


{2. Package Insert Continued}



3. Peel off the foil from the cut line and take out the tube.

[For package insert of 2.5 ml (0.085 fl oz) and 4.0 ml (0.135 fl oz) tubes] HOW TO REMOVE AND OPEN THE CHILD RESISTANT PACKAGE


1. Snap off ONE blister pack along the segment line.



2. Use scissors to cut open the blister pack.

Option 1: Cut across the top bubble section;

Option 2: Cut into the blister cavity across the narrow side (Do not harm the tube inside).




3. Peel off the foil from the cut line and take out the tube.

[Brackets indicate alternate language] and {braces indicate notes to reviewer}


# {2. Package Insert Continued}

#### **HOW TO APPLY**

- REMOVE and OPEN the child resistant package according to the instructions on package insert.
- For dogs and puppies 7 weeks and older and weighing [3-10 lbs][11-20 lbs] To APPLY Neove Spot On #002 for Dogs: Part the dog's hair and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.



For dogs and puppies 7 weeks and older and weighing [21-55 lbs][55 lbs and over] To APPLY Neove Spot On #002 for Dogs: Apply the entire contents evenly to three to four spots on the top of the back from the shoulder to the base of the tail. At each spot, place the tip of the tube through the dog's hair to the skin level. Gently squeeze the tube to expel a portion of the solution on the dog's skin. Do not apply excessive amount at any one spot and avoid contact with the treated area until dry.



#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

**Pesticide Storage:** Store unused tubes in the original child-resistant package in a cool dry place; keep out of reach of children and animals.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse or refill the container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## WARRANTY

To the extent consistent with applicable law, Sellers makes no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions

11/07/2016

10

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

{2. Package Insert Continued}

## FOR USE ON DOGS ONLY DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours.

If applied to a cat or ingested by a cat, contact your veterinarian immediately.



{Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm and will appear in the lower right hand corner of the panel/insert}

## SHANGHAI NEWAY ANIMAL HEALTH CO., LTD

All rights reserved.

EPA Reg. No.

EPA Est. No.:

{3. Label on Individual Tubes}

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

# Neove Spot On #002 for Dogs

Imidacloprid...9.10%
Pyriproxyfen...0.46%
Other Ingredients...90.44%

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 3 - 10 lbs 0.014 fl. oz. (0.4 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 11 - 20 lbs 0.034 fl. oz. (1.0 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 21 - 55 lbs 0.085 fl. oz. (2.5 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing over 55 lbs 0.135 fl. oz. (4.0 mL)

# KEEP OUT OF REACH OF CHILDREN CAUTION

Read entire label before each use

[NEWAY]
EPA Reg. No. 091090-XXX
Lot No. 0000000

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

{4. Label on Back of Blisters}

{The blister pack(s) containing tubes are placed inside the carton for market}

# Neove Spot On #002 for Dogs

Imidacloprid.......9.10% Pyriproxyfen.....0.46% Other Ingredients....90.44%

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 3 - 10 lbs 0.014 fl. oz. (0.4 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 11 - 20 lbs 0.034 fl. oz. (1.0 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 21 - 55 lbs 0.085 fl. oz. (2.5 mL)

OR

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing over 55 lbs 0.135 fl. oz. (4.0 mL)

One blister card contains [3][4] tubes [1][2] blister card per carton

# KEEP OUT OF REACH OF CHILDREN CAUTION

Read entire label before each use

[NEWAY] EPA Reg. No. 091090-XXX Lot No. 0000000



[Brackets indicate alternate language] and {braces indicate notes to reviewer}

## {5. Optional Text for Carton Label/Package Insert}

- · Neove Spot On #002 for Dogs contains imidacloprid, and [an/the] [insect growth regulator][IGR]Pyriproxyfen
- For use on dogs and puppies 7 weeks of age and older and weighing [3-10 lbs] or [11-20 lbs] or [21-55 lbs] or [over 55 lbs].
- · A single topical application remains effective for [4 weeks] [1 month]
- · Convenient, easy-to-apply topical solution
- Once a month topical flea treatment for dogs 7 weeks of age or older and [3-10 lbs] or [11-20 lbs] or [21-55 lbs] or [over 55 lbs].
- Neove Spot On #002 for Dogs is for the prevention and treatment of fleas on dogs 7 weeks of age and older and weighing [3-10 lbs] or [11-20 lbs] or [21-55 lbs] or [over 55 lbs].
- · For the treatment and prevention of flea [and lice] re-infestations
- One treatment prevents further flea re-infestations for at least [4 weeks] [1 month] [30 days]
- · Re-infesting fleas on dogs are killed within 12 hours of application
- · Stops existing flea re-infestations by killing adult fleas
- · Prevents [Stops] re-infestations by killing adult fleas before they lay eggs
- · [Prevents] [Stops] flea eggs from hatching [into biting adults]
- · Effectively breaks the flea life cycle
- · Effectively targets multiple life stages of fleas
- · [Kills][Controls] multiple flea life stages
- · 3-way flea protection ([kills] [controls] adults, larvae, and eggs)
- · [Prevents] [Stops] flea eggs [and flea larvae] from developing into [(biting) (adult)] fleas
- Treatment with [Neove Spot On #002 for Dogs] kills fleas which may cause flea allergic dermatitis [FAD] or flea bite hypersensitivity [FBH]

[Brackets indicate alternate language] and {braces indicate notes to reviewer}

- · Flea adulticide, larvicide, and ovicide
- · Kills flea eggs
- · Controls highly [irritating] [annoying] [flea] [insect] bites
- · Controls flea problems
- · Starts working through contact
- · Contains an insect growth regulator (IGR) to kill flea eggs and prevent re-infestation
- Monthly use of Neove Spot On #002 for Dogs kills fleas which may cause [flea allergy dermatitis] and [flea bite hypersensitivity]
- · Multi-stage flea control
- · Kills fleas which may serve as intermediate hosts for tapeworms
- · Kills [(biting) (chewing)] lice
- · For treatment and prevention of [(biting) (chewing)] lice [re-infestations]
- · Stops existing [(biting) (chewing)] lice re-infestations
- · Dual protection against fleas and lice
- Treats, prevents and controls [(biting) (chewing)] lice [re-infestations]
- · Provides effective control of [(biting) (chewing)] lice [re-infestations]
- · Kills [(biting) (chewing)] lice and prevents further re-infestations
- · For treatment and prevention of re-infestations with [(biting) (chewing)] lice
- · Remains effective after bathing
- · Remains effective following shampooing
- · Fragrance-free
- · Treats, controls and prevents lice re-infestations