



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91145-1

Date of Issuance:

02/10/2015

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Vex-Trol 30-30 ULV Mosquito
 Adulticide

Name and Address of Registrant (include ZIP Code):

Sharon Johnson
 OTC Chemical LLC c/o RegGuide
 509 Tower Valley Drive
 Hillsboro, MO 63050

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 3
 Invertebrate & Vertebrate Branch 1
 Registration Division (7505P)

Date:

02/10/2015

2. You are required to comply with the data requirements described in the DCIs identified below:
 - a. Permethrin GDCI-109701-1252
 - b. Piperonyl Butoxide GDCI-067501-1063

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCIs listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://www.epa.gov/oppsrrd1/contacts_prd.htm

3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSF:

- Basic CSF dated 09/05/2014
- Alternate 1 CSF dated 09/05/2014
- Alternate 2 CSF dated 09/05/2014
- Alternate 3 CSF dated 09/05/2014

If you have any questions, please contact Maggie Rudick at (703) 347-0257 or rudick.maggie@epa.gov.

[Enclosure]

Vex-Trol 30-30 ULV Mosquito Adulticide

For use only by federal, state, tribal or local governmental officials responsible for public health or vector control or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications or by persons under their direct supervision.

A synergized permethrin formulation that provides quick knockdown and effective control of mosquitoes, black flies, gnats, biting and non-biting midges as well as other biting flies in residential, recreational, urban, rural, and agricultural areas where mosquitoes and flies are found. For use as a spray by air and ground application. ULV application provides excellent control at rates from 0.001 up to 0.007 pounds permethrin per acre. May be applied undiluted or diluted.

Active Ingredients:

Permethrin*	30.0%
Piperonyl Butoxide**	30.00%
Other Ingredients:†	40.00%
Total	100.00%

*Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

** (butyl cavityl)(6-propylpiperonyl)ether and related compounds.

†Contains petroleum distillates.

Contains 2.5 pounds of permethrin and 2.5 pounds of piperonyl butoxide per gallon.

ACCEPTED

02/10/2015

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 91145-1

EPA Reg. No. 91145-1

EPA Est. No.

Keep Out of Reach of Children

CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este
product hasta que la etiqueta haya sido explicado ampliamente
(TO THE USER: If you cannot read English, do not use this product
until the label has been fully explained to you.)

See [side] [back panel] [attached booklet] for additional precautionary statements.

Manufactured For:
OTC Chemical LLC
PO Box 7995
Cave Creek, AZ 85327

Net Contents:

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Contains petroleum distillate. Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber or viton. Mixers, loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots and flaggers must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the products' concentrate. Do not reuse them.

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
If Swallowed	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Immediately rinse skin with plenty of water for 15-20 minutes.• Call a poison control center, doctor or 1-800-222-1222 immediately for treatment advice.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	
Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms including fish and invertebrates. Drift and runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and other aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate water when disposing of equipment wash waters. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations or if specifically approved by the state or tribe during a natural disaster recovery effort.

Physical & Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions:

- Apply this product only as specified on this label.
- Not for use in metered release systems.
- Not for use in outdoor residential misting systems.
- Do not make applications during rain.
- Do not contaminate cropland (other than crops listed) or potable water supplies with spray drift.
- Not for indoor application.
- Do not apply directly to sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur, except as directed by this label.
- For use only by federal, state, tribal or local governmental officials responsible for public health or vector control or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications or by persons under their direct supervision.

This product is approved for application as an Ultra Low Volume (ULV) Thermal or Non-thermal (cold fog) aerosol to control adult mosquitoes and other insects listed on this label in residential and recreational areas where these insect pests occur, such as, urban areas, commercial areas, woodlands, roadsides, parks, campsites, animal quarters, barns, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, non-crop waste areas and over listed crops, range land and pastures. This product may also be applied to treat outdoor areas including storm drains, underground drainage pipes and pipe chases where mosquitoes or flies aggregate or harbor. For best results, treat when insects are most active and conditions are conducive to keeping the fog in the air column close to the ground. An inversion of air temperatures and a light breeze is preferable.

Both ground and aerial applications should be made when meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when an air temperature inversion is present. Applications during the cool hours of early morning or evening are preferable. Air temperatures should be greater than 50° F when conducting all types of applications. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Do not apply when wind speeds exceed 10 mph. Applications cannot exceed the labeled rates.

Do not treat a site with more than 0.007 lb of each active ingredient, permethrin and piperonyl butoxide per acre in a 3-day period. Re-treatments within a 3-day period shall not exceed 0.007 total lbs permethrin at any site. Do not exceed 25 applications of 0.007 lbs permethrin or piperonyl butoxide per acre at any site in one calendar year, or exceed 0.18 lbs of permethrin or piperonyl butoxide per acre per site per year. When rotating this product with other insecticides containing piperonyl butoxide, do not exceed 2 lbs PBO per acre per site per year. When targeting *Aedes taeniorhynchus* and other difficult species, applications of PBO may be made up to 0.08 lbs. PBO per acre. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mosquitoes or the occurrence of mosquito-borne diseases in animal or human populations or if specifically approved by the state or tribe during a natural disaster recovery effort. Apply when wind speed is greater than or equal to 1 mph and the air temperature is greater than 50°F.

MAY BE APPLIED OVER THE FOLLOWING CROPS

This product may be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

Alfalfa	Celery	Garlic	Pepper, bell
Almonds	Cherries	Ranges grasses	Pistachio
Apples		Horseradish	Potato
Artichoke, globe		Leafy Vegetables ¹	Soybeans
Asparagus	Corn, grain (field & pop)	(except brassica)	Spinach
Avocado		Lettuce, head	Tomatoes
Broccoli	Corn, sweet kernel plus cob		Vegetable, cucurbits ²
Brussels Sprouts	with husks removed	Onion, dry bulb	Walnuts
Cabbage	Eggplant	Peaches	
Cauliflower	Filbert	Pears	

¹ Includes Amaranth, leafy amaranth, Chinese spinach, tampala); arugula (Roquette); cardoon; celery; celery, Chinese; celtuce; chervil; chrysanthemum, edible leaved; chrysanthemum, garland; corn salad; cress, garden; cress, upland (yellow rocket, winter cress); dandelion; dock (sorrel); endive (escarole); fennel, Florence (finocchio); lettuce, head and leaf; orach; parsley; purslane, garden; purslane, winter; radicchio (red chicory); rhubarb, spinach; spinach, New Zealand; spinach, vine (Malabar spinach, Indian spinach); Swiss chard.

² Includes chayote (fruit); Chinese waxgourd (Chinese preserving melon); Citron melon; cucumber; gherkin, gourd, edible (hyotan, cucuzza, hechima, Chinese okra); Momordica spp. (balsam apple, balsam pear, bitter melon, Chinese cucumber); Muskmelon (hybrids and/or cultivars of Cucumis melo – true cantaloupe, cantaloupe, casaba, Crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persion melon, pineapple melon, Santa Claus melon and snake melon); pumpkin; squash, summer (crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini); squash, winter butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash); watermelon (hybrids and/or varieties of Citrullus lanatus).

Do not spray this product on or allow it to drift onto cropland (other than crops listed) or potable water supplies. In the treatment of corrals, feedlots, animal confinements/houses, swine lots, poultry ranges and zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

SPRAY DROPLET SIZE DETERMINATION

Ground-based Application: Spray equipment must be adjusted so that the volume median diameter is less than 30 microns ($D_v 0.5 < 30 \mu\text{m}$) and that 90% of the spray is contained in droplets smaller than 50 microns ($D_v 0.9 < 50 \mu\text{m}$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using laser based equipment must be used to adjust equipment to produce acceptable droplet spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at or below 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ($D_v 0.5 < 60 \mu\text{m}$) and that 90% of the spray is contained in droplets smaller than 100 microns ($D_v 0.9 < 100 \mu\text{m}$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at greater than 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 70 microns ($Dv\ 0.5 < 70\ \mu m$) and that 90% of the spray is contained in droplets smaller than 145 microns ($Dv\ 0.9 < 145\ \mu m$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated.

GROUND BASED APPLICATIONS

ULV NON-THERMAL AEROSOL (COLD FOG): To control Mosquitoes, Midges, Blackflies and other biting flies apply using truck mounted ground ULV (cold fog) equipment. When applying this product undiluted, apply at a flow rate of 0.31 to 2.17 fluid ounces per minute at an average speed of 10 mph. These rates are equivalent to 0.001 to 0.007 pound of permethrin and 0.001 to 0.0007 pound of piperonyl butoxide per acre. If a different vehicle speed is used, adjust the rate accordingly. Vary flow rates according to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when insect populations are high. An accurate flow rate control system must be used to ensure proper flow rate. This product may also be diluted with a light mineral oil or another suitable solvent, applied so as not to exceed the maximum a.i. rates per acre as shown in the Rates Charts below. If an alternate dilution rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remain within label specifications.

Use Rates - Undiluted

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	0.15	0.30	0.45	0.61	0.05
0.00175 / 0.00175	0.27	0.54	0.82	1.09	0.09
0.0025 / 0.0025	0.39	0.79	1.18	1.57	0.13
0.0035 / 0.0035	0.54	1.09	1.63	2.18	0.18
0.005 / 0.005	0.78	1.57	2.36	3.15	0.26
0.007 / 0.007	1.09	2.18	3.27	4.36	0.36

Use Rates – Diluted 1:1

Mix 1 part Vex-Trol 30-30 ULV with 1 part solvent.

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Diluted Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	0.30	0.61	0.91	1.21	0.10
0.00175 / 0.00175	0.54	1.09	1.63	2.18	0.18
0.0025 / 0.0025	0.78	1.57	2.36	3.15	0.26
0.0035 / 0.0035	1.09	2.18	3.27	4.36	0.36
0.005 / 0.005	1.55	3.09	4.64	6.18	0.51
0.007 / 0.007	2.18	4.36	6.54	8.73	0.72

Use Rates – Diluted 1:2

Mix 1 part Vex-Trol 30-30 ULV with 2 parts solvent.

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Diluted Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	0.45	0.91	1.36	1.82	0.15
0.00175 / 0.00175	0.82	1.63	2.45	3.27	0.27
0.0025 / 0.0025	1.18	2.36	3.54	4.73	0.39
0.0035 / 0.0035	1.63	3.27	4.91	6.54	0.54
0.005 / 0.005	2.33	4.66	6.99	9.33	0.77
0.007 / 0.007	3.27	6.54	9.82	13.09	1.08

Use Rates – Diluted 1:3

Mix 1 part Vex-Trol 30-30 ULV with 3 parts solvent.

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Diluted Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	0.61	1.21	1.82	2.42	0.20
0.00175 / 0.00175	1.09	2.18	3.27	4.36	0.36
0.0025 / 0.0025	1.54	3.09	4.64	6.18	0.51
0.0035 / 0.0035	2.18	4.36	6.54	8.72	0.72
0.005 / 0.005	3.12	6.24	9.36	12.48	1.03
0.007 / 0.007	4.36	8.72	13.09	17.45	1.44

Use Rates – Diluted 1:4

Mix 1 part Vex-Trol 30-30 ULV with 4 parts solvent.

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Diluted Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	0.78	1.57	2.36	3.15	0.26
0.00175 / 0.00175	1.36	2.73	4.09	5.45	0.45
0.0025 / 0.0025	1.94	3.88	5.82	7.76	0.64
0.0035 / 0.0035	2.72	5.45	8.18	10.91	0.90
0.005 / 0.005	3.91	7.82	11.73	15.63	1.29
0.007 / 0.007	5.45	10.91	16.36	21.82	1.80

Use Rates – Diluted 1:8

Mix 1 part Vex-Trol 30-30 ULV with 8 parts solvent.

Permethrin/PBO Lbs./Acre	Application Rates Fl. oz. per minute of Product at Vehicle Speeds				Fl. Oz. of Diluted Product / Acre
	5 mph	10 mph	15 mph	20 mph	
0.001 / 0.001	1.39	2.79	4.18	5.57	0.46
0.00175 / 0.00175	2.45	4.91	7.36	9.82	0.81
0.0025 / 0.0025	3.51	7.03	10.44	14.06	1.16
0.0035 / 0.0035	4.91	9.82	14.72	19.63	1.62
0.005 / 0.005	7.03	14.06	21.09	28.12	2.32
0.007 / 0.007	9.85	19.69	29.54	39.39	3.25

THERMAL FOGGING: Apply diluted or undiluted with suitable Thermal Fogging equipment such as truck-mounted, portable or hand-held thermal fog generators capable of making thermal fog applications. Use only well-maintained and properly calibrated thermal fogging equipment to ensure optimum performance. If diluted, use a light mineral oil or other suitable non-phytotoxic diluent. Do not exceed the maximum active ingredient application rates. For best results, apply downwind by directing the fog into the air and allowing it drift through the treatment area. Do not fog wet foliage.

Vehicle-Mounted: May be applied with vehicle-mounted sprayers at speeds of 5 to 20 mph using a swath width of 300 ft.

Portable or Hand-Held: When using a hand-held or portable thermal fogger, use a walking speed of 2 mph and a swath width of 50 ft.

USE AS AN INSECT BARRIER TREATMENT: For use in non-Thermal ULV, motorized, portable, backpack, hand-held or vehicle-mounted fogging equipment or fog type mist blower equipment apply with equipment adjusted to deliver ULV size droplets with a volume median diameter of 50–100 microns. This product may be applied undiluted or diluted (see Application Rates tables section). If diluted use a light mineral oil or other suitable non-phytotoxic diluent. Do not apply more than 0.007 lbs permethrin per acre using an appropriate swath width based on the capabilities of the application equipment. Whether applied undiluted or diluted, or at a different speed, make sure that the same amount of Permethrin A.I. is applied per acre. Direct spray onto foliage at the perimeter of areas from which mosquitoes or flies are to be excluded or direct spray into harborage areas such as abandoned buildings, residential buildings, warehouses, storm drains and underground drainage pipes where adult mosquitoes find harborage.

AERIAL APPLICATION

This product may be applied diluted or undiluted at rates of 0.001 to 0.007 pounds of permethrin per acre by fixed wing or rotary aircraft that are capable of making ultra low volume (ULV) applications. For fixed wing and rotary aircraft with flat fan or rotary nozzles, apply at a sufficient airspeed to deliver the appropriate amount of a.i./acre and to achieve the appropriate droplet range as prescribed by this label. Apply when wind speed is greater than 1 mph. In order to compensate for windy and other meteorological conditions and to ensure drift into the target area, aerial applications with aircraft equipped Global Positioning Systems (GPS) and/or spray cloud drift optimization software is recommended.

Do not apply by fixed wing aircraft at a height less than 100 feet or by helicopter at a height less than 75 feet unless specifically approved by the state or tribe based on public health needs. Treat when insects are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. To compensate for windy conditions and ensure drift onto the target area, use aircraft equipped with Global Positioning Systems (GPS).

PROHIBITION ON AERIAL USE IN FLORIDA: Not for aerial application in the State of Florida unless specifically authorized by the Florida Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. Do not expose to extreme temperatures. In case of spillage, soak up with absorbent material such as sawdust, or fuller's earth; sweep up and place in a labeled container and dispose of as follows.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility.

Container Handling: Non-refillable Containers 5 gallons or less - Non-refillable container. Do not refill or reuse this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with mineral oil (or other solvent used to dilute the product) and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Once triple rinsed, recycle if available. Some agricultural pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact your local solid waste agency for disposal instructions. If recycling is not available, dispose of in a sanitary landfill or by incineration if allowed by state and local ordinances.

Non-refillable Containers over 5 gallons to 55 gallons- Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with mineral oil (or other solvent used to dilute the product). Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Once triple rinsed, recycle if available. Some agricultural pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact your local solid waste agency for disposal instructions. If recycling is not available, dispose of in a sanitary landfill or by incineration if allowed by state and local ordinances. **Refillable bulk containers over 55 gallons -** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the re-filler. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full of mineral oil. Agitate vigorously or re-circulate mineral oil with pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Once triple rinsed, recycle if available. Some agricultural pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact your local solid waste agency for disposal instructions. If recycling is not available, dispose of in a sanitary landfill or by incineration if allowed by state and local ordinances.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

{OR}

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Direction for Use of this Product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of OTC Chemical LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold OTC Chemical LLC and Seller harmless for any claims relating to such factors.

OTC Chemical LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or OTC Chemical LLC., and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, OTC CHEMICAL LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither OTC Chemical LLC nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF OTC CHEMICAL LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF OTC CHEMICAL LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

OTC Chemical LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of OTC Chemical LLC.

Product Batch Code No. _____