

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

91234-68

EPA Reg.

Number:

Date of Issuance:

4/26/18

Term of Issuance: Conditional

Name of Pesticide Product:

A221.04

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Dave Bolin Director, Regulatory Affairs 5000 CentreGreen Way, Suite 100 Cary, NC 27513

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

4/26/18

Venus Eagle, Product Manager 01

Invertebrate and Vertebrate Branch 3, Registration Division (7505P)

- 2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Etoxazole GDCI-107091

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 91234-68."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

• Basic CSF dated 11/9/2017

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043, or via email at lewis.marianne@epa.gov.

Enclosure

Note to reviewer: [Text] in brackets denotes optional or explanatory language [Note to reviewer: {Text} in braces denotes where in the final label text will appear

{BOOKLET FRONT PANEL LANGUAGE}

ETOXAZOLE GROUP 10B INSECTICIDE

A221.04 [TM]

Miticide/Ovicide for Ornamental Plants, Christmas Trees, and Indoor Grown Tomatoes
[For control of Spider Mites on Ornamental Plants, Christmas Trees, and Indoor Grown Tomatoes]

[Affects all life stages]

[Alternate Brand Name: Eschaton 5 WDG]

Active Ingredient:	(% by weight)
*Etoxazole	5.0%
Other Ingredients:	95.0%
Total	100.0%
* 2-(2,6-difluorophenyl)-4-[4-(1,1-dimethylethyl)-2-ethoxyphenyl)-4,5-dihydrooxazole	

Contains etoxazole, the active ingredient used in TetraSan® 5 WDG.

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See inside label booklet for First Aid, Precautionary Statements and Directions for Use.

EPA Reg. No.: 91234-XX

EPA Est. No.:

Net Weight:

Manufactured For:

Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513 ACCEPTED

Apr 26, 2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 91234-68

A221.04 is not manufactured, or distributed by Valent U.S.A. Corporation, seller of TetraSan® 5 WDG.

{LANGUAGE INSIDE BOOKLET}

	FIRST AID
If swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes.
	Call a poison control center or doctor for treatment advice.
If on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for further treatment advice.
If inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

> For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident **Call CHEMTREC Day or Night**

Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment (PPE) immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS

Water soluble packets, when used correctly, qualify as a closed mixing/loading system under the Worker Protection Standard [40 CFR 170.607(d)]. Mixers and loaders handling this product while it is enclosed in intact water soluble packets may elect to wear reduced PPE of long-sleeved shirt, long pants, shoes, socks, a chemical-resistant apron, and chemical-resistant gloves. When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

Environmental Hazards:

This pesticide is toxic to freshwater and marine/estuarine aquatic invertebrates, including oysters and shrimp. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read entire label. Use strictly in accordance with precautionary statements and directions, and with applicable state and federal regulations.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval.

Do not enter or allow workers entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Long-sleeved shirt and long pants,
- Shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standards for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries, or greenhouses.

Keep all unprotected persons out of operating areas, or vicinity where there may be drift. Do not enter treated areas without protective clothing until sprays have dried.

PRODUCT INFORMATION

Intended for commercial use.

RESTRICTION: Do not apply this product through any type of irrigation or chemigation system.

A221.04 is a miticide that controls major tetranychid mite species in egg and nymph stages of growth. Foliar applications of **A221.04** can be made for control of spider mites infesting indoor (greenhouses, lathhouses, shadehouses and interiorscapes) and outdoor ornamentals, including flowering and foliage crops, ground covers, shrubs and ornamental trees, non-bearing fruit and nut trees, Christmas trees and indoor tomato production (greenhouses, lathhouses and shadehouses). **A221.04** may be used in ornamental production areas and in the landscape in residential and commercial areas. **A221.04** exhibits strong translaminar movement within plant leaves. Spray contacting the upper surface of leaves will absorb into the leaves and locally translocate within the leaf. Thus mites feeding on the undersides of leaves will be controlled.

IMPORTANT: Applications of **A221.04** may be made to a wide range of ornamental plants. To ensure that **A221.04** is compatible with the variety or cultivar under your specific conditions, test the product on a limited scale and observe for phytotoxicity for two weeks before making large scale applications. The large number of existing ornamental varieties and cultivars coupled with the constant introduction of new varieties makes it impossible to field test **A221.04** in every locale where sold or in all of the combinations created by differences in growing practices. Factors that can influence phytotoxicity to any applied pesticide include soil or media type, pH, moisture or fertility, environmental conditions such as temperature, lighting or degree days and horticultural practices including planting dates, control of other pests, and timing of various horticultural practices. **A221.04** has not been tested in tank mix combinations, sequential pesticide treatments or with various adjuvants and surfactants. Do not apply to Poinsettia after bract formation.

Mode of Action:

The active ingredient in this product, etoxazole, is a member of the class of insecticides known as pyrroles (Group 10B). This product is introduced to the insect by contact and feeding activity.

For resistance-management, **A221.04** contains a Group 10B insecticide. Any insect population may contain individuals naturally resistant to **A221.04** and other Group 10B insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance management strategies should be followed. To reduce the potential for developing insect resistance, rotate to an insecticide with a different mode of action. Monitor treated pest populations for resistance development. Read product label before applying any insecticide and follow label directions.

To delay insecticide resistance, take the following steps:

- Rotate the use of **A221.04** or other Group 10B insecticides within a growing season, or among growing seasons, with different groups that control the same pests. Avoid application of more than the maximum seasonal use rate or the total number of consecutive sprays of **A221.04** per season.
- Use insecticides from a different group that are equally effective on the target pest when such use is
 permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any
 known cross-resistance issues (for the targeted pests) between the individual components of a mixture.
 In addition, consider the following recommendations provided by the Insecticide Resistance Action
 Committee (IRAC):
 - o Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
 - o When using mixtures, consider any known cross-resistance issues between the individual

- components for the targeted pest(s).
- Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
- The insect resistance management benefits of an insecticide mixture are greatest if the two
 components have similar periods of residual insecticidal activity. Mixtures of insecticides with
 unequal periods of residual insecticide activity may offer an insect resistance management benefit
 only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Atticus, LLC representatives at atticus||c.com.

Multiple Packaging:

This bag contains multiple water soluble packets of **A221.04**. Do not handle the packets with wet gloves or allow the packets to become wet prior to addition to spray tank. Do not break open packets. Each packet contains 2 oz (1/8 lb) of **A221.04**. If all packets are not used, close and reseal outer container to protect remaining packet(s).

Mixing Instructions

Follow the steps below when mixing this product, including if tank mixed with other pesticide products. If being tank mixed, the mixing directions 1 through 9 below take precedence over the mixing directions of the other tank mix products. WSPs may, in some cases, be mixed with other pesticide products so long as the directions for use of all mixed products do not conflict. Do not tank mix this product with products that prohibit tank mixing or have conflicting mixing directions.

- 1. If a basket or strainer is present in the tank hatch, remove prior to adding the WSP to the tank.
- 2. Fill tank with water to approximately one-third to one-half of the desired final volume of spray.
- 3. Stop adding water and stop any agitation.
- 4. Place intact/unopened WSP(s) into the tank.
- 5. Do not spray water from a hose or fill pipe to break or dissolve the WSP(s).
- 6. Start mechanical and recirculation agitation from the bottom of tank without using any overhead recirculation, if possible. If overhead recirculation cannot be turned off, close the hatch before starting agitation
- 7. Dissolving the WSP(s) may take up to 5 minutes or longer, depending on water temperature, water hardness and intensity of agitation.
- 8. Stop agitation before tank lid is opened.
- 9. Open the lid to the tank, exercising caution to avoid contact with dusts or spray mix, to verify that the WSPs have fully dissolved and the contents have been thoroughly mixed into the solution.
- 10. Do not add other allowed products or complete filling the tank until the bags have fully dissolved and pesticide is thoroughly mixed.
- 11. Once the WSP have fully dissolved and any other products have been added to the tank, resume filling the tank with water to the desired level, close the tank lid, and resume agitation.
- 12. Use the spray solution when mixing is complete.
- 13. Maintain agitation of the diluted pesticide mix during transport and application.
- 14. It is unlawful to use any registered pesticide, including WSPs, in a manner inconsistent with its label.

Compatibility:

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Before mixing **A221.04** with other insecticide products, test mix small portions of products in a small quantity to ensure compatibility.

Ornamental Plants

CROP	PESTS	PRODUCT RATE	SPECIAL INSTRUCTIONS
Ornamental Plants	Spider Mites Including:	8 to 16 oz/	Mix with sufficient water and apply as a
Including:	Citrus Red Mite	100 gals	foliar spray to obtain uniform coverage.
Bedding Plants	European Red Mite		
Flowering Plants	Lewis Spider Mite	4 to 8 packets/	A221.04 kills mite eggs (ovicidal) and
Foliage Plants	Pacific Spider Mite	100 gals	nymphs, but not adult mites. For best
Ground Covers	Southern Red Mite		control, apply at first sign of infestation
Non-Bearing Fruit Trees	Spruce Spider Mite	16 to 32 oz/A	and before large numbers of adult mites
Non-Bearing Nut Trees	Two-spotted Spider Mite		are present. Make a second application
Ornamentals		(Each water	if necessary, but no sooner than 14 days
Ornamental Trees		soluble packet	after the first application.
Shrubs		contains 2 oz of	
		•	A221.04 is transovarial, meaning that
			treated adult mites will not produce
			viable eggs.
			Use higher rates for moderate to heavy
			infestations, especially with dense plant
			canopies and choose lower rate for light
			infestations.
			If rapid control (< 7 days) of adult mites
			is required, apply A221.04 in
			combination with a contact adulticide.

NOTE: Since ornamental varieties are numerous, constantly changing, and may react differently to **A221.04** and tank mixtures, test the product(s) on a small scale before making large-scale applications.

Restrictions

• Do not apply A221.04 more than two times per growing season or within a six month period.

Christmas Trees

CROP	PESTS	PRODUCT RATE	SPECIAL INSTRUCTIONS
	McDaniel Spider Mite		Apply by ground as full coverage spray or by air in a
Trees	Pacific Spider Mite		minimum of 10 gals/A. Coverage is critical for effective
	Spruce Spider Mite	14 to 20	control.
	Two-spotted Spider Mite	packets/A	
			Best results are achieved when mite populations are
		(Each water	low. A221.04 is predominately an ovicide/larvicide.
		soluble packet	Apply A221.04 at or prior to threshold for your area.
		contains 2 oz of	
		A221.04.)	Do not use rates below 28 oz/A (0.09 lb a.i./A) since it
			may result in poor control and contribute to the
			development of resistance to etoxazole among mite
			populations.
			Use higher rates for moderate to heavy infestations,
			especially with dense plant canopies and choose lower
			rate for light infestations.
	Restrictions		
	• Do not make more than	n one (1) A221.04	application per growing season.
• Do not apply more than 40 oz A221.04 per acre per growing season.			

Indoor Grown Tomatoes

CROP	PESTS	PRODUCT RATE	SPECIAL INSTRUCTIONS
Indoor Grown Tomatoes	I -	-	Mix with sufficient water and apply as a
	Citrus Red Mite	100 gals	foliar spray to obtain uniform coverage.
	European Red Mite		When applied as a high volume spray,
	Lewis Spider Mite	4 to 10	100 gallons of spray solution will treat
	Pacific Spider Mite	packets/100 gals	approximately 20,000 sq. ft.
	Southern Red Mite		
	Spruce Spider Mite	16 to 40 oz/A	A221.04 kills mite eggs (ovicidal) and
	Two-spotted Spider Mite		nymphs, but not adult mites. For best
		(Each water	control, apply at first sign of infestation
		soluble packet	and before large numbers of adult mites
		contains 2 oz of	are present. Make a second application if
		A221.04)	necessary, but no sooner than 21days
			after the first application.
			A221.04 is transovarial, meaning that
			treated adult mites will not produce
			viable eggs.
			Use higher rates for moderate to heavy
			infestations, especially with dense plant
			canopies and choose lower rate for light
			infestations.
			If rapid control (< 7 days) of adult mites is
			required, apply A221.04 in combination
			with a contact adulticide.

NOTE: Since tomato varieties are numerous, constantly changing and may react differently to **A221.04** and tank mixtures, test the product(s) on a small scale before making large-scale applications.

Restrictions

- Do not apply within one (1) day of harvest.
- Do not make more than two (2) A221.04 applications per growing season.
- Do not exceed 80 oz **A221.04** (0.27 lbs. a.i.) per acre per growing season.
- Do not apply **A221.04** more than two times per growing season.
- Do not apply more than 40 oz per acre per application.
- Do not use with an adjuvant or surfactant.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE STORAGE

Keep pesticide in original container. Store in a cool, dry, secure place. Do not put formulation or dilute spray solution into food or drink containers. Do not store or transport near feed or food. Not for use or storage in or around the home.

PESTICIDE DISPOSAL

Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Nonrefillable outer bag. Do not reuse or refill the outer bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

A221.04 is a trademark of Atticus, LLC

TetraSan® is a registered trademark of Valent U.S.A. Corporation.

{LANGUAGE ON LABEL AFFIXED TO CONTAINER}

A221.04™

Miticide/Ovicide for Ornamental Plants, Christmas Trees, and Indoor Grown Tomatoes

[For control of Spider Mites on Ornamental Plants, Christmas Trees, and Indoor Grown Tomatoes]

[Affects all life stages]

[Alternate Brand Name: Eschaton 5 WDG]

Active Ingredient:	(% by weight)
*Etoxazole	5.0%
Other Ingredients	<u>95.0%</u>
Total	100.0%
* 2-(2,6-difluorophenyl)-4-[4-(1,1-dimethyle	ethyl)-2-ethoxyphenyl)-4,5-

KEEP OUT OF REACH OF CHILDREN CAUTION

dihydrooxazole

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If swallowed	Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes.
	• Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	 Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information.

For Chemical Emergency

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

Environmental Hazards:

This pesticide is toxic to freshwater and marine/estuarine aquatic invertebrates, including oysters and shrimp. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE STORAGE

Keep pesticide in original container. Store in a cool, dry, secure place. Do not put formulation or dilute spray solution into food or drink containers. Do not store or transport near feed or food. Not for use or storage in or around the home.

PESTICIDE DISPOSAL

Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Nonrefillable outer bag. Do not reuse or refill the outer bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration.

or rinsate

See inside label booklet for additional Precautionary Statements and Directions for Use.

Manufactured for:

Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513

EPA Reg. No. 91234-XX	
EPA Est. No.	
NET WEIGHT:	