U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 91234-229	Date of Issuance: 7/23/21
NOTICE OF PESTICIDE: <u>X</u> Registration (under FIFRA, as amended)	Term of Issuance: Unconditional Name of Pesticide Product:	
Name and Address of Registrant (include ZIP Code): Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513 Note: Changes in labeling differing in substance from that accepted in connection with this registration Registration Division prior to use of the label in commerce. In any correspondence on this product all		
Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you: 1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.		
Signature of Approving Official: Nathan Mellor, Acting Product Manager 21 Fungicide Branch, Registration Division (7505P) EPA Form 8570-6	Date: 7/23/21	

Page 2 of 2 EPA Reg. No. 91234-229 Decision No. 566656

- 2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 91234-229."
- 3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

The alternate brand name "Pilato EZ" has been added to the product record.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/02/2020
- Alternate CSF 1 dated 10/02/2020

If you have any questions, please contact Marcel Howard by phone at (703)305-6784, or via email at howard.marcel@epa.gov.

Enclosure

{Note to reviewer: [Text] in brackets denotes optional or explanatory language} {Note to reviewer: {Text} in braces denotes where in the final label text will appear} {BOOKLET FRONT PANEL LANGUAGE}

FLUDIOXONIL GROUP 12 FUNGICIDE

A254.07^[™]

[Alternate Brand Name: Pilato EZ]

Contains fludioxonil, the active ingredient used in [Scholar® EZ].

[Fungicide]

[A254.07 is concentrated fludioxonil intended for post-harvest thermal fogging on pome fruit.]

ACTIVE INGREDIENT:	(% by weight)
Fludioxonil*	
OTHER INGREDIENTS:	
TOTAL	
*CAS No. 131341-86-1	
A254.07 is a 98% powder.	

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

DO NOT formulate this product into other end-use products.

See [below] [inside label booklet] for [additional] [First Aid,] [and] [Precautionary Statements] [and] [Directions for Use].

[A254.07] is not manufactured, or distributed by Syngenta Crop Protection, LLC, seller of [Scholar® EZ].

EPA Reg. No.: 91234-XX

EPA Est. No.:

Net Contents:

Manufactured for: Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513 1



Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

91234-229

{LANGUAGE INSIDE BOOKLET}

	FIRST AID
If on skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
	duct container or label with you when calling a poison control center or doctor, or going t. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment

For Chemical Emergency: Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Handlers (including mixers, loaders, persons cleaning or setting up the fogging equipment, and persons handling treated fruit) must wear:

- Long-sleeved shirt and long pants
- Protective eyewear (goggles, safety glasses, or a face shield)
- Chemical-resistant gloves made from any waterproof material (natural rubber)
- Shoes plus socks

In addition, fumigating applicators must wear:

• A NIOSH approved particulate respirator with any N, R or P filter with NIOSH approval number prefix TC-84A; or a NIOSH approved powered air purifying respirator with HE filter with NIOSH approval number prefix TC-21C.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL.

PRODUCT INFORMATION

A254.07 is a protective fungicide used to aid in the control of post-harvest diseases in storage facilities.

RESISTANCE MANAGEMENT

For resistance management, **A254.07** contains a Group 12 fungicide. Any fungal population may contain individuals naturally resistant to **A254.07** and other Group 12 fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance, take one or more of the following steps:

- Rotate the use of **A254.07** or other Group 12 fungicides within a growing season sequence with different groups that control the same pathogens.
- Use tank mixtures with fungicide from a different group that are equally effective on the target pest when such use is permitted. Use at least the minimum application rate as labeled by the manufacturer.
- Adopt an integrated disease management program for fungicide use that includes scouting, uses historical
 information related to pesticide use, and crop rotation, and which considers host plant resistance, impact
 of environmental conditions on disease development, disease thresholds, as well as cultural, biological and
 other chemical control practices.
- Where possible, make use of predictive disease models to effectively time fungicide applications. Note that using predictive models alone is not sufficient to manage resistance.

- Monitor treated fungal populations for resistance development.
- Contact your local extension specialist or certified crop advisor for any additional pesticide resistancemanagement and/or IPM recommendations for specific crops and pathogens.
- For further information or to report suspected resistance contact Atticus, LLC at 984-465-4800. You can also contact your pesticide distributor or university extension specialist to report resistance.

APPLICATION RESTRICTIONS

- Only apply 1 post-harvest application of fludioxonil-containing product.
- **DO NOT** apply to fruit previously treated with fludioxonil via drench or dip/wash.
- Apply only with a thermal fogging machine.

MIXING PROCEDURES

Prepare no more mixture than is needed for the immediate operation.

If using **A254.07** in a tank mixture, observe all directions for use, crops/sites, use rates, dilution ratios, precautions, and limitations which appear on the tank-mix product label. **DO NOT** exceed any label dosage and apply the most restrictive label precautions. **DO NOT** mix **A254.07** with any other product whose label prohibits such mixing. Tank mixtures are permitted only in those states where the tank-mix partner is registered.

THE CROP SAFETY OF ALL POTENTIAL TANK MIXES INCLUDING ADDITIVES AND OTHER PESTICIDES ON ALL CROPS HAS NOT BEEN TESTED. BEFORE APPLYING ANY TANK MIXTURE, THE SAFETY TO THE TARGET CROP SHOULD BE CONFIRMED.

APPLICATION INSTRUCTIONS

Apply **A254.07** at rates and timings as described in this label.

Only other fungicides compatible with **A254.07**, diphenylamine (DPA), and the carrier, and approved for fogging applications can be tank mixed with **A254.07**. Follow all label directions and restrictions for each ingredient in the tank mixture.

Preparation for A254.07 Treatment

Note: When rooms are treated with less than 75% fruit capacity, calculate the dosage by adding a tonnage value of 20% of the empty volume to the real tonnage of the fruit.

A254.07 applied with postharvest-approved carrier for pome fruit storage.

- Mixers, Loaders, Applicators, and Handlers must use PPE from the most restrictive product.
- Heat the carrier using an appropriate container. Cover and place the container on an electrical heater and heat to 180°F.
- Calculate the amount of A254.07 according to the application rate.
- Weigh the amount of **A254.07** to the nearest gram into a clean and dry container.
- Add the **A254.07** slowly under gentle mixing to the carrier.

Thermal Fogger Operation

- Place the thermal fogger machine horizontally outside the treatment room at a height of about 3 feet from the floor. Insert the fogging pipe through the porthole in the door to the storage room.
- Seal the opening around the nozzle with thermally resistant tape.
- Adjust the pump and mount the nozzle to deliver up to 120 mL per minute.
- Turn on the thermal fogger machine.
- Insert the insulated input pipe into the aerosol mixture. Start the pump.

- Maintain the product temperature between 160-180°F.
- Ensure the A254.07 remains in suspension during application by using agitation, if necessary.
- Maintain fogger inlet temperature between 500-600°F. **DO NOT** exceed 650° F fogger temperature (i.e. inner temperature of the fogger barrel at the point of injection).
- **DO NOT** use any elbow or allow any restriction at the end of the fog barrel which might cause back-pressure or increase the temperature in the fogger barrel.

Application Procedures

- **DO NOT** breathe the fog.
- Turn off room cooling systems and humidifiers 12 hours prior to and during treatment.
- Turn off room circulation fans immediately prior to and during treatment.
- Open a small vent in the room during fogging, if necessary, to avoid backpressure.
- Turn on room circulation fans one hour after the treatment.
- Visually check that the fog has totally disappeared (about 5 hours post-treatment) before restarting the cooling systems

Posting

Notify workers of application by warning them orally and posting warning signs at entrances to treated areas.

Re-Entry Restrictions

Entry into the treatment area by another person other than properly trained and equipped handlers is prohibited from the start of application until the treated area is ventilated as follows:

ventilated as follows:

- 8 hours with no ventilation followed by 1 hour of mechanical ventilation
- 24 hours with no ventilation

In case it is necessary to enter the treatment area during treatment or before ventilation requirements have been met, handlers must wear chemical resistant headgear and a self-contained breathing apparatus (SCBA, MSHA/NIOSHA approval number prefix TC-13F) in addition to PPE listed under the PRECAUTIONARY STATEMENTS. Follow all applicable safety precautions for entering a controlled atmosphere storage facility, monitoring oxygen and carbon monoxide meters to assure proper levels before reentry.

CROPS USE DIRECTIONS- POST-HARVEST

Pome fruit

Apple (Malus domestica); Azarole (Crataegus azarolus); Crabapple (Malus spp.); Loquat (Eriobotrya japonica); Mayhaw (Crataegus aestivalis, C. opaca, and C. rufula); Medlar (Mespilus germanica); Pear (Pyrus communis); Pear, Asian (Pyrus spp.); Quince (Cydonia oblonga); Quince, Chinese (Chaeonomeles speciosa); Quince, Japanese (Chaenomeles japonica); Tejocote (Crataegus mexicana) and cultivars, varieties and/or hybrids of these.

Use **A254.07** as a post-harvest thermal-fog aerosol application to reduce damage from post-harvest diseases caused by:

- Blue mold (*Penicillium expansum*)
- Gray mold (*Botrytis cinerea*)
- Bull's-eye rot (*Neofabraea malacorticis*)
- Rhizopus rot (*Rhizopus stolonifer*)
- Bitter rot (*Colletotrichum gloeosporiodes*)
- Sphaeropsis rot (*Sphaeropsis pyriputrescens*)
- Phacidiopycnis rot (*Phacidiopycnis piri*)
- Speck rot (Phacidiopycnis washingtonensis)

- White rot (Botryosphaeria dothidea)
- Alternaria rot (side rot) and surface mold (*Alternaria alternata*)

Application Method	Disease	Rate oz (grams)	Remarks
Application Method Fogging into Storage Facility	Disease Blue mold Gray mold Bitter rot Speck rot White rot Phacidiopycnis rot Sphaeropsis rot Alternaria rot and surface mold Rhizopus rot Bull's-eye rot	Rate oz (grams) 0.035 oz/bin or 1 gram/bin (900 lb of fruit /bin)	 Remarks Ensure proper distribution of the product on the fruit. Treat only dry fruit. Apply to fruit as soon after harvest as possible but no more than 15 days after harvest. Load bins in the storage room with normal spacing
			 between bins and head space. DO NOT cover top bins. Cover the front face of the bins directly in front of the fogging nozzle.
For maximum decay contr Specific Use Restrictions	ol during storage, treat fruit b	efore storage with A254.07 .	
 DO NOT apply to Apply only with a 	fruit previously treated with f thermal fogging machine. ore than 0.035 oz per bin.	ludioxonil via drench or dip/	wash.
	ble than 0.035 02 per bill.		

4) Only apply 1 post-harvest application of fludioxonil-containing product.

Conversion Chart

Number of 900 lb Fruit Bins	US Tons of Fruit	Amount of A254.07 in - oz (grams)	lb ai
100	45	3.5 (100)	0.21
500	225	17.5 (500)	1.07
1000	450	35.0 (1000)	2.14
1500	675	52.5 (1500)	3.21
2000	900	70 (2000)	4.29

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers in a cool, dry place. **DO NOT** store this product under wet conditions. Keep container closed when not in use. **DO NOT** store near food or feed. In case of spill on floor or paved surfaces, sweep and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING:

[For Paper and Plastic Bags:

Nonrefillable container. **DO NOT** reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or by other procedures allowed by state and local authorities.]

[For plastic containers equal to or less than 5 gallons (Dry):

Non-refillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow beings to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local authorities.]

[For plastic containers larger than 5 gallons:

Non-refillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.]

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

[A254.07] is a trademark of Atticus, LLC

[Scholar[®] EZ] is a registered trademark of a Syngenta Group Company.

{LANGUAGE ON LABEL AFFIXED TO CONTAINER}

FLUDIOXONIL GROUP 12 FUNGICIDE

A254.07[™]

[Alternate Brand Name: Pilato EZ]

Contains fludioxonil, the active ingredient used in [Scholar® EZ].

[Fungicide]

[A254.07 is concentrated fludioxonil intended for post-harvest thermal fogging on pome fruit.]

ACTIVE INGREDIENT:	(% by weight)
Fludioxonil*	
OTHER INGREDIENTS:	<u>2.0%</u>
TOTAL	
*CAS No. 131341-86-1	

A254.07 is a 98% powder.

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

DO NOT formulate this product into other end-use products.

	FIRST AID
If on skin:	 Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	• Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
	 Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
	oduct container or label with you when calling a poison control
center or do	ctor, or going for treatment. You may also contact SafetyCall at

1-844-685-9173 for emergency medical treatment information.

For Chemical Emergency: Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

> PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original containers in a cool, dry place. **DO NOT** store this product under wet conditions. Keep container closed when not in use. **DO NOT** store near food or feed. In case of spill on floor or paved surfaces, sweep and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility. **CONTAINER HANDLING:**

[For Paper and Plastic Bags:

Nonrefillable container. **DO NOT** reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or by other procedures allowed by state and local authorities.]

[For plastic containers equal to or less than 5 gallons (Dry):

Non-refillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow beings to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local authorities.]

[For plastic containers larger than 5 gallons:

Non-refillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.]

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER

See inside label booklet for additional Precautionary Statements and Directions for Use.

[A254.07] is not manufactured, or distributed by Syngenta Crop Protection, LLC, seller of [Scholar[®] EZ].

Manufactured for: Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513 EPA Reg. No.: 91234-XX EPA Est. No.: _____ NET CONTENTS: _____