



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

**EPA Reg. Number:**

91234-242

**Date of Issuance:**

10/1/21

**NOTICE OF PESTICIDE:**

Registration  
 Reregistration  
 (under FIFRA, as amended)

**Term of Issuance:**

Conditional

**Name of Pesticide Product:**

A171.10

**Name and Address of Registrant (include ZIP Code):**

Beth Anderson  
 Sr. Regulatory Mgr.  
 Atticus  
 5000 CentreGreenWay, Suite 100  
 Cary, NC 27513

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

**Signature of Approving Official:**

Venus Eagle, Product Manager 01  
 Invertebrate and Vertebrate Branch 3, Registration Division (7505P)  
 Office of Pesticide Programs

**Date:**

10/1/21

2. You are required to comply with the data requirements described in the DCI identified below:

a. Imidacloprid GDCI-129099

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 91234-242.”

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 5/6/21
- Alternate CSF 1 dated 5/6/21
- Alternate CSF 2 dated 5/6/21

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043, or via email at [lewis.marianne@epa.gov](mailto:lewis.marianne@epa.gov).

Enclosure: Stamped label

{Note to reviewer: [Text] in brackets denotes optional or explanatory language}  
{Note to reviewer: {Text} in braces denotes where in the final label text will appear}  
{BOOKLET FRONT PANEL LANGUAGE}

IMIDACLOPRID	GROUP	4A	INSECTICIDE
--------------	-------	----	-------------

# A171.10<sup>[TM]</sup>

Alternate Brand Name: Acurio<sup>TM</sup> SC

[Contains imidacloprid, the active ingredient used in Credo<sup>®</sup> SC Insecticide.  
A171.10 is not manufactured, or distributed by Elanco US Inc., seller of Credo SC Insecticide]

For effective control of darkling beetles and hide beetles in and around poultry housing [structures] [facilities]  
[buildings] [barns].

ACTIVE INGREDIENT:	(% by weight)
Imidacloprid [CAS 1328261-41-3] .....	42.8%
OTHER INGREDIENTS: .....	57.2%
TOTAL .....	100.0%

This product is a soluble concentrate (SC) that contains 4.38 pounds of imidacloprid per gallon, or 526 grams Al/liter.

Shake well before using.

**STOP - Read the label before use.  
KEEP OUT OF REACH OF CHILDREN**

## CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you DO NOT understand the label, find someone to explain it to you in detail.)

[See inside label booklet for First Aid, [additional] Precautionary Statements, and Directions for Use.]  
See below for additional Precautionary Statements


EPA Reg. No.: 91234-XX

EPA Est. No.:

Net Contents:

Lot No:

Manufactured for:  
**Atticus, LLC**  
5000 CentreGreen Way, Suite 100  
Cary, NC 27513



## {LANGUAGE INSIDE BOOKLET}

<b>FIRST AID</b>	
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• <b>DO NOT</b> induce vomiting unless told to do so by the poison control center or doctor.</li><li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li></ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at <b>1-844-685-9173</b> for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	
No specific antidote is available. Treat the patient symptomatically.	

**For Chemical Emergency:  
Spill, Leak, Fire, Exposure, or Accident,  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

#### PERSONAL PROTECTIVE EQUIPMENT

All pesticide handlers (mixers and applicators) must wear long-sleeved shirt and long pants, socks, shoes, and chemical - resistant gloves made of barrier laminate, butyl rubber  $\geq 14$  mL, nitrile rubber  $\geq 14$  mL, neoprene rubber  $\geq 14$  mL, natural rubber  $\geq 14$  mL, polyethylene, polyvinyl chloride (PVC)  $\geq 14$  mL, or viton  $\geq 14$  mL .

#### USER SAFETY RECOMMENDATIONS

##### Users should:

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**IMPORTANT:** Read the entire Directions for Use, Conditions of Sale and Disclaimer of Warranties and Limitations of liability before using this product.

DARKLING BEETLE [AND HIDE BEETLE] CONTROL IN AND AROUND POULTRY HOUSING [STRUCTURES] [FACILITIES] [BUILDINGS] [BARNs]]

Use **A171.10** as a general surface, spot, or crack and crevice treatment to floors, walls and support beams of poultry [broiler][turkey][caged egg layer][breeder] housing [structures][facilities][buildings][barns]. **DO NOT** apply when birds are present. Cover or remove exposed feed and water from the area to be treated. Allow treated surfaces to dry before restocking/reintroducing birds [animals] into the house [structure][facility][building][barn].

### Restrictions:

DO NOT apply when birds are present

DO NOT apply more than one whole house treatment and 5 perimeter (partial house) treatments per year.

DO NOT apply to more than 30,000 sq. ft. per year per house.

DO NOT formulate this product into other end-use products.

### RESISTANCE MANAGEMENT

For resistance management, **A171.10** contains a Group 4A insecticide. Any insect population may contain individuals naturally resistant to **A171.10** and other Group 4A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed

To delay insecticide resistance, take the following steps:

- Rotate the use of **A171.10** or other Group 4A insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
  - Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
  - Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management. ○ When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
  - Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
  - The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-

- management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Atticus, LLC at 984-465-4800.

[When pest exclusion at possible entry points is desired, supplement A171.10 [litter] treatments with targeted applications [treatments] of [pyrethroid] insecticides, [For example: [Tempo SC Ultra (beta-cyfluthrin, EPA Reg. No. 432-1363)] [Tempo 20 WP (cyfluthrin, EPA Reg. No. 432-1302)] or similar products] to the building perimeter, foundation, doors and windows, utility entry points, and other places where pests may enter the structure. Read and follow all label directions for use of these other [companion] products.]

**MIXING AND APPLICATION RATES:** Determine the area [number of square feet (ft<sup>2</sup>)] to be treated. Refer to Mixing Table below for amount of **A171.10** to be used. Mix the required amount of **A171.10** with the appropriate [specified] amount of water and apply as a spray. Fill the sprayer tank with ½ of the water required [needed] [necessary] [desired] for the treatment. Begin agitating the water and add the required amount of product to the tank. Continue mixing and add the remaining water. Maintain sufficient agitation during product application to ensure a uniform spray. Prepare a fresh spray mixture before each treatment.

**MIXING TABLE FOR A171.10**

Pests to Control	A171.10 Per 1,000ft <sup>2</sup>	Gallons of Water Per 1,000ft <sup>2</sup>
Darkling Beetles [Hide Beetles]	3 fl. oz. <sup>1</sup> (90 ml <sup>1</sup> )	½ -2 gallons

<sup>1</sup>Equivalent to 45 grams of imidacloprid a.i./1,000 ft<sup>2</sup>

CONVERSION KEY: 128 fl oz = 1 gal, 16 fl oz = 1 pint, 8 pints = 1 gal, 1 fl oz = 29.5 ml

**WHEN TO APPLY:** Apply between flocks [after each grow-out] [following de-caking] [to new litter following clean-out] [following sanitation procedures] [prior to placement of a new flock].

**HOW TO APPLY:**

**Band Application:** When darkling beetles are concentrated in certain areas, such as under feed or water lines, or along the perimeter walls, it may not be necessary [or] [desirable] to treat the entire floor area [litter surface] of a poultry [broiler] [turkey] [caged egg layer] [breeder] house. In these situations, certain portions of the house or "bands" may be treated. For example, apply [spray] diluted **A171.10** on [to]: a 3-foot wide band of litter [surface] under all of the feed [water] lines in the house; a 3-foot wide band of litter [surface] adjacent to the side and end walls; and the lower section [portion] of the walls, including 1 foot up onto wood surfaces above the [concrete] foundation. Be sure to measure the [actual] surface area [square feet] to be treated in order to determine the amount [quantity] of **A171.10** needed [required][necessary] for the application [treatment].

**Whole House Application:** When darkling beetle infestation is severe, the entire house may need to be treated. Apply diluted **A171.10** as a broadcast spray to the litter covering the entire floor area, especially to litter under feed and water lines, as well as to the lower sections of walls, including 1 foot up onto wood surfaces above the concrete foundation.

**FOR BEST RESULTS:** In houses with support beams, treat the litter surface around each support post, and 1 foot up each post. Also apply diluted spray to cracks and crevices around wall insulation, where beetles have been seen or can find harborage.

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. **DO NOT** walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticide below. In spill or leak incidents, keep unauthorized people away.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### CONTAINER HANDLING:

**For plastic containers ≤ 5 gallons: Nonrefillable Container: DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

**[For plastic containers > 5 gallons: Nonrefillable container. DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Recap and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.]

## LIMITATION OF WARRANTY AND LIABILITY

**IMPORTANT: READ BEFORE USE.** Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

**A171.10** is a trademark of Atticus, LLC

Credo® SC Insecticide [and Tempo®] is [are] a registered trademark[s] of Bayer.



## Optional Marketing Claims

### Formula:

- One dose formula
- No dust
- Quick mix [liquid] formula
- Specifically formulated for control of darkling beetles
- Specifically formulated for the poultry industry
- Quick mix and spray formula
- Mix & Go [liquid] formula
- One dose mix-and-go [liquid] formula
- Formulated to meet the needs of poultry operations
- Darkling beetle control [product] designed [formulated] specifically for poultry producers
- Darkling beetle control [liquid] formula
- Easy to apply, hard on darkling beetle [formula]
- Quick Mix and Apply [Product]
- Contains imidacloprid [a chloronicotinyl insecticide]

### Benefits:

- Controls darkling beetles that may carry [spread] [transmit] poultry disease-causing organisms
- Controls darkling beetles that may damage buildings [ceilings] [insulation] [walls]
- Controls darkling beetles that can feed on grain
- Controls both darkling beetle and hide beetle] larvae and adults
- Effective against both darkling beetle and hide beetle larvae and adults
- Stop [reduce][alleviate][take out] the risks darkling beetles pose [bring]
- Stop the damage and risks that darkling beetles cause
- Stop darkling beetles from taking[eating] your profitability
- Reduce darkling beetle risk(s)
- Reduce risks that darkling beetles pose [bring]
- Reduce impact on neighboring communities
- Reduce darkling beetles' negative impact on poultry [production][performance]

### Application:

- Effective control of darkling beetles [and hide beetles]
- Targeted (Banded)] application [treatment] delivers effective darkling beetle [and hide beetle] control
- One dose - effective, [easy] [simple] to use
- Focused [Targeted][Strategic] band treatment [application]
- Allows labor saving band treatment [application]
- Broadcast or banded treatment [application]
- Less time consuming band application [treatment]
- Easy and flexible treatment [options]
- Time - Saving Band Application
- Mix and spray - fast and flexible treatment
- **A171.10** can be applied as either a band or broadcast [spray] treatment
- Controls even pyrethroid - spinosad [organophosphate] resistant darkling beetle [and hide beetle]
- Use less insecticide per house [building][barn] with a banded application
- Less insecticide - targeted [banded] application [treatment]
- Easy and targeted control of darkling beetle [hide beetle]
- Protection [Control] exactly where you need it
- Flexible application for any poultry operation
- Save time, labor and money with targeted [focused] band application
- Banded application saves time, labor and money; Provides effective control

- Apply treatment [control] right where you need it
- Easy [One] Dose Application
- One dose, mix, and spray - Quick and Easy
- Target darkling beetles [and hide beetles]

**General:**

- The active ingredient in **A171.10** (imidacloprid) has been proven to provide effective control of darkling beetles [and hide beetles]
- Controls darkling beetle adults and larvae
- The solution to darkling beetle [and hide beetle] control
- Control [Reduce] darkling beetles that can spread [carry] disease causing organisms

**Rotation Benefits:**

- Rotate with [other] pyrethroid products [Tempo®] [Tempo® Ultra] to manage darkling beetle resistance
- Team up with **A171.10** and Tempo® [Tempo® Ultra]
- Manage [Prevent] resistance - rotate with [between] **A171.10** & Tempo® [Tempo® Ultra]
- Prevent [Manage] resistance with the rotation [combination] products [team]: **A171.10** & Tempo® [Tempo® Ultra]
- The **A171.10** & Tempo® [Tempo® Ultra] Team prevents [manages] resistance

**{LANGUAGE ON LABEL AFFIXED TO CONTAINER}**

IMIDACLOPRID	GROUP	<b>4A</b>	INSECTICIDE
--------------	-------	-----------	-------------

**A171.10<sup>TM</sup>**

*Alternate Brand Name: Acurio<sup>TM</sup> SC*

[Contains imidacloprid, the active ingredient used in Credo<sup>®</sup> SC Insecticide. A171.10 is not manufactured, or distributed by Elanco US Inc., seller of Credo SC Insecticide]

For effective control of darkling beetles and hide beetles in and around poultry housing [structures] [facilities] [buildings] [barns].

<b>ACTIVE INGREDIENT:</b>	( <b>% by weight</b> )
Imidacloprid [CAS 1328261-41-3.....	42.8%
<b>OTHER INGREDIENTS:</b> .....	<b>57.2%</b>
<b>TOTAL</b> .....	<b>100.0%</b>

Contains 4.38 pounds of imidacloprid per gallon, or 526 grams AI/liter. Shake well before using.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand the label, find someone to explain it to you in detail.)

<b>FIRST AID</b>	
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>● Call a poison control center or doctor immediately for treatment advice.</li> <li>● Have person sip a glass of water if able to swallow.</li> <li>● <b>DO NOT</b> induce vomiting unless told to do so by the poison control center or doctor.</li> <li>● <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>● Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>● Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>● Take off contaminated clothing.</li> <li>● Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>● Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>● Move person to fresh air.</li> <li>● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>● Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at <b>1-844-685-9173</b> for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	
No specific antidote is available. Treat the patient symptomatically.	

**For Chemical Emergency:**

**Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place and in such a manner as to prevent cross-contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. **DO NOT** walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticide below. In spill or leak incidents, keep unauthorized people away.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:**

**For plastic containers ≤ 5 gallons:** Nonrefillable Container: **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

**[For plastic containers > 5 gallons:** Nonrefillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Recap and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.]

See inside label booklet for additional Precautionary Statements and Directions for Use.

Manufactured for:  
**Atticus, LLC**  
 5000 CentreGreen Way, Suite 100  
 Cary, NC 27513

**EPA Reg. No.: 91234-XX**  
**EPA Est. No.:** \_\_\_\_\_  
**NET CONTENTS:** \_\_\_\_\_