



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505T)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

91234-288

Date of Issuance:

8/16/23

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

A109.07

Name and Address of Registrant (include ZIP Code):

Atticus, LLC  
 5000 CentreGreen Way, Suite 100  
 Cary, NC 27513

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

*Continues page 2*

Signature of Approving Official:

Kara Welch, Acting Product Manager 3  
 Invertebrate & Vertebrate Branch 1, Registration Division (7505T)

Date:

8/16/23

2. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 91234-288.”
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 11/08/2021
- Alternate CSF 1 dated 11/08/2021

If you have any questions, please contact Rebecca Lasko at 202-565-2469 or at [lasko.rebecca@epa.gov](mailto:lasko.rebecca@epa.gov).

Enclosure

{Note to reviewer: [Text] in brackets denotes optional or explanatory language}  
{Note to reviewer: {Text} in braces denotes where in the final label text will appear}  
{BOOKLET FRONT PANEL LANGUAGE}{SIDE PANEL LANGUAGE}

CYFLUTHRIN GROUP 3A INSECTICIDE

# A109.07<sup>[TM]</sup>

[Alternate Brand Name: Tirade CS Pressurized with EnduraCap Technology]

Contains cyfluthrin, the active ingredient used in [PT® Cy-Kick® CS Pressurized Insecticide].

[KILLS: Ants, Aphids, Armyworms, Bed Bugs, Bees, Beetles, Booklice, Bugs (Boxelder, Lace and Plant), Carpenter Ants, Carpenter Bees, Carpet Beetles, Caterpillars, Centipedes, Clover Mites, Cluster Flies, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Fire Ants, Firebrats, Flies, Flour Beetles (Confused, Red, Saw-toothed), Fruitworm, Fungus Gnat Larvae, Grasshoppers, Leafminers, Leafrollers, Loopers, Hornets, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Psylla, Rice Weevils, Scale Insects, Scorpions, Silverfish, Sowbugs, Spiders, Springtails, Thrips, Ticks, Wasps, Waterbugs and Yellowjackets]

[FOR USE IN AND AROUND: Apartments, Homes, Hospitals, Hotels, Food/feed Handling Establishments, Restaurants, Hotels, Hospitals and Nursing Homes (Non-patient Areas), Motels, Hobby Greenhouses, Interiorscapes, Office Buildings, Schools\*, Transportation Equipment (Buses, Boats, Ships, Trains, Planes), Warehouses and Other Commercial and Industrial Buildings

\*DO NOT apply to classrooms when in use.]

[DO NOT use in aircraft cabins.]


For Both Indoor and Outdoor Use

<b>ACTIVE INGREDIENT:</b>	(% by weight)
Cyfluthrin.....	0.1%
<b>OTHER INGREDIENTS:</b> .....	99.9%
<b>TOTAL</b> .....	100.0%
Contains petroleum distillate.	

## KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you DO NOT understand the label, find someone to explain it to you in detail.)

See [below] [inside label booklet] for [additional] [First Aid,] [and] [Precautionary Statements] [and] [Directions for Use].



<b>FIRST AID</b>	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15 - 20 min.</li> <li>• Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give ANY liquid to the person.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 min.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> This product contains petroleum distillate. Do not Induce vomiting. Vomiting may pose an aspiration pneumonia hazard.	
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at <b>1-844-685-9173</b> for emergency medical treatment information.	

**For Chemical Emergency:  
Spill, Leak, Fire, Exposure, or Accident,  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)**

[A109.07] is not manufactured, or distributed by BASF Professional and Specialty Solutions, seller of [PT® Cy-Kick® CS Pressurized Insecticide].

**EPA Reg. No.: 91234-XX**  
**EPA Est. No.:**  
**Net Contents:**

Manufactured for:  
**Atticus, LLC**  
940 NW Cary Parkway, Suite 200  
Cary, NC 27513

{LANGUAGE INSIDE BOOKLET}

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

**Flammable.** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc. Do not spray where electrical short circuits might result, such as in wall outlets, conduits, motors, switches, etc. Product should only be used when can temperature is above 60°F. If can temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**SHAKE WELL BEFORE USING**

{**NOTE TO REVIEWER:** Registrant may add or remove the following state restriction statement as required. (e.g. NOT FOR USE IN CALIFORNIA)}

[\***NOT FOR USE IN** \_\_\_\_\_ ]

[*Alternate text:* See additional labeling for complete Directions for Use. or See full label accompanying product for complete Directions for Use.]

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation.
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g. soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level);
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

**Restrictions:**

- Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not allow to enter indoor or outdoor drains.  
*No permita la entrada a desagües internos o externos.*
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of runoff.
- Avoid contamination of food, utensils, and food preparation areas. Keep children and pets off treated areas until spray has dried. Do not use in classrooms while in use. Do not use in rooms while occupied by the elderly or infirm.
- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply when the wind speed is greater than 15 mph.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Reapplications may be made at 10 day intervals.



**HOW TO USE CRACK AND CREVICE INJECTION SYSTEM**

**CRACK AND CREVICE TREATMENTS:** Use **A109.07** only with the supplied actuator and injection tubes. Inject **A109.07** into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 ft/sec. For heavy Infestations, move injector tip along at 1 ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 5 - 10 sec/3 ft'. Several holes may be required in long running voids.

**SPOT TREATMENTS:** To make a spot treatment, release product onto the surface. Spot treatments must not exceed two square feet in size. (For example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)

**INDOOR TREATMENTS**

**CRAWLING INSECTS - Cockroaches, Spiders, Waterbugs, Silverfish, Crickets, Firebrats:** Apply as a spot treatment and/or crack and crevice treatment into hiding places, cracks and crevices, moist areas and openings around pipes. Treat floors, walls, under pallets, behind shelves and drawers. Apply directly on insects in these locations where possible.

**TICKS:** Thoroughly treat infested and egg laying sites near pet resting areas, cracks and crevices, behind baseboards, and door and window frames.

**BOOKLICE & SILVERFISH:** inject into cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites.

**ANTS:** Treat trails, nests and points of entry around doors, bookcases and storage areas. Apply directly on insects in these locations where possible.

**BED BUGS:** Apply to cracks and crevices where evidence of bed bugs occurs; bed frames, box springs, inside empty dressers and clothes closets, carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on mattresses, pillows, bed linens or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Allow all treated areas to dry thoroughly before use. Not recommended for use as sole protection against bed bugs. If evidence of bed bugs is found in/on mattresses use products approved for this use.

**CARPET BEETLES:** Make applications on and under edge of floor coverings, under carpets and furniture and in closets or other localities where these insects are found.

**STORED PRODUCT PESTS:** Make spot and/or crack and crevice treatment to localized areas; shelves, cupboards, walls and floors where food products suspected of being infested are stored. Remove or cover food before treatment. This treatment is supplemental to good housekeeping, since it will have no effect on Insects within packaging. Discard infested food/food packaging.

#### **FOOD HANDLING ESTABLISHMENTS**

Applications of **A109.07** are permitted in both food/feed and non-food/feed areas of food/feed handling establishments as spot treatments or crack and crevice treatments. Food/feed handling establishments are defined as pieces other than private residences in which exposed food/feed is held, processed, prepared or served. Food/feed areas are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas where food is exposed and the facility is in operation are also considered food areas.

**SPOT AND CRACK AND CREVICE APPLICATION:** Spot or crack and crevice applications may be made while the facility is in operation, except in federally inspected meat and poultry plants. Cover or remove food from the area being treated. Do not apply directly to food or food handling surfaces. May be used in federally inspected meat and poultry plants.

#### **INDOOR AND OUTDOOR TREATMENTS**

**CARPENTER ANTS:** Locate source of infestation. Inject 5 - 10 sec of product into insect tunnels and cavities. Treat trails, points of entry or exit from voids, and around doors and windows. Treatment of trails on tree trunks or fences is permitted.

**FOR ACTIVE AND HIBERNATING STAGES OF BOXELDER BUGS, ELM LEAF BEETLES. CLUSTER FLIES AND CLOVER MITES:** Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Treat infested areas, cracks and crevices, behind siding, wall voids, and around window and door frames.

#### **OUTDOOR TREATMENTS**

**FLYING INSECTS:** Treat outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where insects light or congregate. Treat normal fly resting areas, ceilings, upper corners of the area, around windows and doors, light fixtures and other surfaces known to attract flies. Hold can 1 - 2 ft from target surface and apply at the rate of one 16 oz can/200 - 300 ft<sup>2</sup>. [Alternate Language: "...one 20 oz can/250 - 375 ft<sup>2</sup>..."] of surface area. Treat so as to lightly moisten the target surface. For best results, initiate treatment at the beginning of the fly season and repeat weekly during periods of heavy fly activity.

**MOSQUITO CONTROL OUTDOORS:** Treat shrubbery, vegetation and other areas where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated, but direct application of this product to any body of water is prohibited. Apply at the rate of one 16 oz can/200 - 300 ft<sup>2</sup>. [Alternate Language: "...one 20 oz can/250 - 375 ft<sup>2</sup>..."] of surface area.

**CARPENTER BEES:** Locate entrance holes. Inject 5 - 10 sec of product into entrance holes. Seal bee entrances after application.

**PERIMETER TREATMENT:** For crawling insects, apply to cracks and crevices where insects may enter premises; weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes. Treatment of infested fences and tree holes is permitted. To help prevent infestations of buildings, treat a band of soil 6 - 7 ft wide around and adjacent to the building. Also, treat the building foundation to a height of 2 ft where pests are active and may find entrance. A rate of 14 sec/100 ft<sup>2</sup> is desirable.

**CRAWLING INSECTS:** For treatment of localized infestations of these insects in outdoor areas which are landscaped, planted, mulched or unmaintained, treat infested areas. For ants, wet hills and runways. Treatment of infested fences and tree holes is permitted.

**TREATMENT FOR IN GROUND SERVICE BOXES:** Ants, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Fire Ants, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders (such as Black Widow and Brown Recluse), Springtails. Use actuator equipment to treat open boxes and exposed surfaces. **DO NOT** contact any electrical wiring or mechanical parts of meter.

### {ADDITIONAL LABELING}

{NOTE TO REVIEWER: Registrant may add or remove the following state restriction statement as required. (e.g. NOT FOR USE IN CALIFORNIA)}

[\*NOT FOR USE IN \_\_\_\_\_ ]

### ORNAMENTALS

**KILLS:** Aphids, Armyworms, Bees, Beetles, Bugs (Boxelder, Lace and Plant) Centipedes, Clover Mites, Crickets, Earwigs, firebrats, Flies, Fruitworm, Fungus Gnat Larvae, Grasshoppers, Leafminers, Leafrollers, Loopers, Millipedes, Mosquitoes, Psylla, Scale Insects, Scorpions, Sowbugs, Spiders, Thrips, Wasps and Yellowjackets.

### INDOOR TREATMENTS

(Hobby Greenhouses, Homes, Interiorscapes)

#### FOR USE ON:

**Bedding and garden plants:** Impatiens, Marigolds, Petunias, Geraniums and Garden Mums

**Cut flowers:** Roses, Chrysanthemums, Carnations, Snapdragons and Orchids

**Flowering hanging baskets:** Fuchsia, Lantana, New Guinea Impatiens, Ivy and Geraniums

**Foliage:** Boston Fern, Dracaena, Ficus, Schefflera and Philodendron

**Potted flowering plants:** Poinsettia, Chrysanthemums, Florist's Azaleas, Lilies, African Violets, Geraniums, Hibiscus, Kalanchoes and Begonias

For light infestations, treat at 5 sec/100 ft<sup>2</sup> For heavy infestations, treat at 10 sec/100 ft<sup>2</sup>. Dosage is based on 2 ft high plants.

Use higher or lower dosage based on height of foliage. Move can in a fast sweeping motion to provide maximum coverage maintaining a distance of 18 - 24" away from foliage.

**SPOT TREATMENT:** For individual plants and localized infestations, treat with a light mist on upper and lower leaf surfaces at a distance of 18 - 24" from foliage. Avoid foaming foliage. Treat rows at the rate of 1 ft/sec. For heavy growth, treat on both sides.



## OUTDOOR TREATMENTS

(Landscapes, Ornamental Plants, Shrubs)

### FOR USE ON:

**Flowering Plants:** Alyssum, Begonia, Chrysanthemum, Geranium, Impatiens, Ivy, Marigold, Mock-Orange, Periwinkle, Petunia, Salvia, Snapdragon and Zinnia

**Woody Ornamentals:** Azalea, Camellia, Euonymus, Honeysuckle, Juniper, Lilac, Rhododendron and Rose

**Trees:** Blue Spruce, Dogwood, Maple and Oak

**DO NOT** treat vegetable gardens. For best results, treat when air is still. Use slow sweeping motion, holding the can 18 - 24" from plant. Avoid foaming foliage. Treat rows at the rate of 1 ft/sec. For heavy growth, treat on both sides.

### PLANT SAFETY NOTICE

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. All risks shall be assumed by the user.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

**PESTICIDE STORAGE:** Store in original container and out of reach of children, preferably in a locked storage area. Store in a cool, dry area away from heat or open flame

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **CONTAINER HANDLING:**

**DO NOT** puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency for disposal instructions.

**Nonrefillable container.** Do not reuse or refill this container. Empty residue into application equipment. Offer container and foil bag for recycling, if available, or dispose of container and/or foil bag in a sanitary landfill or by incineration, if allowed by State and local authorities.

### LIMITATION OF WARRANTY AND LIABILITY

**IMPORTANT: READ BEFORE USE.** Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

[A109.07 is a trademark of Atticus, LLC.]

[PT®] and [Cy-Kick® [is] [are] [a] registered trademark[s] of BASF.]

**{LANGUAGE ON LABEL AFFIXED TO CONTAINER}**

CYFLUTHRIN	GROUP 3A	INSECTICIDE
------------	----------	-------------

**A109.07™**

[Alternate Brand Name: *Tirade CS Pressurized with EnduraCap Technology*]

[Contains cyfluthrin, the active ingredient used in PT® Cy-Kick® CS pressurized Insecticide].

[[KILLS: Ants, Aphids, Armyworms, Bed Bugs, Bees, Beetles, Booklice, Bugs (Boxelder, Lace and Plant), Carpenter Ants, Carpenter Bees, Carpet Beetles, Caterpillars, Centipedes, Clover Mites, Cluster Flies, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Fire Ants, Firebrats, Flies, Flour Beetles (Confused, Red, Saw-toothed), Fruitworm, Fungus Gnat Larvae, Grasshoppers, Leafminers, Leafrollers, Loopers, Hornets, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Psylla, Rice Weevils, Scale Insects, Scorpions, Silverfish, Sowbugs, Spiders, Springtails, Thrips, Ticks, Wasps, Waterbugs and Yellowjackets]

[FOR USE IN AND AROUND: Apartments, Homes, Hospitals, Hotels, Food/feed Handling Establishments, Restaurants, Hotels, Hospitals and Nursing Homes (Non-patient Areas), Motels, Hobby Greenhouses, Interiorscapes, Office Buildings, Schools\*, Transportation Equipment (Buses, Boats, Ships, Trains, Planes), Warehouses and Other Commercial and Industrial Buildings

\*DO NOT apply to classrooms when in use.  
[DO NOT use in aircraft cabins.]

<b>ACTIVE INGREDIENT:</b>	(% by weight)
Cyfluthrin.....	.0.1%
<b>OTHER INGREDIENTS:</b> .....	<u>99.9%</u>
<b>TOTAL</b> .....	100.0%

Contains petroleum distillate.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15 - 20 min.</li> <li>• Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give ANY liquid to the person.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 min.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> This product contains petroleum distillate. Do not induce vomiting. Vomiting may pose an aspiration pneumonia hazard.	
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at <b>1-844-685-9173</b> for emergency medical treatment information.	

**For Chemical Emergency:**  
Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS: Flammable.** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc. Do not spray where electrical short circuits might result, such as in wall outlets, conduits, motors, switches, etc. Product should only be used when can temperature is above 60°F. If can temperature is below 60T, store at room temperature until a temperature above 60°F is reached.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

**PESTICIDE STORAGE:** Store in original container and out of reach of children, preferably in a locked storage area. Store in a cool, dry area away from heat or open flame

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:**  
**DO NOT** puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency for disposal instructions.  
**Nonrefillable container.** Do not reuse or refill this container. Empty residue into application equipment. Offer container and foil bag for recycling, if available, or dispose of container and/or foil bag in a sanitary landfill or by incineration, if allowed by State and local authorities.

See inside label booklet for additional Precautionary Statements and Directions for Use.

[A109.07 is not manufactured, or distributed by BASF Professional and Specialty Solutions, seller of PT® Cy-Kick® CS Pressurized Insecticide].

Manufactured for:  
**Atticus, LLC**  
940 NW Cary Parkway, Suite 200  
Cary, NC 27513

**EPA Reg. No.: 91234-XX**  
**EPA Est. No.:** \_\_\_\_\_  
**NET CONTENTS:** \_\_\_\_\_

{Optional Marketing graphics}

