


91266-1

03/10/2015

1/4

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)</p>	EPA Reg. Number: 91266-1	Date of Issuance: 03/10/2015
	Term of Issuance: Unconditional	
	Name of Pesticide Product: Oxalic Acid Dihydrate	
<p>Name and Address of Registrant (include ZIP Code): United States Department of Agriculture, Agricultural Research Service, Bee Research Laboratory 10300 Baltimore Ave. Building 306 Beltsville, MD 20705</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/registration review of your product when the Agency requires all registrants of similar products to submit such data. 2. Make the following label changes before you release the product for shipment: <ul style="list-style-type: none"> • Revise the EPA Registration Number to read, "EPA Reg. No. 91266-1." 3. Submit one copy of the revised final printed label for the record before you release the product for shipment. 		
<p>Signature of Approving Official:</p>  <p>Meredith F. Laws, Chief Invertebrate-Vertebrate Branch 3, Registration Division (7505P)</p>	<p>Date: 03/10/2015</p>	

EPA Form 8570-6

Page 2 of 2
EPA Reg. No. 91266-1
Decision No. 497398

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following Confidential Statement of Formula (CSF):

- Basic CSF dated 01/14/2015

If you have any questions, please contact Jacquelyn Marchese at (703) 347-0559 or marchese.jacquelyn@epa.gov.

Meredith F. Laws, Chief
Invertebrate-Vertebrate Branch 3
Registration Division (7505P)

Enclosure: Label

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
DANGER**

Acute Hazards: May be fatal if swallowed. Harmful if inhaled. Corrosive. Causes irreversible eye damage.

Hazard avoidance: Do not breathe dust or fumes. Do not get in eyes, on skin, or on clothing. Wear protective clothing, eyewear, and respiratory protection as listed under "Personal Protective Equipment." Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE EQUIPMENT:
Handlers and Applicators who apply product by the Solution Method must wear:**

- Long-sleeved shirt and long pants
- Socks and shoes
- Protective gloves
- Protective eyewear such as goggles
- Half-face respirator with cartridge and/or particulate filter

Handlers and Applicators who apply product by the Vaporizer Method must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Protective gloves
- Protective eyewear (goggles or face shield)
- Half-face respirator with cartridge and/or particulate filter

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Oxalic Acid Dihydrate

For Varroa mite control on bees

Active Ingredient:
Oxalic Acid Dihydrate..... 97.0%
Inert Ingredients:..... 3.0%
TOTAL..... 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER-PELIGRO**



ACCEPTED
03/10/2015
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registration number: EPA Reg. No. 91266-1

FIRST AID

If swallowed	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -DO NOT INDUCE VOMITING unless told to by the poison control center or doctor. -Do not give anything to an unconscious person.
If on skin or clothing	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for advice.
If inhaled	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. DO NOT use mouth-to-mouth method if victim ingested or inhaled the substance, use respiratory medical device. -Call a poison control center or doctor for advice.
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Website: www.npic.orst.edu).

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Provide general supportive measures and treat symptomatically. Treatment should be rapidly instituted by giving a dilute solution of calcium lactate, limewater, finely pulverized chalk, plaster, and/or milk to supply large amounts of calcium to inactivate oxalate by forming an insoluble calcium salt in the stomach. Gastric lavage is controversial, since this may compound an already severe corrosive lesion in the esophagus or stomach. However, if used, gastric lavage should be done with limewater (calcium hydroxide). Intravenous gluconate or calcium chloride solutions should be given to prevent hypocalcemic tetany; in severe cases parathyroid extract also has been given. Additionally, acute renal failure should be anticipated, and careful fluid management is necessary. Metabolically its toxicity is believed to be due to the capacity of oxalic acid to immobilize calcium and thus upset the calcium-potassium ratio in critical tissues. Effective therapy against burns from oxalic acid involves replacement of calcium.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label. This product must be used strictly in accordance with this label's precautionary statements and use directions, as well as with all applicable State and Federal laws and regulations.

USE RESTRICTIONS:

Oxalic Acid Dihydrate applications are for outdoor use only.

DO NOT use in enclosed overwintering areas.

Use only in late fall or early spring when little or no brood is present. Oxalic Acid Dihydrate might damage bee brood. Oxalic Acid Dihydrate will not control Varroa mites in capped brood.

Do not use when honey supers are in place to prevent contamination of marketable honey.

Apply only when monitoring indicates treatment is required. Consult state guidelines and local extension experts for monitoring protocols and thresholds for treatment.

(See next page for additional DIRECTIONS FOR USE)

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE, Bee Research Laboratory
10300 Baltimore Avenue, Bldg. 306, Rm. 315
BARC-EAST
Beltsville, MD 20705

EPA Reg. No. 91266-R
EPA Est. No. xxxxx-xx
Net Contents: _____

Batch Code No.: _____

4/4

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

PLASTIC CONTAINER DISPOSAL: Triple rinse container (or equivalent) promptly after use. Offer for recycling, if available. Otherwise, puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE, continued

APPLICATION DIRECTIONS:

Oxalic acid is used to treat colonies during low brood periods, packages, or swarms. This product can also be used as a "clean up" Varroa treatment following the application of a different acaricide where Varroa infestations continue to be problematic.

SOLUTION METHOD:

NOTE: To completely dissolve Oxalic Acid Dihydrate, use warm syrup.

Dissolve 35 g of Oxalic Acid Dihydrate in 1 liter of 1:1 sugar: water (weight:volume). Smoke bees down from the top bars. With a syringe or an applicator, trickle 5 ml of this solution directly onto the bees in each occupied bee space in each brood box. The maximum dose is 50 ml per colony whether bees are in nucs, single, or multiple brood chambers. Under certain unfavorable conditions (e.g., weak colonies, unfavorable overwintering conditions), this application methods may cause some bee mortality or overwintering bee loss.

VAPORIZER METHOD:

Apply only to outdoor colonies with a restricted lower hive entrance. Seal all upper hive entrances and cracks with tape to avoid escape of Oxalic Acid vapor. Smoke bees up from the bottom board, Place 1.0 g per brood chamber of Oxalic Acid Dihydrate powder into vaporizer. Follow the vaporizer manufacturer's directions for use. Insert the vaporizer apparatus through the bottom entrance. Apply heat until all Oxalic Acid has sublimated.

SPRAYING PACKAGE BEES

Ensure bees are clustered before applying oxalic acid (for example store in cool dark location 24 hours before application).

Spray broodless package bees with a 1:1 sugar:water solution at least 2 hours before spraying with oxalic acid. This allows bees to fill honey stomachs with sugar water reducing ingestion of oxalic acid.

Mix a 2.8% oxalic acid solution by dissolving 35 g of Oxalic Acid Dihydrate in 1 liter of 1:1 sugar: water (weight:volume). Evenly apply 3.0 mL of 2.8% oxalic acid solution per 1,000 bees using a pump sprayer or battery powered sprayer (for example, a typical 2 lb package contains approximately 7,000 bees which requires 21 mL of solution). Apply solution evenly on both sides of the package.

Store bees in a cool darkened room for 72 hours before hiving.

RESISTANCE MANAGEMENT: Oxalic acid's mechanism of action is unknown at this time. Any Varroa mite population has the potential to become resistant to acaricides. Resistance development is affected by both the frequency of application and rate/dose of application. Continued reliance on a single class of miticide or single miticide with the same mode of action will select for resistant individuals which may dominate the mite population in subsequent generations. In order to prevent resistance development and to maintain the usefulness of individual insecticides it is important to adopt appropriate resistant management strategies.

To delay resistance:

- When possible, rotate the use of miticides to reduce selection pressure as compared to repeatedly using the same product, mode of action or chemical class. If multiple applications are required, use a different mode of action each time before returning to a previously-used one.
- Base miticide use on Integrated Pest Management (IPM). This includes proper pest identification, monitoring for locality specific economic threshold and economic injury levels, record keeping, and utilizing all available control practices (cultural, biological and chemical).
- Maximize efficacy by following all label instructions including dosage and timing of application.