



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91300-5

Date of Issuance:

10/4/16

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 10/04/2018

Name of Pesticide Product:

Promika ZoGuard Plus for Dogs

Name and Address of Registrant (include ZIP Code):

Ann. M. Tillman, Ph.D.
 Promika, LLC
 c/o Pyxis Regulatory Consulting, Inc.
 4110 136th Street. CT NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 03
 Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

Date:

10/4/16

2. This registration is time-limited and expires 10/04/2018.
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred (mm/dd/yyyy)
 - State in which the incident occurred (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
- Table showing number of incidents for each dog breed, where provided.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. You are required to comply with the data requirements described in the DCI Order identified below:
 - a. Fipronil GDCI-129121-1305
GDCI-129121-152

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation

Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

6. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
7. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 91300-5."
8. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSF:

- Basic CSF dated 02/22/2016

If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Enclosure

[text in [] denotes optional language]
{text in {} denotes location of text on packaging, notes to reviewer, text that will not be on final label}
(text in () appears on label)

{Front Panel of Carton}

Promika ZoGuard Plus for Dogs

{The word “Dogs” in the product name will be 75% of the height of the largest letter in the primary brand name.}

{Large clear picture of dog in appropriate breed/weight class on front panel to be included}



{a 1.5cm x 1.5cm cat prohibition icon in a box located at the lower right hand corner of the front panel in yellow with black images}

{The following statements will appear on the front panel.}

For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] and 8 weeks or older {OR}
For use ONLY on dogs and puppies 5[-] [to] 22 lbs and 8 weeks or older {OR}
For use ONLY on dogs & puppies 5[-] [to] 22 lbs and 8 weeks or older {OR}
ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and 8 weeks or older {OR}
ONLY For Dogs & Puppies 8 weeks or older and 5[-][to] 22 lbs {OR}
ONLY For Dogs & Puppies 8 weeks or older & 5[-][to] 22 lbs

{Optional Marketing Claim}
[[3][6][12] Month Supply]

{When used, all three optional statements below will appear together on the same panel.}
[Contains Fipronil and (S)-Methoprene, the active ingredients used in FRONTLINE® Plus for Dogs]
[Frontline is a registered trademark of Merial]
[(Brand Name) is not manufactured or distributed by Merial, seller of Frontline® Plus for Dogs]

{See optional graphics on page 8 of this label that may or may not appear on front panel of carton}

ACTIVE INGREDIENTS:

Fipronil..... 9.80%
(S)-Methoprene..... 8.80%

OTHER INGREDIENTS: 81.40%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Back Panel for Additional Precautionary Statements and First Aid

See Side Panel for Storage and Disposal

See inside panels and insert for additional Directions for Use

Net Contents: X fl. oz. [(mL)]
[3][Three][6][Six][12][Twelve]
[[3][6][12] Applications]
[0.023 fl oz (0.67 mL) applicators] [0.045 fl oz (1.34 mL) applicators]
[0.091 fl oz (2.68 mL) applicators]] [0.136 fl oz (4.02 mL) applicators]

{BACK PANEL OF CARTON}



[In Case of Emergency, call: XXX-XXX-XXXX]

[Non-Emergency, call XXX-XXX-XXXX]

[Formulated in USA]

[Manufactured For][Distributed By]:

Promika, LLC.

501 Cascade Pointe Lane, Suite 102

Cary, NC 27513

EPA Reg. No. 91300-XX

EPA Est. No. XXXX-XXX-XXX

READ ENTIRE LABEL BEFORE EACH USE.

{One of these statements will be used}

USE ONLY ON DOGS AND PUPPIES 5 LBS AND OVER & 8 WEEKS OF AGE OR OLDER {OR} USE ONLY ON DOGS AND PUPPIES 5 LBS AND OVER AND 8 WEEKS OF AGE OR OLDER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

FIRST AID	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information, you may contact SafetyCall at 1-844-685-9173 seven days a week, 24-hours a day.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs.

{The following text in a box will be placed in the lower right hand corner of back panel immediately above the cat warning box.}

Side Effects (Dogs): Monitor your dog after application. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. In some cases gastrointestinal signs such as vomiting and diarrhea may occur. If these or other side effects occur, consult your veterinarian or call SafetyCall at 1-844-685-

9173. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

How to open:

Refer to package insert for directions on how to open package.

How to apply:

Remove product applicator from the package. Separate one applicator from the others. Hold the applicator with notched end pointing up and away from the face and body.

[Snap the outline of the tip back to allow access to the [dotted tip of the] applicator]]. {OR}

[Snap the applicator tip [backwards] [across the marked line] [to allow access to the] [dotted tip] [notches]]. {OR}

[Holding the applicator away from your and your dog's eyes, snap the applicator tip [at notched line] to open.]

Invert applicators over dog and use open end to part dog's hair. Squeeze applicator firmly to apply all of the solution to a single spot on the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

{For cartons containing 0.67 mL (0.023 fl oz) applicators}

Only For Dogs Weighing 5 [-] [to] 22 lbs. & 8 weeks and older. Do not apply to dogs or puppies weighing less than 5 lbs.

Apply one applicator (0.67 mL)(0.023 fl oz)

[as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 1.34 mL (0.045 fl oz) applicators}

Only For Dogs Weighing 23 [-] [to] 44 lbs. & 8 weeks and older.

Apply one applicators(1.34 mL)(0.045 fl oz)

[as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 2.68 mL (0.091 fl oz) applicators}

Only For Dogs Weighing 45 [-] [to] 88 lbs. & 8 weeks and older.

Apply one applicator (2.68 mL)(0.091 fl oz)

[as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 4.02 mL (0.136 fl oz) applicators}

Only For Dogs Weighing 89 [-] [to] 132 lbs. & 8 weeks and older. Do not use more than one applicator per treatment for one dog regardless of the dog's weight.

Apply one applicator (4.02 mL)(0.136 fl oz)

[as a spot [on] [to] the dog's back between the shoulder blades.]

FREQUENCY OF APPLICATION

Use [Brand Name] [this product] monthly for control of fleas, ticks, [and] chewing lice, [and mosquitos]. [Studies show that] [Brand Name] [this product] kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks[,] [mosquitoes] and chewing lice. [Brand Name] [This product] remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Avoid contact with treated area until dry. Do not reapply for [30 days] [4 weeks].

{a 1.5 cm x 1.5 cm cat prohibition icon and warning text in a box, black on yellow background, will be placed on the lower right hand corner of back panel.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

{INSIDE PANELS OF CARTON}

Promika ZoGuard Plus for Dogs

{The following statements will appear on the inside panel of the carton.}

For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] and 8 weeks or older {OR}
For use ONLY on dogs and puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}
For use ONLY on dogs & puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}
ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and 8 weeks or older {OR}
ONLY For Dogs & Puppies 8 weeks or older and 5[-][to] 22 lbs {OR}
ONLY For Dogs & Puppies 8 weeks or older & 5[-][to] 22 lbs

[[Brand Name] [This product] contains Fipronil and (S)-Methoprene [insect growth regulator] [IGR] to effectively kill fleas and ticks [including those that may transmit Lyme disease]. [The active ingredients in [Brand Name]][This product] features a formula developed for fast acting [and long lasting for up to [4 weeks]][30 days]] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4][four] weeks] on dogs.]

[Application Instructions] {OR} [Directions for Use]

How to Open

Refer to package insert for directions on how to open package.

How to Apply

Remove product applicator from the package.

Separate one applicator from the others. Hold the applicator with notched end pointing up and away from the face and body.

[Snap the outline of the tip back to allow access to the [dotted tip of the] applicator]]. {OR}

[Snap the applicator tip [backwards] [across the marked line] [to allow access to the] [dotted tip] [notches]]. {OR}

[Holding the applicator away from your and your dog's eyes, snap the applicator tip [at notched line] to open.]

Invert applicator over dog and use open end to part dog's hair.

[Squeeze applicator firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.]

Allow the area to dry. Avoid contact with treated area until dry. Only one applicator per treatment is needed.

RESTRICTIONS

Do not allow your dog to ingest this product.

Do not use on puppies under 8 weeks of age and less than [5][23][45][89] lbs.

Use entire contents of applicator on each dog.

Do not split one applicator between dogs.

Do not use multiple applicators on one dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

Be sure your dog is dry before application and keep your dog dry for 24 hours after application.

Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Do not apply more frequently than once every 4 weeks.

[Optional pictogram]



[Look at the Label (Look at the Label icon) [Easy]

6 Step [Easy] [Spot On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your dog

- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate dogs after [treatment] [application] from other animals to avoid chance of ingestion
- [6] Do NOT split applicators between dogs [and use the ENTIRE applicator contents]

Promika, LLC.
501 Cascade Pointe Lane, Suite 102
Cary, NC 27513

**[WARRANTY]
[LIMITATION OF WARRANTY AND LIABILITY]**

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of [Company]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, [Company] makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither [Company], the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.]

{SIDE PANEL 1}

[[Brand name]][This product]. Three month supply. ONLY for Dogs & Puppies 8 weeks or older and 5 lb. or over

{SIDE PANEL 2}

[[Brand name]][This product]. ONLY for Dogs & Puppies 8 weeks or older and 5 lb. or over

{SIDE PANEL 3}

[[Brand name]][This product]. ONLY for Dogs & Puppies 8 weeks or older and 5 lb. or over

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Optional recycling graphic}



{SIDE PANEL 4}

[[Brand name]][This product]. ONLY for Dogs & Puppies 8 weeks or older and 5 lbs and over
[BAR CODE AREA] [Lot code; only number will appear]


{Begin Package Insert}

Promika ZoGuard Plus for Dogs

How to Open:

REMOVE AND OPEN PACKAGE

1. Cut along scissor cut line to separate unit



2. Turn unit over and cut corner at bulb end



3. From cut corner, peel backing completely off from bottom to top



4. Remove the applicator





























OPEN APPLICATOR

Hold upright with foil side away from you and snap applicator tip back to open.

{End Package Insert}

{Optional graphics below may or may not appear anywhere on finished label}

	Adult Flea	
	Fleas	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	

{May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from an applicator on front, side, back, inside carton panels.}

{START – APPLICATOR LABEL}

<p>{Brand Name} For Dogs [X-Y] lbs and ≥ 8 wks fipronil 9.8%, (S)-methoprene 8.8% 0.023 fl oz {or} 0.045 fl oz {or} 0.091 fl oz {or} 0.136 fl oz Lot/Batch No. {only number will appear}</p>	<p>KEEP OUT OF REACH OF CHILDREN CAUTION. Read accompanying label before use. [Use scissors to open.] EPA REG. No. 91300-xx</p> 
--	---

{END – APPLICATOR LABEL}

{START – OUTER BLISTER LABEL}

<p>{Brand Name} For Dogs [X-Y] lbs ≥ 8 wks fipronil 9.8%, (S)-methoprene 8.8% 0.023 fl oz {or} 0.045 fl oz {or} 0.091 fl oz {or} 0.136 fl oz Lot/Batch No. {only number will appear}</p>	<p>KEEP OUT OF REACH OF CHILDREN CAUTION. For External Use Only. Read accompanying label before use. EPA REG. No. 91300-xx {label code}</p>
--	---

{IMAGE FOR OUTER BLISTER LABEL}



{END – OUTER BLISTER LABEL}

{Optional Marketing Claims}

Mosquitoes

Kills mosquitoes [within 24 hours for up to 7 days and within 48 hours for up to 28 days, with monthly application]

Chewing Lice

Kills chewing lice

Rapid elimination of chewing lice infestations

A once monthly application required to control chewing lice

Adult Fleas

Kills [adult] Fleas

Kills newly emerged adult Fleas before they lay eggs

Kills Adult Fleas, which may be a source of flea allergy dermatitis

Kills Fleas Up to [4 weeks] [1 month] [30 days]!

If dog is a high risk for flea reinfestation, a once month application may be needed

Multiple Infestations

Kills chewing lice [and controls mites that may cause sarcoptic mange

Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 5 lbs and over and 8 weeks old [&] [and] older

Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]

Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, flea larvae [&] [and] [prevents the development of flea pupae]

Kills Fleas, Ticks [&] [and] [Mosquitoes]

Breaks the Flea Life Cycle [when used monthly]

Monthly flea, tick, [mosquito], chewing lice and flea egg protection

Monthly flea, tick, [mosquito] and chewing lice protection

Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice

[Seven] [7] Way [Action] [Effectiveness] [Control] kills fleas, ticks, mosquitoes, chewing lice, flea eggs, flea larvae and prevents the development of flea pupae

[Six] [6] Way [Action] [Effectiveness] [Control] kills fleas, ticks, chewing lice, flea eggs, flea larvae and prevents the development of flea pupae

[Five] [5] Way [Action] [Effectiveness] [Control] kills fleas, ticks, chewing lice, flea eggs & flea larvae

[Six] [6] Way [Action] [Effectiveness] [Control] kills fleas, ticks, mosquitoes, chewing lice, flea eggs & flea larvae

[Five] [5] Way [Action] [Effectiveness] [Control] kills fleas, ticks, chewing lice, flea eggs & flea larvae

[Four] [4] Way [Action] [Effectiveness] [Control] kills fleas, ticks, chewing lice, flea eggs

[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!

[Four (4) Week] [1 month] [30 day] [Flea, Tick, and Chewing Lice Control

[Four [4] Week] [1 month] Flea, Tick, [Mosquito] and Chewing Lice Control

Use [Brand Name][This product] monthly to break the flea life cycle

Use [Brand Name][This product] monthly to control ticks and chewing lice

Monthly flea, tick, [mosquito,] flea egg, flea larvae and chewing lice protection

Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]

Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!

Kills Fleas, [and] [&] Ticks [and Mosquitoes] for up to [4 weeks] [1 month]!

Kills Fleas, Ticks, Flea Eggs [and] [&] Flea Larvae for up to [4 Weeks] [1 month] [30 days]

Ticks

Kills Ticks including those that may transmit Lyme disease

Kills Ticks for Up to [4 weeks] [1 month] [30 days]!

Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days]] [per application]

Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]

Kills [brown dog ticks [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks][,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]

Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!

Flea Eggs and Larvae

Controls flea reinfestation

Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae.

Effectively controls all stages of the flea [including adult fleas, flea eggs, flea larvae] and prevents the development of flea pupae

Effective against all stages of the flea [including adult fleas, flea eggs, flea larvae] and prevents the development of flea pupae

If dog is a high risk for flea reinfestation, a once month application may be needed

Prevents from developing, flea eggs [larvae] [pupae]

With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle

With (S)-methoprene to Break Flea Life Cycle

With Insect Growth Regulator [IGR] to Break Flea Life Cycle

Dual Action [!]: Fipronil with (S)-methoprene IGR [insect growth regulator] Effectively Breaks the Flea Life Cycle

Kills Flea Eggs & Flea Larvae!

Prevents Flea Eggs From Developing Into Biting Adults

Prevents all stages of the flea life cycle from developing

Controls reinfestation of fleas

Effective against all stages of the flea life cycle

Effectively controls all stages of the flea life cycle

All Others

For Dogs and Puppies 5 lbs and over and 8 weeks of age or older

Can be used on puppies 5 lbs and over and 8 weeks of age and older

For Dogs & Puppies 5 lbs and over and 8 weeks of age or older

For Dogs [5-22 lbs.], [23-44 lbs.], [45-88 lbs.], [89-132 lbs.] and 8 weeks of age or older

Convenient spot treatment

Fast Acting

Easy to Use [Application]

Best if used year round!

For year-round protection, apply [Brand Name] monthly

(ICON Showing [4 week] [1 month] [30 day] Protection)

Apply monthly

Prevents reinfestation of listed pests for [4 weeks] [1 month]

Apply once every [4 weeks] [month] [30 days]!

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[Three Applications][Six Applications][12 Applications]

[3 Month Supply][6 Month Supply][12 Month Supply]

Controls mites that may cause sarcoptic mange

Waterproof

Effective after bathing and exposure to water and sunlight

Can be used on breeding, pregnant, and lactating [bitches] [female] [dogs]

Fipronil (9.8%) + (S)-methoprene (8.8%)

Controls and prevents infestation of listed pests for [4 weeks][1 month]

Controls existing infestation and prevents establishment of additional infestation of listed pests

Lift [here] for more information

Open [here] for more information

Image of an arrow to show Open here for more information

{When used, all three optional statements will appear together.}

Contains Fipronil and (S)-methoprene, the active ingredients used in FRONTLINE® Plus for Dogs

Frontline is a registered trademarks of Merial

(Brand Name) is not manufactured or distributed by Merial