



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91384-4

Date of Issuance:

7/11/19

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 07/11/2021

Name of Pesticide Product:

A2 for Cats

Name and Address of Registrant (include ZIP Code):

Richard Conn, Agent
 CAP IM Supply, Inc.
 c/o Conn & Smith, Inc.
 6713 Catskill Road
 Lorton, VA 22079-1113

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

7/11/19

Venus Eagle, Product Manager 01
 Invertebrate & Vertebrate Branch 3, Registration Division (7505P)

2. This registration is time-limited and expires 07/11/2019.
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred. (mm/dd/yyyy)
 - State in which the incident occurred. (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for cats showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - Summary table for dogs and table for cats showing number of incidents that are believed

- due to secondary exposure (e.g., multi-pet households).
- A summary table for cats showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of cat incidents for each severity code for each pet weight range on the product label, as applicable.
 - A summary table for cat weight showing number of incidents for each product weight range. This table should show number of incidents in cats weighing less than that product weight range, number of incidents in cats in lower half of weight range, number of incidents in cats in upper half of weight range, and cats weighing more than the product weight range, as applicable.
 - Table showing number of incidents for each cat breed, where provided.
 - Table showing number of incidents in cats for each clinical sign.
 - Table showing number of incidents in cats for each organ system.
 - Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:

- Imidacloprid GDCI-129099-951
- Imidacloprid EDSP-129099

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

6. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, "EPA Reg. No. 91384-4."

7. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from

the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 6/21/2018

If you have any questions, please contact Dee Colby by phone at 703-347-8657, or via email at colby.deanna@epa.gov.

Enclosure: stamped label

{NOTE TO REVIEWER: Optional text appears in brackets: [] - the final label may include some or all the optional text on front, back, side, or inside label panels. { } are for notes to reviewer and text location/positioning.}

{Front Panel}

A2 for Cats

{Alternate Brand Names are listed at the end this draft label. The words “for Cats” is included in each product name and will be at least 75% of the height of the largest letter in the product name. A large clear picture of a cat in the weight range of the product as packaged will be on the front panel. If an alternate brand name is used, it will substitute wherever A2 for Cats appears in this label.}

Monthly Topical Flea Prevention and Treatment for Cats

{Only one of the following statements will appear on appropriate weight band market label prominently on front panel, enclosed is a box, as required per Agency’s pet spot-on mitigation measures.}
[For Use ONLY on Cats 8 Weeks and Older and Weighing 5-9 lbs] {for 0.4 mL tubes}
[For Use ONLY on Cats 8 Weeks and Older and Weighing Over 9 lbs] {for 0.8 mL tubes}

<u>Active Ingredients</u>	<u>% By Weight</u>
Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients	90.44%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN


WARNING

See back panel for First Aid and Precautionary Statements. For all information including Directions for Use and Storage and Disposal see package insert inside.

Net Contents:

{For blister packaging with pre-filled tubes}
[[3][4][6][8] tubes, each 0.014 fl oz (0.4 mL)]
[[3][4][6][8] tubes, each 0.027 fl oz (0.8 mL)]

{For screw top tube packaging}
[[3][4][6][8] tubes, each 0.014 fl oz (0.4 mL)]
[[3][4][6][8] tubes, each 0.027 fl oz (0.8 mL)]



{Back Panel}

A2 for Cats

Monthly Topical Flea Prevention and Treatment for Cats
For Use ONLY on Cats 8 Weeks and Older and Weighing [5-9 lbs][Over 9 lbs]

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations [on Cats]

FIRST AID	
If In Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375.	
NOTE TO PHYSICIAN	
Treat the patient symptomatically.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats under 8 weeks of age or weighing less than [5 lbs][9 lbs]. Do not get this product in cats' eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hyper salivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-855-844-4375.

For consumer questions call
1-888-261-4657

{Alternate numbers may be added for supplemental distributor brand names added through EPA Form 8570-5. All phone numbers will be monitored by representatives for CAP IM Supply, Inc. If an additional phone number is added for a distributor registration, it will forward if unanswered to the phone number above .}

For medical emergencies call 1-855-844-4375

[Sample – Not for [Re]Sale]

{When used, samples in cartons containing 3 or 4 tubes and in approved CRP configurations will bear the complete label.}

CAP IM Supply, Inc.
2825 East Cottonwood Pkwy, Suite 500
Salt Lake City, UT 84121

[Made in USA]

Lot No. 0000000 {Lot number may appear on the bottom of the package.}

{Insert}

A2 for Cats

Monthly Topical Flea Prevention and Treatment for Cats

{Only one of the following statements will appear prominently on appropriate weight band market label enclosed in a box, as required per Agency's pet spot-on mitigation measures.}
[For Use ONLY on Cats 8 Weeks and Older and Weighing 5-9 lbs] {for 0.4 mL tubes}
[For Use ONLY on Cats 8 Weeks and Older and Weighing Over 9 lbs] {for 0.8 mL tubes}

READ THE ENTIRE LABEL BEFORE EACH USE

<u>Active Ingredients</u>	<u>% By Weight</u>
Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients	90.44%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID	
If In Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375.	
NOTE TO PHYSICIAN	
Treat the patient symptomatically.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Keep children and pets away from treated animal until treated area has dried.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats under 8 weeks of age or weighing less than [5 lbs][9 lbs]. Do not get this product in cats' eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hyper salivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-855-844-4375.

For consumer questions call
1-888-261-4657

{Alternate numbers may be added for supplemental distributor brand names added through EPA Form 8570-5. All phone numbers will be monitored by representatives for CAP IM Supply, Inc. If an additional phone number is added for a distributor registration, it will forward if unanswered to the phone number above .}

For medical emergencies call 1-855-844-4375

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To prevent harm to you and your cat, read the entire label and package insert before each use. Follow all directions and precautionary statements carefully.

USE RESTRICTIONS:

- Use only on cats 8 weeks and older and weighing [5-9 lbs][over 9 lbs].
- Do not use on other animals.
- Do not allow your cat to ingest this product.
- Do not exceed labeled dosage amount for cats.
- Do not apply more than one (1) tube per treatment, even for larger cats.
- Cat should be dry prior to application and keep cat dry for 24 hours after the application [for product to work effectively].
- Do not allow cats to groom each other until product has dried.

{This product has two alternative Child Resistant Packaging types listed here in the same sequence as illustrated below: 1) blister packaging with pre-filled tubes and 2) screw top tube.}

{For blister packaging with pre-filled tubes, the CRP is a strip of 3 or 4 blister pack or a square blister containing 4 tubes with applicator tubes and a strip of 3 blister pack; SAUE opening instructions are on the blister and will not change in text or format from that used in testing.}

HOW TO OPEN

1. Remove one tube from package and hold in an upright position pointed away from your face.



2. Pull off cap. Turn the cap around and place on top.




3. Simply press cap down to break the seal of the tube. Remove cap carefully.



{For screw top tube CRP packaging}

HOW TO OPEN

Remove inner tray from carton. Firmly grasp one tube and pull away from tray. Hold tube firmly in one hand. With the other hand, push down firmly on the cap and turn counter clockwise (to the left). Continue twisting cap until it comes off the tube. Turn the cap around and place opposite end of cap back on tube. Twist cap to break seal. Remove cap from tube.




HOW TO APPLY

1. Prepare tube as shown in “How to Open”.
2. Position the tip of the tube on the cat’s back between the shoulder blades. Use the tip of the tube to part the cat’s hair so that the product will be applied at skin level. Squeeze tube, applying

entire contents in a single spot on the cat's skin. Separate treated cat from other [dogs and cats][pets] for 24 hours after treatment has been applied. Do not allow your cat to ingest this product or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat.

{The following visual is optional for either type of CRP.}



3. Discard empty tube and packaging as described in the Storage and Disposal section.
4. Apply monthly for optimal control and prevention of fleas.

PRODUCT INFORMATION

The successive feeding activity of fleas on cats frequently elicits a hypersensitivity skin disorder known as flea allergy dermatitis (FAD) or flea bite hypersensitivity. Treatment of cats with A2 for Cats kills fleas and may reduce the incidence of this condition.

A2 for Cats kills existing fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks.

[A2 for Cats provides multi-stage flea control effectively breaking the flea life-cycle for lasting control of fleas.] [A2 for Cats kills adult fleas quickly, within 12 hours, and inhibits the development of immature flea life stages and prevents them from reaching the biting adult stage.]

A2 for Cats is waterproof after 24 hours and remains effective following a shampoo treatment, or after exposure to rain or sunlight.

Apply monthly treatments for optimal control and prevention of fleas on cats.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{NOTE TO REVIEWER: A warranty statement of any kind is optional, but if a warranty statement is used, the following two alternative options are proposed:}

[LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.]

[WARRANTY

To the extent consistent with applicable law, CAP IM Supply, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.]

For consumer questions call

1-888-261-4657

{Alternate numbers may be added for supplemental distributor brand names added through EPA Form 8570-5. All phone numbers will be monitored by representatives for CAP IM Supply, Inc. If an additional phone number is added for a distributor registration, it will forward if unanswered to the phone number above .}

For medical emergencies call 1-855-844-4375

EPA Reg. No. 91384-XXX

CAP IM Supply, Inc.
2825 East Cottonwood Pkwy, Suite 500
Salt Lake City, UT 84121

{Blister Text - when CRP strip or square of 3 or 4 blister pack with non-CRP tube is used to produce packages containing 3, 4, 6, and 8 tubes. Blister text will appear on each blister that contains tubes.}

{The following SAUE graphic demonstrating dotted line with scissors icon and arrow to peel back, will appear on the CRP blister pack:}



A2 for Cats

[For use] ONLY [for use] on cats 8 weeks and older and weighing [5-9 lbs][over 9 lbs]

See insert for complete product information.

{Only one of the following contains statements will appear}

[Contains [3][4][6][8] 0.014 fl oz (0.4 mL) tubes]

[Contains [3][4][6][8] 0.027 fl oz (0.8 mL) tubes]

Lot Code:

EPA Reg. No. 91384-XXX

EPA Est. No. XXXXX-XX-X

INTERNAL UNIT NOT FOR RETAIL SALE

ACTIVE INGREDIENTS:

Imidacloprid..... 9.10%

Pyriproxyfen..... 0.46%

OTHER INGREDIENTS:..... 90.44%

TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

Read the entire label before use.

{Label on Individual Tube}

A2 for Cats

9.10% Imidacloprid

0.46% Pyriproxyfen

For cats over 8 weeks of age

[0.014 fl oz 5-9 lbs]

[0.027 fl oz OVER 9 lbs]

EPA Reg. No. 91384-XXX

KEEP OUT OF REACH OF CHILDREN {font size will comply with 40 CFR 156.60(b)}

WARNING {font size will comply with 40 CFR 156.60(b)}

Read the Entire Label Before Use

CAP IM Supply, Inc


Lot No. 0000000

[For external use ONLY] {Will include as room allows on the tube}

{OPTIONAL MARKETING CLAIMS}

1. For use on cats 8 weeks of age and older and weighing [5-9 lbs][over 9 lbs]
2. A2 for Cats contains imidacloprid, and [an/the] [insect growth regulator] [IGR] pyriproxyfen
3. For monthly flea prevention and treatment on cats
4. A single topical application remains effective for [4 weeks] [a month]
5. Convenient, easy-to-apply topical solution
6. Convenient, easy-to-apply and fragrance free [monthly] [topical solution]
7. Once a month topical flea treatment for cats 8 weeks of age or older and weighing [5-9 lbs][over 9 lbs]
8. A2 for Cats is for the prevention and treatment of fleas on cats 8 weeks of age and older and weighing [5-9 lbs][over 9 lbs]
9. For the treatment and prevention of flea infestations on cats
10. One treatment prevents further flea infestations for up to [4 weeks] [a month]
11. Kills fleas on cats within 12 hours and continues to prevent infestations for up to [four weeks] [a month]
12. Kills fleas on cats within 12 hours of application
13. Stops existing flea infestations by killing adult fleas
14. Prevents reinfestations by killing adult fleas so they can't lay eggs
15. [Prevents] [Stops] flea eggs from hatching [into biting adults]
16. Effectively breaks the flea life cycle
17. [Kills] [Controls] flea life stages
18. 3-way protection against fleas: [kills] [controls] adults, larvae, and eggs
19. [Prevents] [Stops] flea eggs [and flea larvae] from developing into [(biting) (adult)] fleas
20. Comprehensive flea prevention and treatment
21. Treatment of cats with A2 for Cats kills fleas and that may cause flea allergic dermatitis [FAD] or flea bite hypersensitivity
22. Flea adulticide, larvicide, and ovcide
23. Kills flea eggs
24. Kills fleas on cats
25. Kills flea larvae
26. Controls flea problems on cats
27. Provides protection against fleas
28. Controls existing flea infestations on your cat and prevents further infestations
29. Starts working through contact
30. A2 for Cats may be used year-round for flea prevention
31. Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation
32. Monthly use of A2 for Cats kills fleas which may cause [flea allergy dermatitis] [flea bite hypersensitivity]
33. Multi-stage flea control
34. Prevents re-infestations on treated cats
35. Remains effective after bathing
36. Remains effective following shampooing
37. Waterproof, after 24 hours
38. After application, the treated area may appear [wet][oily] for up to 24 hours

39. Remains effective after exposure to rain or sunlight
40. Does not wash off
41. Fragrance-free
42. Unscented
43. In child-resistant packaging
44. Convenient [easy to use] applicator tube
45. Easy [simple] to [use][handle][apply]
46. Easy to use [applicator tube][tube]
47. 3 Pack [3 Tubes][3 Months' Supply][3 Doses]
48. 4 Pack [4 Tubes][4 Months' Supply][4 Doses]
49. 6 Pack [6 Tubes][6 Months' Supply][6 Doses]
50. 8 Pack [8 Tubes][8 Months' Supply][8 Doses]
51. 3 Applications
52. 4 Applications
53. 6 Applications
54. 8 Applications
55. Contains [3][4][6][8] tubes
56. [3][4][6][8] Doses [inside]
57. [3][4][6][8] Dose Value Pack
58. Value pack {Stacking/wrapping or combining packages for Value marketing will not obscure mandatory language.}
59. Bonus Pack {Stacking/wrapping or combining packages for Value marketing will not obscure mandatory language.}
60. Buy 3 get 1 free {Free tube will be included in the carton; only approved package configurations will be used for this claim }
61. [Calendar][Reminder] stickers [inside]
62. To help remind you when you last applied treatment, simply write in the date when each dose is applied:
 - a. First Dose _____
 - b. Second Dose _____
 - c. Third Dose _____
 - d. Xth Dose _____ {"X" corresponds to number of tubes in carton; only approved package configurations will be used for this claim }
63. Small Cat [5-9 lbs]
64. Large Cat [Over 9 lbs]



65. Illustration of adult flea
66. Illustration of flea eggs



- 67. Illustration of flea larvae
- 68. Picture or illustration of a cat
- 69. Picture of cat 8 weeks or older {cat in picture will be within the weight range of the product as packaged}
- 70. New Product {"New Product" will only be used 6 months from the date EPA is notified of first use.}



- 71. Picture or illustration of the primary package (applicator tubes)

{OPTIONAL ACTIVE INGREDIENT REFERENCE STATEMENTS}

- 1. Contains the active ingredients imidacloprid and pyriproxyfen found in Advantage II [Small Cat][Large Cat] {OR}
- 2. Contains imidacloprid and pyriproxyfen, the active ingredients used in Advantage II [Small Cat][Large Cat] {OR}
- 3. Contains the active ingredients used in Advantage II [Small Cat][Large Cat]
{Whenever any of the three Reference Statements immediately above are included on the proposed label, the label will include the appropriate disclaimer below, which will be placed directly below the optional claims so that both are viewed together.}

A2 for Cats is not manufactured by or distributed by Bayer Health Care LLC. Advantage II is a registered trademark of Bayer Health Care LLC.

{TEXT FOR REMINDER STICKERS}

{NOTE TO REVIEWER: This entire section on reminder stickers is optional}

A2 for Cats

The first time you treat your cat, place the First [Application][Dose] Sticker on your calendar. Apply Stickers [2 and 3] [2, 3, 4] [2 through 6] [2 through 8] to the calendar [30 and 60 days] [monthly] [30, 60, and 90 days] [30, 60, 90, 120, and 150 days] [30, 60, 90, 120, 150, 180, and 210 days] [at the end of each 30-day period] after the first [application][dose] to remind you it's time to reapply A2 for Cats.

First [Application][Dose] [Sticker]:
[Apply] A2 for Cats

Month 2 [Sticker]: [Apply] A2 for Cats

Month 3 [Sticker]: [Apply] A2 for Cats

Month 4 [Sticker]: [Apply] A2 for Cats

Month 5 [Sticker]: [Apply] A2 for Cats

Month 6 [Sticker]: [Apply] A2 for Cats

Month 7 [Sticker]: [Apply] A2 for Cats

Month 8 [Sticker]: [Apply] A2 for Cats

For Customer Service please call
1-888-261-4657

{Alternate numbers may be added for supplemental distributor brand names added through EPA Form 8570-5. All phone numbers will be monitored by representatives for CAP IM Supply, Inc. If an additional phone number is added for a distributor registration, it will forward if unanswered to the phone number above .}

CAP IM Supply, Inc.
2825 East Cottonwood Pkwy, Suite 500
Salt Lake City, UT 84121

[Optional bar code]

{ALTERNATE BRAND NAMES}

{Each requested Alternative Brand Name is written to differentiate this new formulation and registration to the consumer from the previous product including assisting accurate tracking of consumer complaints and adverse events. The use of II, 2 and + are industry standard additions that consumers readily denote to formulations that contain both an active adulticide and an IGR.}

Provecta II for Cats
Provecta 2 for Cats
Provecta+ for Cats
Provecta Flea Control for Cats
Provecta Adult for Cats
Provecta Feline for Cats
Feline Provecta for Cats

para|Defense II for Cats
para|Defense 2 for Cats
para|Defense+ for Cats
para|Defense Flea Control for Cats
para|Defense Adult for Cats
para|Defense Feline for Cats
Feline para|Defense for Cats