



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 02, 2026

### **SENT BY EMAIL**

Brian Hogan  
brianhogan330@gmail.com  
DANOLYTE GLOBAL, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Change Primary Brand Name and Add Optional Graphics  
Product Name: ECAFLO ANOLYTE  
Admin Number: 91582-1  
EPA Receipt Date: 07/17/2025  
Action Case Number: 00662295

Dear Brian Hogan:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The primary brand name of this product has been changed from EcaFlo Anolyte to Danolyte, and our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Brandon McIntyre by telephone at (202) 564-1971 or via email at [mcintyre.brandon@epa.gov](mailto:mcintyre.brandon@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Demson Fuller".

Demson Fuller, PM Team Lead  
RMB1, AD  
Office of Pesticide Programs

# Danolyte®

## Aqueous Solution of Sodium Chloride Danolyte® solutions:

- are disinfecting solutions,
- are cost effective solutions to produce,
- are generated electrochemically from sodium chloride
- are produced in a single stage process by a simple electrolytic cell,
- can be produced for use in medical, dental, veterinarian, institutional, hospitality, industrial, commercial, and residential applications,
- can be produced with a controlled pH and concentration of Free Available Chlorine (FAC), and Page 1 of 25
- are produced with low energy costs from water and salt.

### NOTIFICATION

91582-1

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/02/2026

#### ACTIVE INGREDIENT:

Hypochlorous Acid ..... 0.046%

OTHER INGREDIENTS ..... 99.954%

TOTAL ..... 100.000%

Contains 500 ppm Free Available Chlorine (FAC)

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS \_\_\_\_\_

Manufactured by:  
Danolyte Global  
9216 Bond  
Overland Park, KS 66214  
Ph: 913-492-7800 – Email:info@Danolyteglobal.com

EPA Reg# 91582-1

EPA Est# 91582-KS-1

Danolyte must be used for disinfection applications within 90 days after being produced OR product must be diluted and, as an option, may be tested with chlorine test kit or chlorine test strips to adjust to desired chlorine level for sanitizing, deodorizing, and clearing applications.

DATE PRODUCED: \_\_\_\_\_

Danolyte® is an activated aqueous solution of sodium chloride produced by passing weak salt brine through the electrolytic cell(s) of Danolyte® series generators using Electro-Chemical Activation (ECA) technology to temporarily change the properties of dilute salt water into an oxidizing agent exhibiting antimicrobial properties. Danolyte® is produced at a near neutral 6.5 pH where the predominant antimicrobial agent is hypochlorous acid. When produced, Danolyte® contains a minimum of 500 ppm free available chlorine (FAC).

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **OIL AND GAS APPLICATIONS**

**Frac Water** - For typical water treatment of water from non-potable water sources, mix 5 US gallons of Danolyte® with 995 US gallons of frac water to 2.5 ppm FAC or alternatively add enough Danolyte® to obtain a 0.1-0.5 ppm FAC residual after biocide load burden to mitigate and retard the growth of non-public health microorganisms such as anaerobic bacteria, aerobic bacteria and sulfate reducing bacteria to protect fracturing fluids, polymers and gels.

**Sour Wells** - For typical well treatment, slug dose 168 US gallons at 500 ppm FAC of Danolyte®, or alternatively 42-420 gallons depending upon well parameters and conditions, into the well bore on a daily or weekly or monthly basis to maintain control of unwanted odors and non-public health microorganisms, reduce hydrogen sulfide gas and restore well integrity.

**Produced Waters** - For typical produced water and flow back water treatment, mix 21 US gallons of Danolyte® with 979 US gallons of produced water to 10.5 ppm FAC or alternatively add enough Danolyte® to obtain a 0.5 ppm FAC residual in the produced or flow back water after biocide load burden to retard the growth of non-public health microorganisms.

**Heater Treaters, Hydrocarbon Storage Facilities & Gas Storage Wells** - For typical storage facility treatment, mix 126 gallons of Danolyte® at 500 ppm FAC or alternatively add enough Danolyte® to obtain a 0.5 ppm FAC residual into the water phase of the mixed hydrocarbon/water system to retard the growth of non-public health microorganisms, control unwanted odors and the formation of hydrogen sulfide, and reduce corrosion of the storage tanks.

**Water Flood Injection Water** - For typical water flood injection water treatment, mix 21 US gallons of Danolyte® with 979 US gallons of injection water to 10.5 ppm FAC or alternatively add enough Danolyte® to obtain a 0.1-0.5 ppm FAC residual to retard the growth of non-public health microorganisms and control slime in pipelines.

**Oil and Gas Transmission Lines** - For typical transmission line treatment, slug dose 42-420 US gallons at 500 ppm FAC of Danolyte® into the transmission line on a daily or weekly basis to control unwanted non-public health microorganisms, such as SRB's, reduce microbiologically influenced corrosion (MIC) and remove the slime and associated sessile bacteria which can degrade pipeline integrity.

## DISINFECTION APPLICATIONS

### Hard, Non-Porous Surface Disinfection

**To [Clean and] Disinfect [and Deodorize] Hard, Non-Porous Surfaces:** For heavily soiled areas, a preliminary cleaning is required. Apply [Wipe, Spray or Dip] Danolyte® at 500 ppm FAC to hard, non-porous surfaces with a cloth, wipe, mop or sponge. Treated surfaces must remain wet for 10 minutes. Allow surfaces to air dry. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

**To [Clean and] Disinfect Water Sensitive [Electronic] Equipment, Hard, Non-Porous Surfaces:**

Completely power off electrical equipment prior to treatment. Pre-clean soils from external surfaces to be disinfected with a clean paper towel, cloth, microfiber, or sponge, which may be dry or slightly wetted with this product. Carefully apply [Danolyte] [this product] using a cloth or spray device so that only enough solution is applied to keep the surface thoroughly wet for 10 minutes. Avoid over soaking and prevent pooled or puddled areas. Treated surfaces must remain wet for 10 minutes. Reapply as necessary to keep wet for 10 minutes. Do not rinse. Allow surfaces to air dry. If hazy film or streaks appear after 10 minutes, wipe clean with a dry or slightly damp clean paper towel, cloth, or microfiber. Do not restore power to electronic equipment until thoroughly dry.

### Special Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* endospores

**Personal Protection:** Wear appropriate barrier protection such as gloves, gowns, masks, or eye covering.

**Cleaning Procedure:** Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with clean cloth, mop, and/or sponge saturated with product intended for disinfection. Cleaning should include vigorous wiping and/or scrubbing, until visible soil is removed. Special attention is needed for high- touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

**Infectious Materials Disposal:** Cleaning materials used that may contain feces/wastes should be disposed of immediately in accordance with local regulations for infectious materials disposal.

**[For] Killing *Clostridium difficile* [spore]:** Clean hard, non-porous surfaces by removing gross filth [loose dirt, debris, blood/bodily fluids, etc.]. Apply [Danolyte] [this product] and let stand for 10 minutes.

### Special Instructions for Using [Danolyte] [this product] to Clean and Decontaminate Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids

This product kills HIV-1 on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (e.g. hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks, and eye coverings.

**Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and other objects before applying this product.

**Contact Time:** Apply [Danolyte] [this product] to area to be treated. Let stand for 10 minutes. Cleaning materials used that may contain feces/wastes should be disposed of immediately in accordance with local regulations for infectious materials disposal.

**Disposal of Infectious Material:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

## GENERAL CLEANING AND DEODORIZING DIRECTIONS

**[To] Clean Non-Porous Surfaces - and/or - Floors:** Apply [Wipe, Spray or Dip] Danolyte® to soiled area or surface with a cloth, wipe, mop, sponge, spray, or immersion, then wipe or scrub clean. This product can be used to clean various stains and organics including the following: bathtub ring, beverage stains, blood, body oils, coffee (stains), dead skin, dirt, fecal matter, fingerprints, food residue(s), fruit (stains), grease, laboratory stains, mildew stains, mold stains, (other) common soils - and/or - stains, (other) organic matter, pet odor, rust, tea (stains), urine (stains), vomit (stains).

**[To] Clean, and Deodorize Toilet Bowls - and/or - Urinals - and/or - Bidets:** Remove heavy soil prior to disinfection. Empty toilet bowl or urinal and liberally apply [Danolyte] [this product] to exposed surfaces including under the rim with a cloth, mop, sponge or spray device until the surface is thoroughly wet. Brush or swab all surfaces thoroughly. Treated surfaces must remain wet for 10 minutes before flushing again. Allow to air dry.

**To Deodorize:** Spray until thoroughly wet. Let stand for appropriate time [to kill odor causing [bacteria] [microorganisms] [organisms]]. Then wipe. For heavily soiled areas, a preliminary cleaning is required.

**[To] Clean Non-Porous Glass - and/or - Mirror(s) - and/or - Window(s) [Surfaces]:** Dilute [this product] [Danolyte] 1:19 to 1:4 with water to prepare a 25-100 ppm [FAC] [available chlorine] glass cleaner solution. [As an option, use chlorine test strips to [determine exact available chlorine concentration] [adjust to desired chlorine level].] Apply [Wipe, Spray] glass cleaner solution with paper towel, cloth, mop, sponge, or spray to soiled area or surface, then wipe, squeegee, or scrub clean. Residual wetness may be removed with paper towel or cloth or just allow surfaces to air dry. If hazy film or streaks appear after drying, wipe clean with a dry or slightly damp clean paper towel, cloth, or microfiber.

## Terms of Registration Associated with the Guidance for Making Claims against Emerging Viral Pathogens

<i>For an emerging viral pathogen that is a/an...</i>	<i>...follow the directions for use for the following organisms on the label:</i>
Enveloped virus	Adenovirus Type 1 Rhinovirus Type 16
Large, non-enveloped virus	Rhinovirus Type 16

Danolyte® has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, [porous and/or non-porous surfaces]. Therefore, Danolyte can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on [hard, porous/non-porous surfaces]. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

[Name of illness/outbreak] is caused by [name of emerging virus]. Danolyte kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on [hard, porous/non-porous surfaces]. Refer to the [CDC or OIE] website at [website address] for additional information.

Organism Table for Disinfection Applications	Contact Time Unless Otherwise Noted
<b>Bacteria</b>	
Bordetella bronchiseptica {Kennel Cough} (ATCC10580)	10 minutes
Clostridium difficile – spore (C. Diff or C difficile) (spores) (ATCC 43598)	10 minutes
Escherichia coli (E coli) (ATCC 11229)	10 minutes
Enterobacter aerogenes (ATCC 13048)	2 minutes
Listeria monocytogenes (Listeria) (ATCC 7644)	10 minutes
Methicillin-Resistant Staphylococcus aureus (MRSA) (ATCC 33591)	10 minutes
Pseudomonas aeruginosa (Pseudomonas) (ATCC 15442)	10 minutes
Salmonella enterica (Salmonella) (ATCC 10708)	10 minutes
Staphylococcus aureus (Staph) (ATCC 6538)	2 minutes
Vancomycin Resistant Enterococcus faecalis (VRE) (ATCC 51229)	10 minutes
<b>Mycobacterium</b>	
Mycobacterium bovis, BCG (Tuberculosis – or – TB) at 20°C	10 minutes
<b>Parvoviruses Non Enveloped*</b>	
Canine parvovirus (ATCC VR-2016) [(Strain Cornell)]	10 Minutes
<b>Viruses Non Enveloped *</b>	
Adenovirus (1 or Type 1) (Strain 71) (ATCC VR-1)	10 minutes
Norovirus or Norwalk Virus (as Feline Calicivirus) (Strain F-9) (ATCC VR-782)	10 minutes
Rhinovirus (16 or Type 16) (Strain 11757) (ATCC VR-283) [(((leading) causative agent of) the common cold)))]	10 minutes
Rotavirus (A or Group A) (Strain WA) (ATCC VR-2018) [((the virus that) causes diarrhea)]	10 minutes
<b>Viruses Enveloped *</b>	
Canine distemper virus (ATCC VR-1587) [(Strain Synder Hill)]	10 Minutes
[Human] Hepatitis C [Virus] [(as bovine diarrhea virus)] [(HCV)] [(Strain ADL)] [(ATCC VR-1422)]	2 Minutes
Bovine Viral Diarrhea Virus [(Strain NADL)] [(ATCC VR-1422)]	2 Minutes
Human Immunodeficiency Virus Type 1 (HIV-1), strain IIIB (clade B); ZeptoMetrix	10 Minutes
Influenza A (H1N1) [(Strain A/Virginia/ATCC1/2009)] [(ATCC VR-1736)]	2 Minutes
Influenza A Virus (H1N1) A/Swine/1976/31 (ATCC VR-99)	10 minutes
Respiratory Syncytial Virus (RSV) (Strain A-2) (ATCC VR-1540) [(cause of respiratory infection in infants)]	10 minutes
Swine Flu Virus (H1N1) A/Swine/1976/31 (ATCC VR-99)	10 minutes
<b>Yeast</b>	
Candida albicans (ATCC 10231)	10 minutes
<b>Bloodborne Pathogens</b>	
[Human] Hepatitis C [Virus] [(as bovine diarrhea virus)] [(HCV)] [(Strain ADL)] [(ATCC VR-1422)]	2 minutes
Human Immunodeficiency Virus Type 1 (HIV-1) (HIV), strain IIIB (clade B); ZeptoMetrix	10 minutes

## SANITIZING APPLICATIONS

[Danolyte] [this product] is an effective multi-purpose sanitizer. This product is acceptable as a sanitizer for all hard non-porous surfaces in and around food processing areas.

### Hard, Non-Porous Non-Food Contact Surfaces

**[To] Sanitize [Hard, Non-Porous] [Non-Food Contact] Surfaces:** For heavily soiled areas, a preliminary cleaning is required. Dilute [this product] [Danolyte] 1:1.5 with water to prepare a 200 ppm [FAC] [available chlorine] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level]. Apply sanitizing solution with cloth, mop, sponge, spray or immersion. Treated surfaces must remain wet for 2 minutes. Allow surfaces to air dry. [Danolyte] [this product] is an effective cleaner/sanitizer against bacteria such as *Staphylococcus aureus* (Staph) and *Enterobacter aerogenes*.

This product kills 99.9% of bacteria [with a 5% organic soil load] in two minutes.

To deodorize: Spray on surfaces as needed.

**[To] [Clean and] Sanitize Water Sensitive [Electronic] Equipment, [Hard, Non-Porous] Surfaces:**

Completely power off electrical equipment prior to treatment. Pre-clean soils from external surfaces to be sanitized with a clean paper towel, cloth, microfiber, or sponge, which may be dry or slightly wetted with this product. Dilute [this product] [Danolyte] 1:1.5 with water to prepare a 200 ppm [FAC] [available chlorine] [sanitizing] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level]. Carefully apply sanitizing solution using a cloth or spray device so that only enough solution is applied to keep the surface thoroughly wet for 2 minutes. Avoid over soaking and prevent pooled or puddled areas. Treated surfaces must remain wet for 2 minutes. Reapply as necessary to keep wet for 2 minutes. Do not rinse. Allow surfaces to air dry. If hazy film or streaks appear after 2 minutes, wipe clean with a dry or slightly damp clean paper towel, cloth, or microfiber. Do not restore power to electronic equipment until thoroughly dry.

### Hard, Non-Porous Food Contact Surfaces

This product is an effective multi-purpose sanitizer/disinfectant.

**[To] Sanitize [Hard, Non-Porous] [Food Contact] Surfaces:** Dilute [this product] [Danolyte] 1:1.5 with water to prepare a 200 ppm [FAC] [available chlorine] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level]. Wash, wipe, or rinse items with detergent and water, then apply sanitizing solution with cloth, mop, sponge, spray or immersion. Let stand 1 minute [60 seconds] and wipe dry with clean towel or allow to air dry. No rinsing required. For use on food contact surfaces such as stainless steel utensils, plastic and nonporous cutting boards and chopping blocks, dishes, glassware, pots and pans, eating and cooking utensils, sinks, coolers, refrigerators, freezers, microwave ovens, ovens and stove tops, counter tops, tables, racks, carts, shelves, appliances, conveyor belts – or – (insert food contact surface(s) from tables 4). For use within – or – throughout food contact sites such as food processing facilities, restaurants, schools, colleges, retail and wholesale establishments, industrial and commercial facilities, recreational facilities, kitchens, homes – or – (insert food contact use site(s) from table 4). [Danolyte] [this product] is an effective sanitizer against *Staphylococcus aureus* (Staph) and *Salmonella enterica* (Salmonella).

**-OR-**

**To Sanitize Food Contact Surfaces – or – To Sanitize Food Processing Equipment and other hard surfaces in food processing locations, dairies, restaurants and bars:**

[Recommended] for sanitizing food processing equipment, dairy equipment, sink tops, countertops, refrigerated storage and display equipment, and other hard non-porous surfaces. Recommended for use in food processing plants [establishments] [facilities], dairies, restaurants, and bars.

**[Clean, Rinse, Sanitize]**

Prior to application, remove gross food particles and soil by pre-flush or pre-scrape and when necessary, pre-soak. Thoroughly wash objects to be sanitized with a good detergent or cleaner followed by a potable water rinse prior to applying sanitizer. No potable water rinse is allowed after application as a sanitizer.

Dilute [this product] [Danolyte] 1:1.5 with water to prepare a 200 ppm [FAC] [available chlorine] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level].

Apply [Danolyte] sanitizing solution by spraying or total immersion. Surfaces must remain wet for 60 seconds [1 minute].

If the [article] [surface] cannot be washed and rinsed, clean thoroughly in an appropriate fashion prior to sanitizing.

[Danolyte] [this product] is an effective sanitizer against *Staphylococcus aureus* (Staph) and *Salmonella enterica* (Salmonella).

**-OR-**

Prior to use in federally inspected meat and poultry plants and dairies, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not permitted following the use of this product as a sanitizer on previously cleaned hard, non-porous surfaces, provided that the surfaces are adequately drained before contact with food so that little or no residue remains.

Dilute [this product] [Danolyte] 1:1.5 with water to prepare a 200 ppm [FAC] [available chlorine] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level].

Apply [Danolyte] sanitizing solution to pre-cleaned hard surfaces by thoroughly wetting surfaces with a cloth, mop, sponge, sprayer, or by immersion. Surfaces should remain wet for 1 minute followed by adequate draining and air drying.

[Danolyte] [this product] is an effective sanitizer against *Staphylococcus aureus* (Staph) and *Salmonella enterica* (Salmonella).

**[DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT AND FOOD CONTACT**

**ARTICLES REGULATED BY 21CFR178.1010 and 40CFR180.940:**

1. Scrape, flush or presoak articles to remove gross food particles and soil.
2. Thoroughly wash articles in an appropriate detergent or cleaner.
3. Rinse articles thoroughly with potable water.
4. Sanitize articles by immersion in [Danolyte] sanitizing solution for 60 seconds. Articles too large for immersion should be thoroughly wetted with sanitizing solution by rinsing, spraying or swabbing.
5. Remove immersed items from solution to drain and air dry. Non-immersed items should also be allowed to air dry.]

**[U.S. PUBLIC HEALTH SERVICE FDA FOOD CODE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING:**

1Equipment shall be thoroughly pre-flushed or pre-scraped and pre-soaked when necessary to remove gross food particles and soil.

2. Thoroughly wash equipment in a hot detergent solution. Rinse equipment thoroughly with potable water.

3. Sanitize equipment by immersion in [Danolyte] sanitizing solution for 60 seconds at a temperature of 75° (degrees).

4. For equipment that is too large to immerse, apply [Danolyte] sanitizing solution by rinsing, spraying or swabbing until thoroughly wetted.

5. Allow sanitized surfaces to drain and air dry. No potable water rinse is allowed.]

**[BEVERAGE DISPENSING EQUIPMENT SANITIZER DIRECTIONS:**

[For] Sanitizing of bottling or pre-mixed dispensing equipment: After cleaning, thoroughly rinse equipment with a potable water rinse. Fill equipment with [Danolyte] [this product] [sanitizing solution] and allow to remain in the

equipment for at least 60 seconds. Sanitizing solution should be drained from the system. To insure the removal of flavors, it is suggested that during changeover between products the system should be cleaned, rinsed and flushed with the sanitizing solution for at least 1 minute. Drain thoroughly and allow to air dry before reuse. No potable water rinse is allowed.]

[FOR SANITIZING IN FISHERIES, MILK, WINE, CITRUS, POTATO AND ICE CREAM PROCESSING PLANTS:  
[For] use as a sanitizer on conveyor belts and equipment [to reduce or eliminate odors in the processing area].  
Also for use on filling equipment to reduce bacteria. Follow directions for sanitizing food contact surfaces.

**[To] Use as a [Glove Dip or Boot Wash]:** Dilute [this product] [Danolyte] 1:4 with water to prepare a 100 ppm [FAC] [available chlorine] solution. May use chlorine test strips as an option to [determine exact available chlorine concentration] [adjust to desired chlorine level]. Remove any debris or organic matter from rubber gloves or boots. Then dip or thoroughly coat with [this product] [Danolyte], ensuring that the item remains wet for a minimum of 60 seconds. Allow to air dry.

Hand antiseptic solution used as a hand dip shall be maintained clean and at a strength equivalent to at least 100 ppm [(mg/L) FAC – or – chlorine].

[Danolyte] [this product] meets AOAC Available Chlorine in Disinfectants chlorine equivalency against *Salmonella enterica* (ATCC 6539) and *Staphylococcus aureus* (ATCC 6538).

[Danolyte] [this product] meets the requirements of 2-301.16 Hand Antiseptics section of the U.S. PUBLIC HEALTH SERVICE FDA FOOD CODE.

#### ALLERGEN DESTRUCTION APPLICATIONS

**[To] [Clean and] [Remove and] [Destroy] [Reduce] Specified Allergens:** Dilute [this product] [Danolyte] 1:4 to 1:1.5 with water to prepare a 100-200 ppm [FAC] [available chlorine] sanitizing solution. As an option, use chlorine test strips to [determine exact available chlorine concentration] [adjust to desired chlorine level]. Apply sanitizing solution with paper towel, cloth, mop, sponge, spray or immersion. Treated surfaces must remain wet for 2 minutes. Allow surfaces to air dry. [Danolyte] [This product] breaks down – and/or – denatures – and/or – destroys allergens: dust mite matter, dust mite debris, cockroach matter, cockroach debris, pet dander, dog dander, cat dander and pollen particles. [Apply] [Use] [Spray] daily or as often as desired.

#### AGRICULTURAL APPLICATIONS

##### Cut Flowers or Plants:

For longevity of cut flowers or plants mix 1-2 ounces [(1/8 – 1/4 cup)] [Danolyte] [of this product] per quart of water to make a 15-30 ppm FAC solution for use in flower vase or buckets to retard the growth of non-public health bacteria. Change solution if it gets murky or hazy. Spray diluted solution on plants or flowers to control bacteria growth.

Organism Table for Sanitizing Applications	Contact Time
<b>Non-Food Contact Surface Bacteria</b>	
Enterobacter aerogenes (ATCC 13408)	2 minutes
Staphylococcus aureus (ATCC 6538)	2 minutes
<b>Food-Contact Surface Bacteria</b>	
Salmonella enterica (ATCC6539)	60 seconds
Staphylococcus aureus (ATCC 6538)	60 seconds

**Claims:**

- + This product was tested according to AOC efficacy testing requirements
- + Meets surface disinfection recommendations under OSHA's Bloodborne Pathogen Guidelines or Standards.
- + Tested according to AOC germicidal spray method for hospital disinfectant
- + Broad spectrum disinfectant – and/or – sanitizer
- + One step cleaner/disinfectant
- + Cleaner/disinfectant
- + Multi-purpose disinfectant
- + Germicidal Spray
- + Hypochlorous Acid [(HOCl)] Solution
- + Hospital [Grade] [Level] Disinfectant
- + Veterinarian [Grade] [Level] Disinfectant
- + Active ingredient hypochlorous acid [(HOCl)] derived from naturally [-] occurring salt minerals and water
- + Derived from naturally [-] occurring minerals
- + [Antimicrobial] [antibacterial] [disinfectant] [sanitizer]
- + Aids in the reduction of cross-contamination between treated surfaces
- + Assures proper strength, product effectiveness and standardizes technique
- + Bactericide – or – Bactericidal
- + Germicide – or – Germicidal
- + Virucide\* – or Virucidal\*
- + Tuberculocide – or – Tuberculocidal
- + Parvocide – or – Parvocidal
- + Bathroom disinfectant
- + Kitchen disinfectant
- + Nursery disinfectant
- + Athletic facility disinfectant
- + Can be sprayed
- + Cleans and disinfects (insert use site(s) from tables 1-5)
- + Cleans and disinfects hard, non-porous surfaces
- + Cleans, deodorizes and disinfects
- + Denatures – and/or – Breaks Down – and/or – Deactivates – and/or – Eliminates – and/or – Destroys – and/or – Cleans – and/or – Removes [non-living] allergens [(such as) (like) [dust mite matter – or – particles] [dust mite debris] [cockroach matter – or – particles] [cockroach debris] [pet dander [found in dust]] [dog dander] [cat dander] [pollen [particles]].
- + Deodorizes by killing the bacteria that causes odors
- + Designed for practical use
- + Designed to save you time
- + Disinfecting formula
- + Disinfects and deodorizes by killing bacteria and their odors
- + Disinfects [Defends against] [common] household surfaces
- + Disinfects hard, non-porous surfaces (throughout the (insert use site(s) from tables 1-5)
- + Easy and convenient disinfecting (throughout the (insert the use site(s) from tables 1-5)
- + Easy one-step cleaning and disinfecting
- + Effective against – or – Kills (insert any organism(s) from table above) [in the presence of organic soil load [(5% blood serum)]]
- + Effective sanitizer for food [and beverage] processing equipment [facilities]
- + Effective sanitizer for food contact surfaces
- + Effective against *Staphylococcus aureus*, MRSA, *Salmonella enterica*, *Pseudomonas aeruginosa*
- + Effective against non-enveloped viruses\* [[such as – or – e.g.,] [[norovirus], [rotavirus], [adenovirus]]] [which] [are broadly antiviral and capable of inactivating both enveloped and non-enveloped viruses\*]
- + Effectively disinfects hard, non-porous, environmental surfaces
- + Eliminate(s) bacteria – and/or – viruses\* that hide [lurk] [reside] where you [touch] [breathe] [work] [play] [live]

- + Eliminates odors at their source; bacteria – and/or – yeast
- + Eliminates – or – Removes food odors [like garlic – and/or – fish – and/or – onion]
- + Eliminates – or – Removes [smoke] [urine] [feces] [fish] [foul] [body] odors
- + Eliminates – or – Removes pet odors [like urine – and/or – feces – and/or – vomit – and/or – “wet dog” smell]
- + Eliminates – or – Reduces odors caused by bacteria – and/or – yeast [in the kitchen – or – bathroom]
- + [Eliminates] [removes] Odors
- + For daily use [sanitization]
- + For sanitizing (insert one or more of the food contact use surfaces listed on the label)
- + For use in (insert one or more of the use sites listed on the label)
- + For use on (insert one or more of the use surfaces listed on the label)
- + For use on high touch surfaces
- + Kill(s) – and/or – Eliminates – and/or – Effective against *Salmonella enterica*
- + Kill(s) – and/or – Eliminates – and/or – Effective against *Staphylococcus aureus* MRSA
- + Kill(s) – and/or – Eliminates – and/or – Effective against *Pseudomonas aeruginosa*
- + Kills Pandemic 2009 H1N1 influenza A virus [(formerly called swine flu)]
- + Kills – or – Effective against H1N1 Swine Influenza virus
- + Kills – or – Effective against *Bordetella bronchiseptica* [(causative agent of bacterial Kennel Cough)]
- + Kills – or – Effective against Distemper
- + Kills – or – Effective against Kennel Cough
- + Kills – or – Effective against Parvovirus
- + Kills – or – Effective against *Clostridium difficile* (C. diff) spores
- + Reduces *Clostridium difficile* – or – *Clostridium difficile* (C. diff) – or – C. difficile – or – C. diff from treated surfaces
- + Can help reduce [the risk of] cross contamination between treated hard, non-porous surfaces
- + A New Generation of Protection
- + A New Generation [of] Disinfectant
- + 3 in 1 Formula (Cleaner, odor eliminator and sanitizer)
- + Inspired by how you want [need] to disinfect
- + Invented to disinfect the way you want [need]
- + Kills bacteria
- + Kills many common bacteria
- + Kills odor-causing bacteria
- + Kills common household bacteria – and/or – viruses\*
- + Kills bacteria – and/or – viruses\* [on surfaces you touch most]
- + Low Odor
- + Fresh – and/or – Clean Scent
- + The smell of clean
- + No worries about pet licking after cleaning
- + Worry free use in [kennels] [litter box] [pet areas] [baby rooms] [nurseries]
- + Use for a [fresh] [home] [environment] [kitchen]
- + Alcohol free [formula]
- + Dye free [formula]
- + Fragrance free [formula] [will not irritate your [dog's] [pet's] nose]
- + Phenol free [formula]
- + VOC free [formula]
- + No – and/or Never any [alcohol] [dyes] [fragrances] [phenols] [VOCs]
- + Non-flammable [formula]
- + Non-greasy [formula]
- + Nonsticky [formula]
- + Leaves no [sticky] [greasy] [flammable] [harmful] [harsh] [chemical] residual – or – residue [on surfaces] [after evaporation]
- + [It] Breaks down into saline solutions
- + Contains no phosphates
- + Kills – or – Effective against bacteria
- + Kills – or – Effective against viruses\*

- + Kills – or – Effective against pathogens
- + Kills – or – Effective against yeast+ Leaves surfaces disinfected [sanitized]
- + Made in the USA (may include graphic of American flag)
- + One-step cleaner and disinfectant
- + One-step disinfectant cleaner designed for general cleaning and disinfecting hard, non-porous environmental surfaces in health care facilities – or – (insert use site(s) from table 1)
- + Pseudomonocidal
- + Ready-to-use [cruise line] [daycare] [dental] [hospital] [household] [institutional] [residential] [veterinarian] disinfectant
- + For use in (list any use site(s)) [applications] [environment] [wells] [lines] [pipes]
- + Gentle enough for use (in – or – throughout the (insert use site(s) from tables 1-5)
- + Gentle for use (on (insert use surface(s) from tables 1-5)
- + Ready-to-Use [Formula]
- + No mixing required
- + No rinse formula
- + No rinsing required
- + No wiping required
- + Multi-surface sanitizer
- + Sanitize kitchen surfaces
- + Sanitizer to go
- + Disinfectant to go
- + Sanitize without rinsing
- + Staphylocidal
- + The answer to your disinfecting needs
- + The answer to your sanitizing needs
- + The convenient way to disinfect
- + The convenient way to sanitize
- + The simple solution to – or – for a healthier home
- + Use in public – or – common places where bacteria – and/or – viruses\* may be of concern on hard, non-porous surfaces
- + Use where control of the hazards of cross-contamination between treated surfaces is of Prime importance

Glass sanitizer

Household sanitizer

Institutional sanitizer

Restaurant sanitizer

Consumer [Line] [Disinfectant]

Commercial [Line] [Disinfectant]

Cruise Line [Line] [Disinfectant]

Dental [Line] [Disinfectant]

Freight [Line] [Disinfectant]

Hospital [Line] [Disinfectant]

Hospitality [Line] [Disinfectant]

Industrial [Line] [Disinfectant]

Janitorial [Jan-San] [Line] [Disinfectant]

Nursery [Line] [Disinfectant]

Public Transportation [Line] [Disinfectant]

Residential [Line] [Disinfectant]

Retail [Line] [Disinfectant]

Veterinarian [Line] [Disinfectant]

[Sample] [travel] size

## GENERAL CLAIMS

- + For use on bathroom surfaces
- + For use in athletic facilities
- + For use on athletic equipment
- + Will not harm (insert surface material(s) from table 5)
- + Will not harm hard, non-porous inanimate environmental surfaces
- + Will not harm titanium-coated, medical grade stainless steel
- + Convenient
- + For general use
- + For use on nursery surfaces
- + Suitable for hospital use

## TABLE ONE: Medical:

### USE SITES

- Ambulances – or – Emergency Medical Transport
- Vehicles Anesthesia Rooms – or – Areas
- Assisted Living – or – [Full Care] Nursing – or – Retirement Homes
- (Blood) (Plasma) (Semen) (Bone Marrow) (Milk) (Apheresis) Donation
- Centers CAT Laboratories
- Central Service Areas
- Central Supply Rooms – or – Areas
- Chemotherapy Hoods
- Chiropractic
- Office Clinics
- Critical Care Units – or – CCUs
- Dialysis Clinics
- Emergency Rooms – or – ERs
- Examination (Exam) Rooms
- [Eye] Surgical Centers
- Health Care Settings – or Facilities Home
- Health Care Settings
- Hospices
- Hospitals
- HospitalKitchens
- Intensive Care Units- or – ICUs
- Isolation Areas – or – Rooms
- Laboratories
- Medical Clinics
- Medical Facilities
- Medical – or – Physician's – or - Doctor's Offices
- Neonatal Intensive Care Units [(NICU)]
- Newborn – or – Neonatal Nurseries
- Nursing – or – Nurses' Stations
- Ophthalmic Offices
- OptometryOffices
- Orthopedics

Outpatient Clinics  
Outpatient Surgical Centers [(OPSC)]  
Patient Care Areas  
Patient Restrooms  
Patient Rooms  
[Pediatric] [Eye] Examination Rooms – or – Areas  
Pediatric Intensive Care Units (PICU)  
Pharmacies  
Physicians'  
Offices  
Physical Therapy Rooms – or – Areas  
Radiology – or – X-Ray Rooms – or – Areas  
Recovery Rooms  
Rehabilitation Therapy Rooms – or – Areas – or – Centers  
Surgery Rooms – or – Operating Rooms – or – ORs  
Transport Vehicles  
X-Ray Rooms

## **HARD, NON-POROUS SURFACES**

Bed Pans  
Body CT – or – CAT Scan  
Equipment BP Monitors  
Cabinets  
Cabinet – or – Closet Handles  
Carts – or – Bed Carts  
Chiropractic Tables  
Coated Mattresses – and/or – Pillows  
Computers – or – Laptops – or – Workstations – or – Keyboards  
Continuous Positive Airway Pressure – or – CPAP Machines – or – Equipment  
Counters – or – Counter Tops  
External surfaces of CPAP Masks  
Data Entry Tablets – or – Phones – or – Devices  
Dental Chairs  
Desk Tops  
Dialysis Machines  
Door Knobs  
Endoscope Transducers [and Probes]  
Exam – or - Examination Tables  
Exterior Surfaces of Air Vents  
External Surfaces of Medical Equipment  
External Surfaces of Ultrasound Transducers  
Food Carts – or – Food Trays  
Footboards  
Glucometers – or – Blood Glucose Monitors  
Gurneys  
Hard, Non-Porous Environmental Hospital – or – Medical Surfaces  
Headboards  
High Touch Surfaces

Hospital - or - Patient Bed Railings - or - Linings - or - Frames  
[Infant] [Neonatal] Incubators - or - Isolettes  
[Inner] [Inside of] Drawers  
IV Poles - or - Stands  
Light Switch Covers  
Light Switches  
Magnetic Resonance Imaging- or - MRI Equipment- or - Beds  
Mattress Covers, Plastic/Non-Porous  
[Mayo] [Instrument]  
Stands Neti Pots  
Nurse Call [Device] [Button] [and Cord]  
Otoscopes  
Patient Beds  
Patient Chairs  
Patient Monitoring Equipment- or - Screens  
Phones - or - Phone Cradle  
Plastic Mattress  
Covers Prosthetics  
Reception Counters- or - Desks- or - Areas  
Respirators - or - Respirator Equipment  
Scales  
Shower Fixtures  
Showers  
Sinks  
Stethoscopes  
Stretchers  
Support Bars- or - Rails  
Tables  
Telephones  
External Surfaces of Toilets  
External Surfaces of Ultrasound Transducers [and Probes]  
External surfaces of Ventilators- or - Ventilator Equipment  
Wash Basins  
Wheelchairs  
X-Ray Equipment

## TABLE TWO: Dental:

### USE SITES

Dental Facilities  
Dental - or - Dentist's Offices  
[Dental] [Hygienist(s)] Examination - or - Exam Rooms - or - Areas

### HARD, NON-POROUS SURFACES

Dental countertops  
Dental operatory surfaces  
Dentist - or - dental chairs

Hard, non-porous environmental dental surfaces  
Light lens covers  
Reception counters – or – desks – or – areas  
Waterjets  
Water picks

### **TABLE THREE: Veterinary:**

**Animal Premises:** Remove all animals and feed from the premises, vehicles and enclosures. Remove all litter, droppings and manure from the floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap and/or detergent and rinse with water. Apply Danolyte® at 500 ppm FAC. Saturate surfaces with solution for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. After application, ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.

#### **USE SITES**

Amphibian [Holding] [Containment]  
Areas Animal Housing Facilities  
Animal Life Science Laboratories  
Animal – or – Pet Grooming Facilities  
Aquariums  
[Raptor] Aviaries  
[Chicken] [Bird]  
Coops Feed Lots  
Kennels  
Livestock – and/or – Swine – and/or – equine – and/or – Poultry Facilities  
Pet Areas  
Pet Hotels – and/or – Motels  
Pet Shops – or – Stores  
Reptile Facilities  
Small Animal Facilities Veterinary  
Clinics – or – Facilities  
Veterinary Offices  
Veterinary – or – Animal  
Hospitals [Petting] Zoos

#### **HARD, NON-POROUS SURFACES**

Animal equipment automatic feeders  
Aquariums  
Cages  
External surfaces of veterinary equipment  
Feed racks

Fountains  
Hard, non-porous environmental veterinary surfaces  
Pens  
Pet Bowls [Areas]  
Pet Feeding [Dishes]  
[Pet] [Dog] [Cat] [Bird] [Animal] Toys  
Reception counters – or – desks – or – areas  
Stalls  
Troughs  
Veterinary care surfaces  
Watering appliances

#### **TABLE FOUR: Food Service:**

**Food Processing and Service Establishments:** Before using this product, food products and packaging materials must be removed from the area or carefully protected.

USE SITES (Food contact surfaces must be rinsed with potable water after application of disinfectant) (Application as a Food Contact Sanitizer does not require a rinse)

Bars  
Beverage [Bottled Water] [Juice] [Beer] [Liquor] [Wine]  
Plants Break Rooms  
Bottlers [Breweries] [Distilleries]  
[Wineries] Cafeterias  
Coffee [Donut] [Bagel] Shops  
Commercial – or – Institutional Kitchens  
Cruise Ship [Airline] [Train] [Rail] Food Processing [Preparation] Areas  
Dairy Farms [Facilities]  
Dairy [Milk] [Ice Cream] Processing Plants  
Deli's  
Dining Rooms [Halls]  
Eating Establishments  
Egg Processing Plants  
Fast Food Chains – or – Restaurants  
Food [Beverage] Preparation and Processing Areas  
Food Processing and Fabrication Areas  
Food Processing Plants [Facilities]  
Food Service – or – Processing Establishments  
Food Serving Areas  
Food Storage Areas  
Fruit [Vegetable] [Produce] [Potato] Processing Facilities  
Hospitality Establishment  
Liquor [Convenience] Stores  
Lunchrooms  
Meat [Poultry] [Fish] Processing Plants

Meat [Poultry] [Fish] Producing Establishments  
Other Food Service Establishments  
[Ice Cream] Parlors – or – Shops  
Restaurants  
Rendering Plants  
School Kitchens  
Smokehouses  
Snack Bars  
Supermarkets [Grocery Stores]

**HARD NON-POROUS SURFACES** (Food contact surfaces must be rinsed with potable water after application of disinfectant) (Application as a Food Contact Sanitizer does not require a rinse)

Surfaces where disinfection is required	Canning Equipment
Surfaces where sanitization is required	Carts
Exterior surfaces of Appliances	Cheese Making Equipment
Exterior surfaces of Dish racks	Chiller Tanks
Drain boards	Choppers
Exterior surfaces of Food Cases	Clarifiers
Exterior surfaces of Food Trays	Cleaning In Place [CIP]
Exterior surfaces of Freezers	Coffee and Tea Equipment
Hoods	Concession Equipment
Exterior surfaces of Microwaves	Conveyor Systems
Outdoor furniture (excluding wood frames and upholstery)	Cooking Equipment
Exterior surfaces of Ovens	Coolers
Exterior surfaces of Refrigerators	Counters [Countertops]
Salad bar sneeze guards	Crispers
Exterior surfaces of Stoves – or – Stovetops	Cutters
[Food] Processors	Dairy Cases
[Meat], [Fish], [Poultry], [Produce] Washers	Dairy Lines
[Processing] Hand [Power] Tools	De boners
[Processing] Vacuums	Descalers
[Refrigerated] Food Display Equipment	Dicers
Baby Bottles	Dish Racks
Bakery Equipment	Dish Washers
Basins	Drainboards
Beer [Tap] Lines	Drinking Fountains
Beverage Bars [Equipment]	Dryers
Bins	Evaporators
Blanchers	Extractors
Blenders	Faucets
Bottling Equipment	Filleting Machines
Bread Slicing Machines	Filling Line Equipment
Breast Pump [Parts]	Filling, Seaming, Sealing and Capping Equipment
Buffet Counters	Food Cases
Cabinets	Food Contact Surfaces
	Food Processing Equipment

Food Trays	Pickers
Freezers	Picnic Tables
Fryers	Plastic and other non-porous Chopping Blocks
Grills	Plastic Cutting Boards
Grinders	Pre-mixing Equipment
Highchairs [Trays]	Processing Vessels
Hoists	Produce Cases
Homogenizers	Pulpers
Hooks	Pumps
Ice Cream Machines [Equipment]	Racks
Ice Machines [Chests]	Ranges
[Inside] Dishwasher(s) [Interiors]	Refrigerator Bins used for meat, vegetables, fruit, eggs and dairy
[Inside] Freezer(s) [Interiors]	Refrigerators
[Inside] Microwave(s) [Interiors]	Salad Bars
[Inside] Refrigerator(s) [Interiors]	Saws
Juicers	Scalders
Kettles	Scales
Kitchen Appliances	Separators
Kitchen Surfaces	Shackles
Kitchen Tools	Shelving
Knives	Shredders
Labeling Machines	Sinks
Lunch Boxes [Pails]	Skinning Equipment
Meat Cutting Machines	Slicers
Meat Cases	Slush [Ice] Machines [Equipment]
Medicine Dropper	Snack Counters
Microwaves	Sorters
Milking Machines [Equipment]	Steam Tables
Millers	Storage Tanks
Mixing Equipment [Mixers]	Stovetops
[[ [[Baby [Bottle]] [[Dental] Waterjet – and/or – Water pick Tips] [[Dental] Picks – and/or – Mirrors] [[Dental] Retainers] [Dental Appliances] [Pipes] [Vape – and/or – Electronic Cigarettes – and/or – E-Cigs] [Utensils – and/or – Stainless [Steel] ware] [Chopsticks] [Mouth harps] [[Musical] [Instrument] [Mouthpieces]]	Stufflers
Ovens	Tables
Packaging Equipment	Tanks
Pasteurizers	Teat Cups [Tubes]
Pet Bowls	Toasters
Pet Feeding [Dishes]	Trolleys
	Warming Equipment
	Waterjets
	Water picks
	Yogurt Machines [Equipment]

**TABLE FIVE: Miscellaneous/General:**

USE SITES  
Airplanes  
Arcades  
Attics  
Automobiles  
Basements  
Blood Banks  
Boats  
Bowling Alleys  
Butcher Shops  
Call Centers  
Casinos  
Campers  
Cars  
[Children's] [Kids'] Playroom  
Chillers  
Churches - or - Synagogues  
Colleges  
Coliseums  
Correctional Facilities  
Crawl Spaces  
Cruise Lines - or - Ships  
Day Care Centers - or - Schools  
Dormitories  
Elevators  
Factories  
Fleets  
Fleet Vehicles  
Funeral Homes  
Game Rooms - or - Centers  
Garages  
Grocery Stores  
Gymnasiums - or - Gyms  
Health Club Facilities  
Homes  
Hotels  
Industrial Facilities  
Laundromats  
Laundry Rooms  
Locker Rooms  
Manufacturing Plants - or - Facilities  
Massage Parlors  
Motels  
[Movie] Theaters - or - Cinemas  
Nurseries - or - Nursery Schools  
Office Buildings  
Offices

Parks  
Personally Owned Vehicles – or – POVs Pipelines  
associated with oil and gas production  
Playgrounds  
Preschool Facilities  
Public Areas – or – Facilities  
Recreational Centers – or – Facilities  
Recreational Vehicles – or – RVs  
Resorts  
[Roller] [Ice] [Skating] Rinks  
Restrooms – or – Restroom Areas  
School Buses  
Schools  
Shelters  
Shower Rooms  
Stadiums  
[Sports] Arenas  
Storage Rooms – or – Areas  
Supermarkets  
Trains  
Trucks  
Universities  
Vehicles  
Waterparks  
Wineries  
Yachts

## **HARD, NON-POROUS SURFACES**

Exterior Surfaces of [Air] Vents  
[Protective] [Equipment] [Pads] [Mats]  
Baby – or – Children’s Car Seats  
Baby Toys  
Baby – or – Children’s Activity Centers  
Bassinets  
Bathroom fixtures  
Bath tubs  
Bath Toys  
Behind and under counters  
Behind and under sinks  
Booster chairs  
Bowling Balls  
Cabinets  
Ceilings  
Cell(ular) – or – wireless – or – mobile – or – digital phones  
Chairs  
Children’s [Kids’] [Wading] Pool Children’s  
[Kids’] [Play] Table [and Chairs]

Climbing Walls  
Computer keyboards  
Computer monitors  
Laptops – or - Tablets  
Counters – or – countertops  
Cribs  
Decks  
Dehumidifiers  
Desks  
Surfaces of Drains  
Diaper – or – infant changing tables  
Diaper pails  
Dictating equipment surfaces  
Doorknobs  
Earbuds – and/or – Earphones  
Elevator Buttons  
Exterior – or – external toilet surfaces  
Exterior – or – external urinal surfaces  
Exterior Siding  
Facemasks – and/or – Face shields  
Faucets  
Floors  
Garbage – or – trash cans – or receptacles  
Glass  
[Eye] Glasses  
Goggles  
[Grocery] Checkout Areas  
Grocery store – or – supermarket carts  
Gymnastics Equipment  
Hampers  
Hand railings  
Hand [Air] Dryer -or- Blower  
Hand Dispenser  
Handles  
Headphones  
Headsets  
Helmets  
Highchairs  
Highchair Trays  
High Touch Surfaces  
Humidifiers  
Lamps  
Light Switches  
Linoleum [CPAP]  
Masks Massage  
Tables  
Microphones

Mirrors  
Musical Instruments  
Neti Pot  
Other telecommunications equipment surfaces  
[[Personal Hygiene] Items] [like] [Combs] [Hair Clips] [[[Toe - or - Finger]Nail] Clippers]  
[[Hair [Cutting]] Scissors - or - Shears] [[Hair] Clippers] [Razors] [Tweezers]  
Piano Keys  
Playpens  
Play Sets  
Potty Chair(s)  
[Seats] Riding Toys  
Shelves  
Showers - or - shower stalls  
[House] Siding  
Sinks  
Soap - or - Hand Sanitizer Dispensers  
Stall doors  
Stroller [Handles]  
[Trays] Tables  
Telephones  
Televisions or TVs  
[Television or TV] Remote(s) [Control(s)]  
Tiled walls  
Toilet rims  
Toilet seats  
[Paper] Towel Dispensers  
Toy boxes  
Toys  
Vanity tops - or - vanities  
Walls  
Windows  
Wrestling - or - Gymnastics Mats  
This product is effective and for use as directed on hard, non-porous, water sensitive equipment surfaces: instruments, sealed electronics, computer keyboards, cell phones, telephones, appliances, remote controls, light switch covers and other hard, non-porous water sensitive equipment and surfaces listed on this label.

## **SURFACE MATERIALS**

Baked enamel  
Chrome  
Common hard, non-porous household - or - environmental surfaces  
Formica  
Glass  
Glazed ceramic tile  
Glazed porcelain  
Laminated surfaces  
Plastic laminate

Glazed porcelain enamel  
Stainless steel  
Synthetic marble  
Vinyl tile  
Similar hard, non-porous surfaces except those excluded by the label

Do not use on steel, aluminum, silver, or chipped enamel. Prolonged contact with metal may cause pitting or discoloration. First test in an inconspicuous place for color washout or contact incompatibility.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a closed dark plastic container away from direct sunlight. Store container in a cool dry area. Product or rinses that cannot be used may be disposed in a sanitary sewer.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Refillable container. Refill this container with same product only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. Cleaning the container before final disposal is the responsibility of the person disposing the container. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for two minutes. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## Environmental Commitment

This product rapidly breaks down entirely to salt water.

Not harmful to septic and waste water treatment systems.

This bottle is coded for recyclers. Check to see if recycling facilities accept colored HDPE in your area.

Contains no phosphorous.

Contains no VOCs (Volatile Organic Compounds).



## FIRST AID

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For general information on product use, etc, call the National Pesticide Information Center (NPIC) at 1-800-858-7378. For emergencies, call the poison control center at 1-800-222-1222.

# Optional Graphics for Danolyte® 91582-1

NEVER ANY

FOR USE ON

EFFECTIVE AGAINST



ALCOHOL



KIDS' PLAYROOMS



GLASS



TILE



BACTERIA \*\*




DYES



COUNTERS



DIGITAL DEVICES



WOOD



VIRUSES \*



PET AREAS



RESTROOMS



FLOORS



DOOR KNOBS



PET AREAS



FOOD CONTACT  
SURFACES



PLANTERS

## Optional Graphics for Danolyte® 91582-1



\*\*See Organism Table for specific bacteria