



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91586-11

Date of Issuance:

4/27/23

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

FLY-A-SALT HORSE

Name and Address of Registrant (include ZIP Code):

Champion USA LLC
 1900 Glades Road 4th Floor, Ste. 500
 Boca Raton, FL 33431

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Signature of Approving Official:

Tamica Cain

Tamica Cain, Product Manager 10
 Invertebrate and Vertebrate Branch 2
 Registration Division (7505T)

Date:

4/27/23

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/16/2021
- Alternate CSF 1 dated 09/16/2021

If you have any questions, please contact David Gardner by phone at (202) 566-2677, or via email at gardner.david@epa.gov

Enclosure

[] = alternate language

FLY-A-SALT HORSE

ACTIVE INGREDIENT	
Diflubenzuron* (CAS# 35367-38-5)	0.24%
OTHER INGREDIENTS	99.76%
Total	100.00%


*Contains 1.09 grams of diflubenzuron/lb

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

CHAMPION USA LLC
1900 Glades Road, 4th Floor, Ste. 500
Boca Raton, FL 33431

NET CONTENTS xx lbs [xx kg]



EPA Reg. No.: 91586-11
EPA Est No: XXXXX-XX-XXX

FEED INGREDIENTS**
Molasses products, Forage products, Grain products, Plant Protein Products, Processed Grain By-Products, Roughage products, Mineral products (except calcium iodate, calcium periodate, potassium iodate, sodium iodate), Vitamins, Sugars, Food Additives Permitted in Animal Feed/Drinking Water, GRAS ingredients, Fats/Oils, Animal products, Animal Protein products, Preservatives, Amino Acids & related products, Brewers products, Fermentation products, Distillers products, Enzymes, Citrus products, Marine products, Milk products, Oilseed products, special purpose products.

**AAFCO approved feed ingredients may vary depending upon the nutritional requirements in different geographic regions of the country.

GUARANTEED ANALYSIS

Will vary depending on geographic area and regional feeding requirements.

This product is a highly palatable supplement and/or feed additive to prevent the development of stable flies, house flies, and horn flies in the manure of treated horses. This product works by breaking the stable fly, house fly, horn fly life cycle by preventing the formation of the fly larvae’s exoskeletons when they molt [resulting in their death].

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call poison control center or doctor for treatment advice.
HOT LINE NUMBER Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticide Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30am to 4:30pm PST (NPIC Web site: www.npic.orst.edu).	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON HORSES INTENDED FOR SLAUGHTER

For use in feeding, working, non-working, running, pleasure horses, donkeys, mules and ponies.

This product contains diflubenzuron, an insect growth regulator, which prevents the development of house flies, stable flies and horn flies in the manure of treated horses, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around paddocks and buildings to control adult house, horn and stable flies which can breed in other decaying vegetable matter or siliage on premises, or migrate in from other areas.

CUS-019-2 should be used as part of an integrated pest management program aimed at reducing fly populations in the horse's environment. Consult your retailer for program recommendations. In order to achieve optimum fly control, this product should be used in conjunction with other premise and on-animal products as well as good management and sanitation practices.

There is no withdrawal period for CUS-019-2. Start feeding CUS-019-2 in the spring before Stable, Horn, and House flies begin to emerge and continue use until cold weather marks the end of Stable, Horn, and House fly season.

Daily Dose for Top Dress

Feed the labeled dosage of CUS-019-2 to each horse separately to make certain it receives the full ration. This product may be fed top dressed on grain or mixed with the horse's total ration to provide 6.8 mg of diflubenzuron per 100 lbs of body weight. Can also be fed in a premeasured pre-shaped treat. For occasional finicky eaters who do not accept new feeds readily, mix the product with sweet feed or grain ration.

Start feeding this product in early spring before flies appear and continue feeding throughout the summer and into the fall until cold weather restricts activity.

Weight of Horse	Daily Dosage for Granules / Pellets / Treat
300 – 500 LBS.	Feed one measuring cup (equivalent to 0.4 ounces) filled to the <i>[note to reviewer: one of the following will be present on the label based on the cup identifiers]</i> [blue line] [500 pound] line per horse per day.
500 – 700 LBS.	Feed one measuring cup (equivalent to 0.6 ounces) filled to the <i>[note to reviewer: one of the following will be present on the label based on the cup identifiers]</i> [red line] [700 pound line] per horse per day.
700 – 900 LBS.	Feed one measuring cup (equivalent to 0.8 ounces) filled to the <i>[note to reviewer: one of the following will be present on the label based on the cup identifiers]</i> [green line] [900 pound line] per horse per day.
900 – 1100 LBS.	Feed one measuring cup (equivalent 1.0 ounces) per horse per day.
1100 – 1300 LBS.	Feed one and a half measuring cup (equivalent of 1.5 ounce) to the

	[note to reviewer: one of the following will be present on the label based on the cup identifiers] [blue line] [500 pound line] per horse per day.
--	--

For horses over 1,300 lbs of body weight, feed an additional 0.2 oz for each additional 200 lb of body weight.

Daily Dose for Textured, Pelleted, Blocks, Tubs or Feed Supplements

FEEDING AND MANAGEMENT INSTRUCTIONS: When used as directed CUS-019-2 will provide sufficient diflubenzuron insect growth regulator to prevent the emergence of adult Stable, Horn, and House Flies from manure of treated horses. Existing adult Stable, Horn, and House flies will not be affected. Start feeding before flies appear and continue feeding until cold weather marks the end of the fly season.

Horses should consume an average of 6.8125 mg or 0.10 oz of CUS-019-2 per 100 lbs of body weight/day, which is equivalent to 68.125 mg of active or 1 oz per 1000 lb animal per day.

STORAGE AND DISPOSAL	
Do not contaminate water, food, or feed by storage or disposal.	
PESTICIDE STORAGE	Store in a cool, dry place.
PESTICIDE DISPOSAL	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

WARRANTY

Champion USA, LLC, warrants that this product conforms to the chemical description on the label. Champion USA, LLC, neither makes nor authorizes any agent or representative to make any other warranty of fitness of merchantability, guarantee or representation, express or implied, concerning this product. To the extent consistent with applicable law, Champion USA, LLC's maximum liability for breach of this warranty shall not exceed that purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this product which extend beyond the use of this product under normal conditions in accord with the statements on this label.

Optional Label Claims

- A 0.24% Diflubenzuron Equine Feed Thru †Fly Control Feed Additive
- Enclosed measuring scoops
- Accurate and Easy Dosing
- Feed Thru Listed †Fly Control for Horses
- Daily feed-through listed [†fly larvacide] [†fly control]([or horses]
- [Feed Additive] [Feed Supplement] to Prevent the Development of [Stable Flies], [Horn Flies], [and],[House Flies] in the Manure of Treated Horses
- [[Stops][prevents] development) of [House fly], [Horn Fly], [and] [Stable fly] larvae in the the manure [of] the the manure [from] treated horses
- Contains [diflubenzuron] [IGR] [Insect Growth Regulator] [IGR][Chitin Synthesis Inhibitor]
- Breaks the listed [†fly] life cycle
- Can be used as part of an integrated pest management program
- Prevents the development of [house], [horn, [and] [stable] flies in horse's environment
- For Multiple Listed †Fly Species House, Horn, and Stable
- For Multiple Listed Flying insects
- Breaks the listed †fly life cycle
- A 0.24% Diflubenzuron Equine Feed Thru †Fly Control Feed Supplement
- A 0.24% Diflubenzuron Equine Feed Thru †Fly Control Daily Dose
- A 0.24% Diflubenzuron Equine Feed Thru †Fly Control Pre Measured Daily Dose
- Accurate and Easy Daiy Dose
- Pre Measured Treat, Bites,
- Daily Measured for 1 oz for each 900 - 1100 pounds
- Daily Feed Thru Fly Larvacide †Fly Control For Horses

- Daily Feed Thru Insect Growth Regulator [IGR] †Fly Control For Horses
- Prevents the development of Stable, House, and Horn Flies in the development in the manure of treated [Horses] [or] [Equine Species]

† Stable, House and Horn flies