



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

91601-1

Date of Issuance:

8/2/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

ContraPest

Name and Address of Registrant (include ZIP Code):

SenesTech, Inc.
3140 N. Caden Court, Suite 1
Flagstaff, AZ 86004

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Meredith F. Laws, Chief
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)

Date:

8/2/16

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 91601-1.”
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/28/2016

If you have any questions, please contact Jacquelyn Marchese by phone at 703-347-0559, or via email at marchese.jacquelyn@epa.gov.

Enclosure

**RESTRICTED USE PESTICIDE
 DUE TO APPLICATOR EXPERTISE REQUIREMENTS**

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ContraPest®

A liquid bait for the reduction of reproductive capacity to manage populations of Norway Rats and Roof Rats.

Active Ingredients:

4-Vinylcyclohexene diepoxide.....0.09604%
 Triptolide.....0.00118%

Other Ingredients:.....99.90278%

Total: 100.0000%

ACCEPTED

08/02/2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 91601-1

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

EPA Reg. No. 91601-_____
 Net Contents: 18.59 fl. oz. (550 mL)

EPA Est. No. _____
 Manufactured by: SenesTech, Inc.
 3140 Caden Court
 Flagstaff, AZ 86004

PRECAUTIONARY STATEMENTS

May be fatal if swallowed or absorbed through skin. Causes skin irritation and substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap

and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear protective nitrile gloves \geq 14 mils or butyl rubber \geq 14 mils, short sleeved or long sleeved shirts, and long pants when handling this product. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Treatment for Pet Ingestion: If animal consumes bait, and adverse health effects are observed, call a veterinarian.

Note to Physician or Veterinarian: This product has been formulated for fertility control in rats. It may possibly induce transient infertility in small male and female mammals capable of reproduction.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read label attached to product. Follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

FOR INDOOR NON-FOOD USE ONLY: For use inside and within 1 ft around external perimeters of transit systems, public and private buildings, and commercial residential buildings.

USE RESTRICTIONS

1. Store unused bait inserts out of reach of children, pets, and livestock.
2. Bait stations must not be placed in areas where the contamination of food or surfaces that come in direct contact with food is possible.
3. Apply bait inserts only in a JT Eaton 903TP tamper resistant bait station.
4. To avoid damage to the bait station, do not use bait stations in areas open to hooved livestock or potentially destructive wildlife.
5. Bait station must be secured when placed in areas where children, pets, non-target animals (including livestock), or the general public may be present. Bait stations must also be secured when placed within 1 ft of the exterior perimeter of a building or transit station.
6. Bait station must be inside, or within 1 ft of the exterior perimeter of, a man-made structure
7. Do not place bait stations where they are likely to become submerged or inundated with water, or on an uneven surface.

SELECTION OF TREATMENT AREAS: Determine areas where target animals are most likely to find and consume bait. It is recommended that chew cards or non-toxic bait blocks be used to determine these locations. Reassess, if foraging locations change (*e.g.*, due to seasonal changes or construction).

APPLICATION DIRECTIONS: Place bait station on a firm, level surface in an area of target pest activity. Do not place bait stations where they are likely to become submerged (*e.g.*, below the mean higher high water mark in tidal areas, in storm sewers, or in catch basins), or on an uneven surface. Bait station must be secured when placed in areas where children, pets, non-target animals (including livestock), or the general public may be present. Bait stations must also be secured when placed within 1 ft of the exterior of a building or transit station. Do not dilute or add anything to the product.

Maintain an uninterrupted supply of bait in bait stations. Keep filled bait station clean, dry and on a level surface. Check bait stations and replace bait insert as necessary, or at least every 30 days.

Collect and properly dispose of any leftover bait, as instructed in the Storage and Disposal section of this label.

Installing Bait Inserts in Bait Stations:

To use new bait insert (tank and feeder tray):

1. Remove cap, keeping the opening down, screw tank onto tray while keeping it level.
2. The flow of liquid should begin immediately. Do not squeeze tank to encourage flow of bait.
3. Place insert into the appropriate side of the bait station (R or L).

To reuse feeder tray with new tank:

1. Remove insert (tank and tray) from bait station. Keep insert level to limit spills.
2. Slowly rotate insert away from you, as indicated by arrow on top of the tank, until feeder tray is on top.
3. Hold insert in this position for approximately 5 seconds to ensure all bait flows back into tank.
4. Unscrew feeder tray from tank and flip tray over until it is in upright position.
5. Remove cap on the new tank and keeping the opening down, screw the tank onto the tray.
6. The flow of liquid should begin immediately. Do not squeeze tank.
7. Place insert into the appropriate side of the bait station (R or L).
8. Screw new tank cap onto old tank and dispose in trash.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store only in original, tightly secured, bait tank in a room temperature environment, inaccessible to children, pets, livestock, and other non-target animals.

Disposal: Do not re-use empty tanks. **If empty:** Place container in trash or offer for recycling.

If partly filled: Cap the tank and place in the trash container.

Container Handling: Non-refillable tank. Dispose of tanks by recapping and placing in trash can or an approved waste disposal facility.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Patent Pending PCT/US2013/056428.

{Individual Bait Insert Label}

RESTRICTED USE PESTICIDE

DUE TO APPLICATOR EXPERTISE REQUIREMENTS

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ContraPest®

Active Ingredients:

4-Vinylcyclohexene diepoxide.....0.09604%
Triptolide.....0.00118%

Other Ingredients:.....99.90278%

Total: 100.0000%

KEEP OUT OF REACH OF CHILDREN

WARNING

EPA Reg. No. 91601-_____
Net Contents: 18.59 fl. oz. (550 mL)
Batch Code:_____

EPA Est. No. _____
Manufactured by: SenesTech, Inc.
3140 Caden Court
Flagstaff, AZ 86004

Directions for Use:

For use in JT Eaton 903TP bait station only. Applicator must be in possession of the full label at the time of application. Replace at least every 30 days.

To use new bait insert (tank and feeder tray):

1. Remove cap, keeping the opening down, screw tank onto tray while keeping it level.
2. The flow of liquid should begin immediately. Do not squeeze tank to encourage flow of bait.
3. Place insert into the appropriate side of the bait station (R or L).

To reuse feeder tray with new tank:

1. Remove insert (tank and tray) from bait station. Keep insert level to limit spills.
2. Slowly rotate insert away from you, as indicated by arrow on top of the tank, until feeder tray is on top.
3. Hold insert in this position for approximately 5 seconds to ensure all bait flows back into tank.
4. Unscrew feeder tray from tank and flip tray over until it is in upright position.

5. Remove cap on the new tank and keeping the opening down, screw the tank onto the tray.
6. The flow of liquid should begin immediately. Do not squeeze tank.
7. Place insert into the appropriate side of the bait station (R or L).
8. Screw new tank cap onto old tank and dispose in trash.

Disposal: Do not re-use empty bait insert. **If empty:** Place container in trash or offer for recycling.
If partly filled: Cap the container and place in the trash.

See full product label for First Aid and Directions for Use.

Patent Pending PCT/US2013/056428.