



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91799-1

Date of Issuance:

10/26/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Infinity Microbe Shield

Name and Address of Registrant (include ZIP Code):

Megan Priest
 Microbe Shield Worldwide, LLC.
 4911 Lyons Technology Parkway, Suite 13
 Coconut Creek, FL 33073

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Eric Miederhoff, Product Manager 31
 Regulatory Management Branch I
 Antimicrobials Division
 Office of Pesticide Programs

Date:

10/26/16

2. You are required to comply with the data requirements described in the DCI Order identified below:

- a. Octadecyldimethyl trihydroxysilyl propyl ammonium chloride GDCI-107403-1627

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 91799-1.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/24/2016

If you have any questions, please contact Karen M. Leavy by phone at (703)-308-6237, or via email at Leavy. Karen @epa.gov.

Enclosure

ACCEPTED
 10/26/2016
 Under the Federal Insecticide, Fungicide
 and Rodenticide Act as amended, for the
 pesticide registered under
 EPA Reg. No. 91799-1

INFINITY MICROBE SHIELD®
 { Alternate Brand Name: INFINITY® }

ACTIVE INGREDIENT:

Octadecyldimethyl trihydroxysilyl propyl ammonium chloride.....3.6%

OTHER INGREDIENTS:..... .96.4%

TOTAL:.....100.0%


KEEP OUT OF REACH OF CHILDREN
CAUTION

[See ([left] [back] [side] [right]) ([panel] [of label]) for [additional]
 ([precautionary statements] [and] [or] [first aid]).]

[Made in USA for] [Made in USA by][Distributed in USA for][Distributed in USA by]

EPA File Symbol: 91799-XX
 EPA Est. No:
 Net Contents:
 [Product Code:]

Microbe Shield Worldwide, LLC
 4811 Lyons Technology Parkway
 Suite 29
 Coconut Creek, FL 33073

[Pat. Pending]
 [Veteran Owned]
 [Picture of U.S. Flag]
 [Made in the U.S.A]
 [Made in the U.S.A. by a Veteran]
 [Christian Fish symbol] 

Note to Reviewer:

[] Denotes alternate/optional language
 ([]) Denotes one of the options within the brackets must be chosen
 { } Denotes language that does not appear on market labeling

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

{For containers less than 5 gallons}

This product is toxic to fish. Deactivation may be required during clean up if a spill occurs. Deactivation of Infinity Microbe Shield[®] can be achieved by the addition of an anionic surfactant (such as soap, sulfones, and sulfates) in a quantity equivalent to that of the active ingredient.

{For containers 5 gallons or larger}

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Deactivation may be required during clean up if a spill occurs. Deactivation of Infinity Microbe Shield[®] can be achieved by the addition of an anionic surfactant (such as soap, sulfones, and sulfates) in a quantity equivalent to that of the active ingredient.

(Optional Marketing Claims)

[Product Features and Benefits]

- This product provides a surface which enables the product to bond to the treated surface inhibiting the mold, mildew, and algae from re-adhering to the treated surface.
- Creates a polymer shield effective against odor causing bacteria, mold, mildew and algae.
- The polymer shield inhibits the growth of odor causing bacteria and future staining from mold, mildew and algae.
- Infinity Microbe Shield[®] protects the treated surface from odor causing bacteria, mold, mildew and algae.
- Infinity Microbe Shield[®] imparts durable biostatic activity to the surface of a wide variety of substrates.
- Infinity Microbe Shield[®] is effective against mold, mildew and algae as a static agent.
- Increased efficiency - through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of Infinity Microbe Shield[®].

- Provides freshness and combats deterioration and discoloration caused by bacteria, fungi and algae.
- Eliminates odor causing bacteria.
- Effective against odor caused by microscopic particles such as smoke.
- Multi-surface protectant.
- Infinity Microbe Shield[®] is a fast, easy and affordable solution for treating surfaces against staining and discoloration caused by mold and mildew. It helps in the fight to clean and prevent mold, mildew and algae from inhabiting the treated surfaces inside and outside your home.
- For use in Bathrooms.
- For use on Non-Food Contact Kitchen Surfaces.
- For use on Linens.
- For use on Draperies.
- For use on Fabrics.
- For use on Apparel.
- For use on Carpets.
- For use on Bedding.
- For use on Upholstery/Furniture.
- For use on Roofs.
- For use on Air Filter Materials.
- Prevents Mold and Mildew Stains and Odors on Treated Surfaces.
- Water-Based & Odor Free.
- Creates an invisible barrier that inhibits the growth of mold and mildew on treated surfaces.
- Creates an invisible barrier that inhibits the growth of odor-causing bacteria on treated surfaces.
- Protects indoors and out!
- Spray on installed glazed tiles and wall paper, tubs, shower curtains, shower stalls, sinks, window sills, cabinets, garbage cans, appliances, and vanity tops weekly to replenish barrier.
- Use on clothing, bedding, upholstery, and drapes.
- For use on refuse.
- For use on boat cushions
- For use on boat fiberglass.
- For use on windows.
- For use on preventing rust.
- Reapply every 3 months, if needed.

Infinity Microbe Shield® once on the surface forms a colorless positively charged polymer shield which molecularly bonds to the treated surface. When microorganisms come in contact with the treated surface the polymer shield inhibits the growth of the organisms inhibiting odor causing bacteria, mold, mildew, and algae. It prevents the microorganisms from re-establishing on the treated surface. This treated surface remains long after the initial application. The treated surface will remain protected. The surface will remain protected even after cleaning the surface with water. Do not use any caustic cleaners above pH level of 11.0.

INDUSTRIAL USE PRODUCTS

DIRECTIONS FOR USE

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR INDUSTRIAL USE: This product is registered for formulation into Antimicrobial Products or as a microbiostatic agent for material preservation.

- Antimicrobial product formulations containing Infinity Microbe Shield® require approval by the US EPA for antimicrobial claims made. Formulators are responsible for satisfying registration requirements for their formulated products.

- For use as a microbiostatic agent for material preservation, neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

APPROVED USES: Infinity Microbe Shield® may be applied to or incorporated into manufactured products listed below for use in industrial institutional, commercial or residential locations for non-food contact uses.

Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural materials, composites: Including air filters for furnaces, air conditioners, air purification devices, automobiles, and recirculating air handling systems; aquarium filters; automotive and vehicular parts; roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components (including siding, wallboard, wood and wood composites, insulation and non-food contacts cabinetry); ceiling tiles; concrete products; non-food contact conveyor and humidifier belts; non-food contact countertops; fiberglass duct board for air handling systems; floor covering; flooring; general purpose (non-food contact) containers; furniture; bathroom and non-food contact kitchen hardware; mats plumbing supplies and fixtures; sheet and formed glass; sponges and mops; vacuum cleaner bags and filters; foam for packaging and cushioning in non-food contact applications.

Fibers, fabrics (natural and synthetic, woven and non-woven), leather and household materials (natural and synthetic): Including buffer pads (abrasive and polishing); mattress cover pads, filling and ticking; pillow covers; sheets; blankets; bedspreads; fiberfill for upholstery, apparel, recreational gear, quilts and pillows; curtains; draperies; carpet and carpet underlay; rugs; upholstery; towels; shower curtains; toilet tank and seat covers; wall covering fabrics and wallpaper (including vinyl) for non-food contact surfaces; umbrellas; fire hose fabric; non-woven disposable diapers; wiping cloths; pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties); apparel including outerwear, sportswear, sleepwear, socks, hosiery, undergarments, gloves and uniforms; footwear (boots, shoes, and components); sports equipment and athletic gear; cloth for sails, ropes, tents and other outdoor equipment; sand bags; tarps; awnings; book covers; pictures.

Miscellaneous Manufactured Products: Paints and Coatings; disposable foam cushions for Lapidus Airfloat Systems; foam used as a growth medium for non-food crops and plants.

HOW TO USE:

SDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET CAN BE OBTAINED BY WRITING MICROBE SHIELD WORLDWIDE OR BY CALLING (954) 531-6918.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product.

Infinity Microbe Shield[®] can be applied to organic and inorganic surfaces as a dilute aqueous solution to give 0.1 to 1.0 percent by weight of active ingredient. Aqueous solutions can be prepared by simply adding the antimicrobial agent to water with stirring.

NOTICE: Poor agitation when adding this silane to water can result in locally high concentrations, which may form gel particles. Surfaces can be treated with the aqueous solution by brushing, dipping, padding, soaking, or spraying until adequately wet, or applying by foaming techniques. After applying treatment, the surface should be allowed to dry at temperatures from ambient to a maximum of 160°C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Curing of polymer may be accelerated or enhanced with heat or catalysis. For each application, determine optimum application and drying conditions, such as time and temperature before use. If necessary, reapply Infinity Microbe Shield[®] every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Incorporate Infinity Microbe Shield[®] directly into formulations used to make end-use products, or dilute with water and then apply it to the organic and inorganic surfaces to give 0.1 to 1.0 percent by weight of active ingredient.

COMMERCIAL USE PRODUCTS

DIRECTIONS FOR USE

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR COMMERCIAL APPLICATIONS (IN HOMES, OFFICES, AUTOMOBILES AND INSTITUTIONS): This product is registered as a microbiostatic agent for material preservation only; neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

APPROVED USES: Infinity Microbe Shield[®] is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Infinity Microbe Shield[®] is effective against odor caused by microscopic particles such as smoke. It can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity:

- Carpet, draperies and upholstery, furniture, bedding and linens, shoes and apparel, book covers, and pictures
- **Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural materials, composites:** including air filters for furnaces, air conditioners, air purification devices, automobiles, and recirculating air handling systems; automotive and vehicular parts; concrete products, roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components including siding, wallboard, wood and wood composites and insulation, non-food contact hard surfaces including floors and floor covering, walls, ceilings, ceiling tiles, ceramic tile, non-food contact countertops, concrete, chrome, stainless steel, fiberglass, vinyl, porcelain, fabric and paper wall covering, wood and glass fixtures, marble, aluminum, and non-food contact cabinetry.

HOW TO USE:

SDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET CAN BE OBTAINED BY WRITING MICROBE SHIELD WORLDWIDE OR BY CALLING (954) 531-6918.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Infinity Microbe Shield[®] can be applied to organic and inorganic surfaces as a dilute aqueous solution to give 0.1 to 1.0 percent by weight of active ingredients (suggested starting level is 1 part of Infinity Microbe Shield[®] to three parts of water). Aqueous solutions can be prepared by simply adding the antimicrobial to water with stirring. Surfaces can be treated with the aqueous solution by brushing, dipping, padding, soaking, spraying until adequately wet or applying by foaming techniques.

After applying treatment, the surface should be allowed to dry at temperatures from ambient to a maximum of 160°C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply Infinity Microbe Shield[®] every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

For Commercial Spray Equipment and Pump Spray Application: Dilute 1 part of Infinity Microbe Shield[®] to three parts of water. Apply (with pump sprayer, spray 4- 6 Inches from the surface) entire area making sure the surface is completely covered, then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and colorfastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more Infinity Microbe Shield[®] may be required due to absorption.

For Dipping/Soaking Application: Use appropriate sized washbasin or tub for dipping/soaking the item you are treating. Use enough Infinity Microbe Shield[®] solution to completely submerge item. Dilute 1 part of Infinity Microbe Shield[®] to three parts of water; mix well. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160° C (320° F).

For each application determine optimum application and drying conditions, such as time and temperature, before use. If necessary, reapply Infinity Microbe Shield[®] every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

CONSUMER USE PRODUCTS

DIRECTIONS FOR USE

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

Wear safety glasses and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

WASHABLE LINENS, DRAPERIES, FABRIC, BEDDING AND APPAREL:

Dipping/Soaking: Use a wash tub or machine for soaking the items you are treating. Always treat only clean items and use only fresh rinse water.

Wash Tub: Use washbasin or tub big enough to completely soak the item you are treating. Add 1 ounce of Infinity Microbe Shield[®] to sufficient water to soak 4 pounds of fabric, 2 ounces for 8 pounds. Completely submerge items in solution for 3 minutes. Remove items and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperature or in a clothes dryer at the appropriate setting for the items.

Washing Machine: Clean items first. Then run only rinse cycle. Add 2 ounces of Infinity Microbe Shield[®] for small, 3 ounces for medium or 4 ounces for large load settings on the machine. Run the full rinse cycle to treat the fabrics, then allow to dry overnight or use a dryer under the appropriate heat setting for the fabrics being treated. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application.

Spray: Clean items prior to application. Dilute one part of Infinity Microbe Shield[®] to three parts of water and mix or shake well. Using trigger pump sprayer or pressure sprayer, spray entire surface area 4 to 6 inches from the surface making sure the surface is completely covered. Let stand until dry or dry under the appropriate heat setting for the fabrics being treated. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

CARPET AND UPHOLSTERY/FURNITURE:

Spray: Always apply only to clean surfaces. Dilute one part of Infinity Microbe Shield[®] to three parts of water and mix or shake well. Apply to carpet and furniture using a trigger pump sprayer or pressure sprayer. Spray entire surface from 4c6 inches distance until completely covered. The amount needed for treatment will depend on the coarseness and absorbency of the material being treated. Allow to dry thoroughly before re-entry. A

fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

FOR BATHROOM AND NON-FOOD CONTACT BUILDING SURFACES

(including tubs and showers, tiles, vanity tops, shower curtains, grout, sinks, washable walls, wall paper, floors, window sills, concrete or stone surfaces and garbage cans):

Spray: Always apply only to clean surfaces. Dilute one part of the Infinity Microbe Shield[®] to three parts of water and mix or shake well. Apply to surface using a trigger pump sprayer or pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. Allow to dry thoroughly before use. If spotting occurs, wipe with moist cloth or sponge.

GROUT AND CEMENT MIX ADDITIVE:

For use as a grout or cement additive, add Infinity Microbe Shield[®] directly to the dry mix during the grout or cement preparation. Use 25 fluid ounces of Infinity Microbe Shield[®] per 5 pounds of dry grout mixture. Follow directions for grout or cement, using Infinity Microbe Shield[®] as part of the added water. Addition of Infinity Microbe Shield[®] inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae on the surface of the cured grout.

USES: Mix with sanded and unsanded cement grout as per grout manufacturer's use directions for indoor and outdoor applications.

COVERAGE: Will result in coverage ranges expected from grout manufacturer's use directions.

Sanded Grout: Use 3 fluid ounces of Infinity Microbe Shield[®] per pound of sanded grout.

Unsanded Grout: If using Infinity Microbe Shield[®] with unsanded grout, add approximately 5 fluid ounces of Infinity Microbe Shield[®] per pound of unsanded grout.

APPLICATION: Invert mixture as needed to mix product. To achieve a specific grout consistency, add $\frac{3}{4}$ of Infinity Microbe Shield[®] volume indicated above. Add grout and stir continuing to add Infinity Microbe Shield[®] until reaching the desired consistency. If the entire container is emptied and more liquid is needed, add up to 5 extra fluid ounces of cool potable water to reach desired consistency. Allow mixture to sit for 5 minutes. Do not add more liquid. Again mix thoroughly. Use grout manufacturer's instructions in the application process.

Do not allow traffic on grouted surface for at least 24 hours; do not allow direct water addition, cleaning or freezing temperatures to come in contact with the grouted surface for at least 10 days or grout manufacturer's directions, whichever is longer.

FILTERS AND FILTER MATERIAL (Aquarium filters, vacuum cleaner filters and air):

Spray: Always apply only to new or clean surfaces. When treating filters, remove filter from unit. Dilute one part of the Infinity Microbe Shield[®] to three parts of water and mix or shake well. Apply to surface using a trigger pump sprayer or pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. Allow to dry thoroughly before use.

RUST AND CORROSION (steel, aluminum, iron, and galvanized steel):

Spray: Always apply directly on dust free clean surfaces. Dilute one part of the Infinity Microbe Shield[®] to two parts of water and mix or shake well. Apply to surface using a trigger pump sprayer or pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. Allow to dry thoroughly before use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(For household/residential use containers:)

Storage: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

(For industrial and commercial use containers:)

Storage: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

(For containers 5 gallons and less:)

Container Handling: Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration.

(For containers greater than 5 gallons:)

Container Handling: Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip Container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration.

NOTICE: MICROBE SHIELD WORLDWIDE warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the labeling when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

MICROBE SHIELD WORLDWIDE SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.