



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

92028-3

Date of Issuance:

4/28/17

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Mylva Imidacloprid Roach Bait

Name and Address of Registrant (include ZIP Code):

Mary Hunt, for
Nouvel Sales, LLC
3920 Guton Hall Ct.
Plano, TX 75025

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elyssa Arnold, Acting Product Manager 01
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Date:

4/28/17

2. You are required to comply with the data requirements described in the DCI identified below:

a. Imidacloprid GDCI-129099-951

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 92028-3.”

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/22/2016

If you have any questions, please contact Gene Benbow by phone at 703-347-0235 or via email at Benbow.Gene@epa.gov.

Enclosure

[] – Denotes a comment for the reviewer

Mylva Imidacloprid Roach Bait

Mylva Imidacloprid Roach Bait is a ready-to-use insecticide product to control roaches [that does not leave an oily residue].

KILLS:

Cockroaches, including American (*Periplaneta americana*), German (*Blattella germanica*) and Oriental (*Blatta orientalis*), Smokey Brown, and other species

FOR USE IN AND AROUND STRUCTURES:

Residential, Commercial, Industrial, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (Non-patient Areas), Hotels, Motels, Agricultural Buildings, Office Buildings, Schools, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Sewers, Animal Rearing Establishments, and Warehouses

ACTIVE INGREDIENT:

Imidacloprid2.15%

OTHER INGREDIENTS97.85%

TOTAL:100.00%

Net Contents: _____ [grams]


Nouvel Sales LLC
3920 Guston Hall Ct.
Plano, TX 75025
EPA Reg. No. 92028-G

[BAR CODE AREA]

EPA Est. No. [XXXXXX -XX -XXX]

Manufactured by:
Mylva S.A.
Via Augusta, 48
08006 Barcelona, Spain

**STOP – READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN
CAUTION**



[] – Denotes a comment for the reviewer

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

Use Mylva Imidacloprid Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, aircraft, buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Product may stain textiles, fabrics, and or porous surfaces.

USE RESTRICTIONS:

- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.
- Do not treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- Place bait out of reach of pets.

APPLICATION DIRECTIONS:

Wear long sleeved shirt, long pants, shoes, and socks when applying the product. Application rate for all uses: Application rate varies according to the level of infestation and species of cockroach to be controlled. Apply bait as rounded drops into cracks and crevices or as a spot treatment. Place bait close to cockroach harborages, foraging, and feeding areas such as corners and cracks and crevices. Numerous smaller bait placements provide more opportunities for cockroaches to feed on the bait than fewer larger placements. Use the highest rate of application in cases of severe infestation and areas with excessive clutter or alternative food sources that cannot be eliminated.

Applicator Gun:

The applicator gun will produce a drop that is approximately 0.16 inches (approximately 1/8" or 4 mm) in diameter. Each drop weighs approximately 0.0014 ounce (0.04 grams).

Use the table below to match the application rates according to the species of the cockroach being treated.

[] – Denotes a comment for the reviewer

Mylva Imidacloprid Roach Bait applications rates used for different cockroach species

Cockroach Species	Minimum Application Rate per square yard		Application Rate per 100 square feet		
	Drops	Oz.	Drops	Oz.	Total Bead Length (inches)
German	3	0.0047	37	0.0522	7
Oriental	5	0.0071	56	0.0789	10
American	5	0.0071	56	0.0789	10

Using the application gun, apply the Mylva Imidacloprid Roach Bait in lines (beads) approximately 1/8-inch wide and varying lengths. Use the table to determine the bead length of Mylva Imidacloprid Roach Bait according to the species of cockroach. Inspect placements of gel bait every one to two weeks and replenish bait based on the amount consumed. Periodically inspect bait placement sites removing dried out old bait and replacing with fresh bait as needed.

Place bait under baseboards, sinks, countertops, seats, around water pipes, water heaters, dishwasher equipment, in crack and crevices as well as voids where insects harbor.

Applications in Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If bait contacts an exposed surface where food is handled, remove bait and wash exposed surface prior to use. Apply with bait injector directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where roaches may be a problem. Apply small amounts of bait.

Use Restrictions in Food/Feed Handling Establishments:

- Do not apply bait to areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation, and prepared food holding surfaces as bait may be removed by washing.
- Do not deposit gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves, and other equipment where cockroaches hide. During follow-up visits inspect bait placements and reapply when necessary.

Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.

[] – Denotes a comment for the reviewer

Bait placements should be at or near harborages or aggregation areas, such as corners or cracks and crevices. Numerous smaller bait placements provide more opportunities for cockroaches to feed on the bait than fewer larger placements. Inspect bait placements every one to two weeks and reapply as necessary.

For outdoor use (adjacent to home -or- structure): Place bait in areas adjacent to structures where roaches may nest or breed. Apply bait to potential points of insect entry, such as eaves, sills, and expansion joints. Apply bait in protected areas whenever possible. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Offer container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly filled:** Call your local solid waste agency for disposal instructions.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

In Case of Emergency, call: xxx-xxx-xxxx
[Non-Emergency call: xxx-xxx-xxxx]

[] – Denotes a comment for the reviewer

[OPTIONAL CLAIMS]

- Kills cockroaches in cracks, crevices, in and around buildings and wall voids
- Kills cockroaches, including German and Oriental, American, and Smokey Brown
- Kills cockroaches where they hide, breed and live
- Lethal roach treatment
- Controls hidden cockroaches
- Works once eaten
- Around the clock control
- Easy to apply
- No mess application
- Easy to clean-up
- Treats hard to reach places
- Small application amounts to treat an average home
- Gel bait is out of human sight in cracks and crevices, preserving a clean appearance
- Stays where applied
- Precise bait placement, without the mess and odor
- Use indoors and outdoors
- Gel for Spot, Crack and Crevice

[] – Denotes a comment for the reviewer

<p>Ready-To-Use Gel Bait</p>	<p><u>Indoor Use:</u></p> <ul style="list-style-type: none"> • Apply to cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, behind or beneath equipment, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment bases and legs, walls, floors, ceilings, cabinets, near sinks or stoves, in bathrooms and in garbage collection areas, around plumbing pipes, utility lines, doors, or windows • Food/feed areas of food/feed handling establishments: receiving, storage, packing, preparing edible waste for storage, enclosed processing systems, and serving areas • Apply bait around, behind or under dishwashers, refrigerators, ice machines, stoves, tubs, washing machines, toilets, and water pipes <p><u>Outdoor Use:</u></p> <ul style="list-style-type: none"> • Apply to building voids, porches, around sheds, AC units and other outdoor buildings, fences, walls, siding and molding • Apply to cracks (including, but not limited to) around windows, doors, eaves and soffits, expansion joints, lines and pipes where roaches may enter the building <p>Cockroaches infest dark, warm, and damp areas</p>
<p>How to Use</p>	<p>Clean up spilled food and debris before applying gel bait to dry surfaces</p> <ul style="list-style-type: none"> • Remove cap from tip and point at treatment area • Press plunger in the back of the tube to dispense gel • Replace cap after use <p><u>Spot Treatment:</u></p> <ul style="list-style-type: none"> • Refer to Table above for specific application rates for the appropriate species. • Inspect bait placements every one to two weeks and reapply as necessary. • Heavy infestations and/or locations where cockroaches are living primarily in wall voids or other inaccessible areas may require the highest number of spots • Numerous smaller bait placements provide more opportunities for cockroaches to feed on the bait than fewer larger placements • Apply thin lines if appropriate <p><u>Crack and Crevice Treatment:</u></p> <ul style="list-style-type: none"> • Using application gun, squeeze a small bead (line) of bait into the crack or crevices. Determine the amount of bait to apply and bead length according to the application table to determine the amount of Mylva Imidacloprid Roach Bait to be applied per unit area. <p>Inspect placements of gel bait every one to two weeks and replenish bait based on the amount consumed.</p>

[] – Denotes a comment for the reviewer

Restrictions	<ul style="list-style-type: none">• Apply bait out of reach of children and pets• Do not apply bait in areas where there is risk of electrical shock• Do not apply gel bait to areas recently sprayed with insecticides and do not apply insecticide to bait as it may cause the bait to become repellent• Avoid applying to fabric or carpeting to prevent staining• Avoid contamination of food and feedstuffs
---------------------	--



Schematic representation of the Mylva Imidacloprid Roach Bait applicator gun



Schematic representation of the drop size dispensed by the Mylva Imidacloprid Roach Bait applicator gun

[4/28/2017]