



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 4, 2018

Michelle Nouvel, President
c/o Mary Hunt, Agent, Exponent, Inc.
Nouvel Sales LLC
3920 Guston Hall Ct.
Plano, TX 75025

Subject: PRIA Label Amendment – Added a sub-label for pre-filled bait stations;
additional revisions to labeling for conciseness and clarity
Product Name: Mylva Imidacloprid Roach Bait
EPA Registration Number: 92028-3
Application Date: 15-May-2018
Decision Number: 541218

Dear Ms. Nouvel:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This label approval is contingent on the sub-labels being used separately as presented. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 92028-3
Decision No. 541218

with FIFRA section 6. If you have any questions, please contact Dee Colby by phone at 703-347-8657, or via email at colby.deanna@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Venus Eagle', followed by a horizontal line extending to the right.

Venus Eagle, Product Manager 01
Invertebrate and Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure: Stamped Label

{ } – Denotes a comment for the reviewer
[] – Denotes optional text

EPA Reg. No. 92028-3
R340 Amendment 10/04/2018

Mylva Imidacloprid Roach Bait

MASTER LABEL

Sublabel A: Gel for Spot, Crack and Crevice Treatment
Sublabel B: Bait Station

Sublabel A: Gel for Spot, Crack and Crevice Treatment

Mylva Imidacloprid Roach Bait is a ready-to-use insecticide product to control roaches [that does not leave an oily residue].

KILLS

Cockroaches, including American [(*Periplaneta americana*)], German [(*Blattella germanica*)] and Oriental [(*Blatta orientalis*)], Smokey Brown [(*Periplaneta fuliginosa*)], and other species

FOR USE IN AND AROUND STRUCTURES

As a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches.

ACTIVE INGREDIENT

Imidacloprid2.15%

OTHER INGREDIENTS97.85%

TOTAL:100.00%

{Note to reviewer: Reference statement below is located on immediate container. At a minimum, the following information will appear on the container- product name, ingredient statement, EPA Reg. No., EPA Est. No, KROC, DFU-violation of federal law statement, referral statement below, net weight, company address, and batch no.}

See insert [or back panel] for complete label, including Directions for Use and Storage and Disposal.

STOP – READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN

{Note to reviewer: If 40 gm cartridges are sold separate from an applicator gun, a statement will be included on the package, visible to the purchaser, that the product will need to be applied with an applicator gun suitable to fit 40 gm cartridges.}

Net Contents: [5 g syringe] [10 g syringe] [40 g cartridge x 4 = 160 g]


Nouvel Sales LLC
3920 Guston Hall Ct.
Plano, TX 75025

[BAR CODE AREA]

EPA Reg. No. 92028-3

EPA Est. No. [XXXXXX -XX -XXX]

Manufactured by:
Mylva S.A.
Via Augusta, 48
08006 Barcelona, Spain



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

USE RESTRICTIONS:

- USE ONLY IN AREAS NOT ACCESSIBLE TO CHILDREN AND PETS.
- Do not treat food preparation surfaces. Keep bait gel away from foods and food contact surfaces.
- Clean up spilled food and debris before applying bait gel to dry surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over bait gel as it may cause the bait gel to become repellent.
- Do not apply bait gel in areas where there is risk of electrical shock.

APPLICATION DIRECTIONS:

Product may stain textiles, fabrics, and porous surfaces. Avoid applying to fabric or carpeting to prevent staining.

Application rate for all uses: Remove cap from tip and apply bait gel to treatment area. Replace cap after use. Application rate varies according to the species of cockroach to be controlled. Apply bait gel as rounded spots (approximately 1/8" inch or 4 mm in diameter) or in line approximately 1/8-inch wide and varying lengths according to the application table below. Each rounded drop weighs approximately 0.0014 ounce (0.04 grams).

Apply into cracks, crevices, holes and other small openings where roaches may be a problem. Place bait gel close to cockroach harborages, foraging, and feeding areas such as corners, cracks and crevices, and places where cockroaches may have access into structures. Numerous smaller bait gel placements provide more opportunities for cockroaches to feed on the bait gel than fewer larger placements.

○ *Schematic representation of the drop size*

Indoor and Outdoor Use Table: Match application rates according to the area and species of cockroach being treated.

Cockroach Species	Minimum Application Rate per square yard		Application Rate per 100 square feet		
	Spots	Oz.	Spots	Oz.	Total Bead Length (inches)
German	3	0.0047	37	0.0522	7
Oriental	5	0.0071	56	0.0789	10
American	5	0.0071	56	0.0789	10

Use the table to determine the number of spots or line length of Mylva Imidacloprid Roach Bait according to the species of cockroach. Inspect placements of bait gel every one to two weeks. Replenish bait gel based on the amount consumed or, replace dried out bait with fresh bait as needed.

Indoor Use: Apply bait gel directly into cracks and crevices leading into wall, ceiling or floor voids - areas where insects harbor. Apply bait gel under and/or behind equipment and appliances (such as: dishwashers, refrigerators, ice machines, washing machines), sinks and countertops; behind electrical switch plates. Apply gel bait around plumbing pipes and openings leading into wall voids next to tubs and toilets; around windows, doors, and potential points of entry.

Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If bait gel contacts an exposed surface where food is handled, remove bait gel, wash exposed surface and rinse prior to use.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed, and facility is in operation. Apply bait gel in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases; around plumbing pipes, doors and windows; behind and under refrigerators, cabinets, sinks, stoves, and other equipment where cockroaches hide. During follow-up visits inspect bait gel placements and reapply when necessary.

Use Restrictions in Food/Feed Handling Establishments:

- Do not apply bait gel to areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not apply bait gel to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation, and prepared food holding surfaces as bait gel may be removed by washing.
- Do not deposit bait gel onto exposed surfaces. If bait gel contacts an exposed surface, remove bait gel and wash exposed surface.
- Do not contaminate food and feedstuffs

Outdoor Use - adjacent to home or structure: Cockroaches typically infest dark, warm and damp areas. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection or aided by trapping techniques or spot flushing.

Place bait gel in areas adjacent to structures where roaches may nest or breed, or potential points of insect entry. Apply bait gel directly into cracks and crevices of walls, building voids, around sheds, porches, and other outdoor buildings, behind siding and molding, around windows, doors, sills, eaves and soffits, in expansion joints, and pipes where roaches may enter the building. Inspect bait placements every one to two weeks and replenish bait based on the amount consumed.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Offer container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly filled:** Call your local solid waste agency for disposal instructions.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Standard Time.

In the event of a medical emergency, call your poison control center at 1-800-222-1222.

{OPTIONAL CLAIMS}

1. Kills cockroaches in cracks, crevices, in and around buildings and wall voids
2. Kills cockroaches, including German and Oriental, American, and Smokey Brown
3. Kills cockroaches where they hide, breed and live
4. Lethal roach treatment
5. Controls hidden cockroaches
6. Works once eaten
7. Around the clock control
8. Easy to apply
9. No mess application
10. Easy to clean-up
11. Treats hard to reach places
12. Small application amounts to treat an average home
13. Bait gel is out of human sight in cracks and crevices, preserving a clean appearance
14. Stays where applied
15. Precise bait placement, without the mess and odor
16. Use indoors and outdoors adjacent to home or structure
17. Bait gel for Spot, Crack and Crevice

{Note to reviewer: the following optional statements are similar though vary in length and description due to the package size constraints. The following optional statements will not appear as part of Directions for Use. Only one option will be used per package size.}

18. [Use Mylva Imidacloprid Roach Bait in Residential, Commercial, Industrial, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (Non-patient Areas), Hotels, Motels, Agricultural Buildings, Office Buildings, Schools, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Animal Rearing Establishments, and Warehouses]
19. [Use Mylva Imidacloprid Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments.]
20. [Use Mylva Imidacloprid Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments. Non-food/non-feed areas include: bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, basements, attics, crawl spaces, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as specified in the Food/Feed Handling Establishments section.]
21. [Use Mylva Imidacloprid Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments, including: warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, homes, industrial buildings, office buildings, animal boarding, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include: bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, basements, attics, crawl spaces, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as specified in the Food/Feed Handling Establishments section.]
22. [Use Mylva Imidacloprid Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes and structures) control of cockroaches in the non-food/non-feed areas of institutional, warehousing and commercial establishments, including: warehouses, restaurants (non-public areas), food processing plants (including meat or vegetable processing plants or canneries), supermarkets (non-public areas), hospitals (non-public areas), laboratories, computer facilities, and animal housing facilities (such as dairies and dog boarding). Non-food/non-feed areas are areas such as: garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).]

{ } – Denotes a comment for the reviewer
[] – Denotes optional text

EPA Reg. No. 92028-3
Amendment 10/04/2018

Sublabel B: Bait Station

Mylva Imidacloprid Roach Bait

Mylva Imidacloprid Roach Bait is a ready-to-use insecticide product in a pre-filled bait station to control roaches.

KILLS

Cockroaches, including American [(*Periplaneta americana*)], German [(*Blattella germanica*)], Oriental [(*Blatta orientalis*)], Smokey Brown [(*Periplaneta fuliginosa*)], and other species

FOR USE IN AND AROUND STRUCTURES

As a bait station treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches.

ACTIVE INGREDIENT

Imidacloprid2.15%

OTHER INGREDIENTS97.85%

TOTAL:100.00%

See insert [or back panel] for complete label, including Directions for Use and Storage and Disposal.

**STOP – READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN**

Net Contents: 2.5 g bait station x 6 = 15 g

Nouvel Sales LLC
3920 Guston Hall Ct.
Plano, TX 75025
EPA Reg. No. 92028-3

[BAR CODE AREA]

EPA Est. No. [XXXXXX -XX -XXX]

Manufactured by:
Mylva S.A.
Via Augusta, 48
08006 Barcelona, Spain

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

PLACEMENT OF BAIT STATION

The Mylva Imidacloprid Roach Bait Station is preloaded with 0.09 oz (2.5g) of bait. Typically, one bait station is adequate to treat a single room. Refer to the table below to determine the number of bait stations to use per unit area.

Bait Station Treatment Area according to cockroach species.

Cockroach species	Area Treated per Bait Station (sq ft)
German	180
Oriental	100
American	100

Single Use Bait Stations: Roaches will forage for food and will consume more bait at the onset of bait station placement than they will in the following days. The bait within the bait station should be inspected weekly to ensure there is still plenty of bait available for the cockroaches to feed on. Once the bait is consumed, throw away the old bait station and replace with a new one. Place bait stations in close proximity to areas where cockroaches are seen hiding. Place adjacent to walls and flush in corners.

Two-step deployment of bait station: Two steps are required to deploy the bait station; 1) open the station and then 2) activate the bait.

To open the bait station, secure bait station firmly in one hand and with the other hand, squeeze along the pre-etched lines and break away the endcap. Discard the endcap. Then to activate the bait, locate the dome shaped bait capsule button, which is opposite to the opening. Use thumb and forefinger to fully squeeze the top and bottom portion of the dome shaped bait capsule to break the seal and force the bait into the feeding chamber portion of the bait station. Then place the bait station in the area of a room where the cockroaches are most frequently seen.

Mylva Imidacloprid Roach Bait is designed for indoor or outdoor (adjacent to home or structure) use; refer to the table above to determine the number of bait stations required to treat cockroach species in a given area. For indoor areas, bait stations may be placed under appliances (such as stoves, dishwashers, refrigerators, washing machines), cabinets, sinks, plumbing, windows, baseboards; behind tubs and toilets; and next to cracks leading into walls and floor voids. During follow-up visits, inspect bait stations and replace if roaches return and/or bait has been fully consumed.

USE RESTRICTIONS:

- USE ONLY IN AREAS NOT ACCESSIBLE TO CHILDREN AND PETS.
- Do not place bait station on food preparation surfaces. Keep bait station away from foods and food contact surfaces.
- Do not spray the bait stations with insecticides or place them on surfaces freshly sprayed with insecticides, doing so may repel cockroaches from entering the bait station.

Food/Feed Handling Establishments: Placement of the bait stations within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment by placing bait stations in cracks and crevices; under or behind baseboards, moldings, appliances and equipment. If bait gel contacts an exposed surface where food is handled, remove bait station, wash exposed surface and rinse prior to use.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. During follow-up visits inspect bait stations and replace if roaches return and or bait has been fully consumed.

Use Restrictions in Food/Feed Handling Establishments:

- Do not place bait stations in areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not allow bait gel to contact exposed surfaces. If a spill occurs, remove bait station, wash exposed surface and rinse prior to use.
- Do not contaminate food and feedstuffs.
- Do not spray the bait stations with insecticides or place them on surfaces freshly sprayed with insecticides; doing so may repel cockroaches from entering the bait station

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Offer container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly filled:** Call your local solid waste agency for disposal instructions.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.)

For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Standard Time.

In the event of a medical emergency, call your poison control center at 1-800-222-1222.

Bait Station Immediate Container Label

{Note to reviewer. Due to small container size, at a minimum, the following information will appear on the immediate container- product name, % active ingredient, EPA Reg. No., KROC, Stop-read the label before use, net weight, company name and batch no.}

[OPTIONAL CLAIMS]

1. Kills cockroaches in and around buildings and wall voids
2. Kills cockroaches including German, and Oriental, American, and Smokey Brown
3. Kills cockroaches where they hide, breed and live
4. Kills cockroaches out of sight
5. Lethal roach treatment
6. Controls hidden cockroaches
7. Works once eaten
8. Around the clock control
9. Easy to apply bait station
10. No mess application
11. Easy to clean-up
12. Use indoors and outdoors (adjacent to homes and structures)
13. No mess or odor
14. Cockroaches infest dark, warm, and damp areas

15. [Images of Bait Station Deployment]




Opening bait station:

Secure bait station firmly in one hand and with the other hand, squeeze along the pre-etched lines and break away the endcap



Activating bait:

Use thumb and forefinger to fully squeeze the top and bottom portion of the dome shaped bait capsule [to break the seal and force the bait into the feeding chamber portion of the bait station]



Bait station placement:

Place the bait station in the area of a room where the cockroaches are most frequently seen [or suspected to be hiding]



Bait station design:

Bait station is designed to be used for all types and sizes of cockroaches

{Note to reviewer: the following optional statements are similar though vary in length and description due to the package size constraints. These optional statements will not appear in the Directions for Use. Only one option will be used per package size.}

16. [Use Mylva Imidacloprid Roach Bait station(s) in Residential, Commercial, Industrial, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (Non-patient Areas), Hotels, Motels, Agricultural Buildings, Office Buildings, Schools, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Animal Rearing Establishments, and Warehouses]

17. [Use Mylva Imidacloprid Roach Bait station(s) to provide treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments.]

18. [Use Mylva Imidacloprid Roach Bait station(s) to provide treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments. Non-food/non-feed areas include: bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, basements, attics, crawl spaces, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as specified in the Food/Feed Handling Establishments section.]

19. [Use Mylva Imidacloprid Roach Bait station(s) to provide treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/non-feed areas of institutional, warehousing and commercial establishments, including: warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, homes, industrial buildings, office buildings, animal boarding facilities, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include: bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, basements, attics, crawl spaces, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as specified in the Food/Feed Handling Establishments section.]

20. [Use Mylva Imidacloprid Roach Bait station(s) to provide treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in the non-food/non-feed areas of institutional, warehousing and commercial establishments, including: warehouses, restaurants (non-public areas), food processing plants (including meat or vegetable processing plants or canneries), supermarkets (non-public areas), hospitals (non-public areas), laboratories, computer facilities, animal housing facilities (such as dairies and dog boarding). Non-food/non-feed areas are areas such: as garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).]