



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 10, 2020

Shawna Embrey
VP of Regulatory Affairs
Hazel Technologies, Inc.
3440 S. Dearborn St.,
Suite 112S
Chicago, IL 60616

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment –
Modifies the statement “produce” to “[produce] [fruit]” to add brackets around the current
word “produce” and to add the word “fruit” with brackets as an optional statement, so that
the word “fruit” may be used in place of the word “produce,” added “Patent Pending,” and
the EPA Reg. No. 92120-1.
Product Name: Hazel
EPA Registration Number: 92120-1
Application Date: 06/24/2020
OPP Decision Number: 564160

Dear Ms. Embrey:

The amended labeling referred to above, submitted in connection with registration under the Federal
Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration.
You continue to be subject to existing terms or conditions on your registration and any deadlines
connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously
accepted labeling. You must submit one (1) copy of the final printed labeling before you release this
product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may
distribute or sell this product under the previously approved labeling for 18 months from the date of this
letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling
or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its
implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company’s website on your label, then please be
aware that the website becomes labeling under FIFRA and is subject to review by the U.S.
Environmental Protection Agency (EPA). If the website is false or misleading, the product will be
considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section

12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Sydney Hetzel by phone at (703) 347-0220 or via email at Hetzel.sydney@epa.gov.

Sincerely,



Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

1. MASTER LABEL

- 2. Sublabel A: Agriculture [Fruits and vegetables]**
- 3. Sublabel B: Ornamental and Cut Flowers**
- 4. Individual Unit Label**

A C C E P T E D

07/10/2020

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 92120-1

Sublabel A: Agriculture [Fruits and vegetables]

HazelTM

[A [novel] post-harvest tool for counteracting the undesirable effects of [both internal and external sources of ethylene by counteracting premature [early] color break on [harvested] [post-harvest] fruits and vegetables.]

[For management of post-harvest freshness]

Active Ingredients:

| | |
|----------------------------|---------------|
| 1-Methylcyclopropene | 3.0% |
| Other Ingredients | 97.0% |
| TOTAL: | 100.0% |

**KEEP OUT OF REACH OF CHILDREN
CAUTION[/PRECAUCIÓN]**

[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)]

EPA Est. No.: 92120-IL-001

EPA Reg. No.: 92120-1

Manufactured [by][for]:

Hazel Technologies, Inc.
3440 S. Dearborn St.
Suite 112S
Chicago, IL 60616

Net Contents:

[Sachets] [per package][Unit Package Size][Sachet Count]:

| | | |
|----------------------|-----------------------------------|-----------------------|
| [One][1] | [Two][2] | [Five][5] |
| [Ten][10] | [Twenty][20] | [Fifty][50] |
| [One hundred][100] | [Two hundred and fifty][250] | [Five hundred][500] |
| [One thousand][1000] | [Two thousand five hundred][2500] | [Five thousand][5000] |

[HazelTM Sachet Size][Sachet Size][One sachet contains]:

| | | | |
|--------------------|--------------------|--------------------|--------------------|
| 0.0035 oz. (100mg) | 0.0044 oz. (125mg) | 0.0088 oz. (250mg) | 0.0175 oz. (500mg) |
| 0.035 oz. (1g) | 0.088 oz. (2.5g) | 0.175 oz. (5g) | 0.525 oz. (15g) |
| 0.63 oz. (18g) | 0.882 oz. (25g) | 1.724 oz. (50g) | 3.528 oz. (100g) |
| 4.55 oz. (130g) | 7.056 oz. (200g) | 8.75 oz. (250g) | |

Batch No. / Lot Code:

[Patent Pending]

[A] [Contains] [a] [Patented Technology]

Not for sale or use after [DATE]

| FIRST AID | |
|---|--|
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Rinse skin immediately with plenty of water for 15-20 minutes. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| <p>Hotline Number: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergencies, call the poison control center at 1-800-222-1222, 24 hours a day, 7 days a week for emergency medical treatment information. You may also contact 1-800-858-7378 (National Pesticide Information Center) for emergency medical treatment information between 8:00 am to 12:00 pm Pacific Standard Time, Monday - Friday.</p> | |

**CAUTION[/PRECAUCIÓN]
HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

PRECAUTIONARY STATEMENTS

CAUTION: Harmful if inhaled or swallowed. Avoid breathing vapor. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse. This product can be irritating if inhaled or if it comes in contact with the eyes. If HazelTM sachet contents comes in contact with the eye, flush with water for 15 minutes. Avoid inhaling HazelTM powder.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators of this product must wear:

- Long-sleeved shirt and long pants.
- Shoes plus socks.
- Nitrile or butyl rubber gloves.
- Protective eyewear such as goggles
- Applicators and handlers must follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State and Tribe, consult the State/Tribal agency responsible for pesticide regulation. All applicable directions, precautionary statements, and conditions of sale and warranty are to be followed. This labeling must be in the user's possession during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. It also contains requirements for training, decontamination, notification and emergency assistance. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators of this product must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Nitrile or butyl rubber gloves
- Protective eyewear such as goggles
- Applicators and handlers must follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PRODUCT INFORMATION

Hazel^[TM] is a [novel] post-harvest tool for counteracting [many] undesirable effects of ethylene by counteracting premature [early] color break on [harvested][post-harvest] fruit and vegetables. By counteracting ethylene, Hazel^[TM] provides benefits to many fruit and vegetables during storage and transport including:

- [Slowing aging]
- [Delaying ripening and senescence]
- [Extending shelf-life]
- [Maintaining firmness]
- [Longer post-harvest storage capability]
- [Leaves no detectible residues]
- [Maintaining titratable acidity]
- [Reducing internal ethylene production]
- [Protection from external sources of ethylene [(such as vehicle exhaust)]]
- [Reducing fruit respiration]

[Hazel^[TM] [sachets] contain powder that [is specially formulated to delay] [delays the ripening of fruits and vegetables]. [[Hazel^[TM] works by [slowly] [control] releasing [1-methylcyclopropene] [1-MCP]]. Once the [sachets are][sachet is] removed from the [original] [foil] [outer] [packaging] [pouch], Hazel^[TM] begins [working] [releasing 1-

MCP] immediately. Apply to fruits and vegetables post-harvest—prior to storage, prior to shipment, and/or prior to sale.

Hazel^[TM] is effective under both cool (below 55°F, 13°C) and warm (above 55°F, 13°C) temperature conditions. Fruits and vegetables must be exposed to Hazel^[TM] for at least eight (8) hours, the minimum amount of exposure as the industry standard, to achieve the full benefits of the product. Apply to [produce] [fruit] immediately after the [original] [foil] [outer] [packaging] [pouch] seal is broken. [Fruits and vegetables must be exposed to Hazel^[TM] in enclosed areas, such as storage rooms, greenhouses, coolers, shipping containers, enclosed truck trailers, enclosed [produce] [fruit] packaging or ambient temperature, refrigerated, or controlled atmosphere food storage facilities. **DO NOT USE THIS PRODUCT OUTDOORS.** All doors to enclosed treatment area must be sealed.

GENERAL INSTRUCTIONS

Store Hazel^[TM] in its [original [foil] [outer] sealed [packaging] [pouch]. If storing this product for less than 1 month, store at 32 °F (0 °C) or if storing this product up to 6 months, it must be stored at -4 °F (-20 °C) or colder until use. When ready to use, break the [foil] seal [of the [original] outer [packaging] [pouch]] and remove the Hazel^[TM] sachets as instructed below.

Keep the powder inside the sachet at all times.

When ready to use Hazel^[TM], open the [original] [foil] [outer] [packaging] [pouch] that contains the Hazel^[TM] sachets. After the Hazel^[TM] sachets are removed from the [original] [foil] [outer] [packaging] [pouch], Hazel^[TM] begins working immediately. **Do not remove the powder from the sachet.** Apply Hazel^[TM] immediately after the original [foil] [outer] [packaging] [pouch] seal is broken. **[Use all sachets in the original [foil] [outer] sealed [packaging] [pouch] in accordance with the usage application chart below.] [Do not store Hazel^[TM] sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as Hazel^[TM] is designed to work immediately after removal from the [foil] [outer] [packaging] [pouch].] Application Instructions [for Package, Box, Pallet Treatment, Storage Rooms, or Shipping Containers]**

Hazel^[TM] is ready to apply after removal from the [original] [foil] [outer] [packaging] [pouch]. **Do not remove Hazel^[TM] powder from the sachet.** [To apply Hazel^[TM] as a [produce] [fruit] package or box treatment place Hazel^[TM] sachets in the container with the [produce] [fruit]. If possible, close the [produce] [fruit] package.] [To apply Hazel^[TM] as a pallet treatment, place the Hazel^[TM] sachet between pallet boxes containing [produce] [fruit]. For maximum effectiveness, apply Hazel^[TM] to [produce] [fruit] pallets immediately prior to shrink-wrapping.] [To apply Hazel^[TM] to a storage space (chiller room, shipping container, or commercial truck containing [produce] [fruit]), follow the application chart below to determine the number of Hazel^[TM] sachets needed for treatment. Close doors to storage spaces while Hazel^[TM] is in the storage space and place Hazel^[TM] throughout the room for maximum application coverage and benefit.] Follow the application chart below to determine the number of Hazel^[TM] sachets needed for treatment. **[Use all sachets in the original [foil] [outer] sealed [packaging] [pouch].]**

[Do not store Hazel^[TM] sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as Hazel^[TM] is designed to work immediately after removal from the [foil] [outer] [packaging] [pouch].]

Minimum and Maximum Hazel^[TM] Application Rates Based on [Produce] [Fruit] Weight*

| Container | [Produce] [Fruit] Weight | Hazel ^[TM] Minimum Recommended Rate | Hazel ^[TM] Maximum Allowed Rate |
|-----------|--------------------------|--|--|
| Package | 3.3 lbs (< 1.5 kg) | 0.0035 oz (100 mg) | 0.014 oz (400 mg) |
| Box | 22 lbs (<10 kg) | 0.0088 oz (250 mg) | 0.0352 oz (1g) |
| Box | 44 lbs (< 20 kg) | 0.0175 oz (500 mg) | 0.07 oz (2g) |
| Large Box | 110 lbs (< 50 kg) | 0.035 oz (1 g) | 0.14 oz (4g) |
| Large Box | 330 lbs (< 150 kg) | 0.088 oz (2.5 g) | 0.352 oz (10g) |

| Container | [Produce] [Fruit] Weight | Hazel ^[TM] Minimum Recommended Rate | Hazel ^[TM] Maximum Allowed Rate |
|--------------------|--------------------------|--|--|
| Large Box | 660 lbs (< 300 kg) | 0.175 oz (5 g) | 0.7 oz (20g) |
| Pallet | 1,980 lbs (< 900 kg) | 0.63 oz (18 g) | 2.52 oz (72g) |
| Truck | 26,400 lbs (< 12,000 kg) | 4.55 oz (130 g) | 18.2 oz (520g) |
| Shipping Container | 48,400 lbs (< 22,000 kg) | 8.75 oz (250 g) | 35 oz (1 kg) |

Example: For a large box weighing 660 lbs, place one (1) 0.175 oz (5g) Hazel^[TM] sachet in the container to obtain the minimum recommended rate of 0.175 oz (5 g). A maximum number of four (4) 0.175 oz (5g) Hazel^[TM] sachets may be added to obtain the maximum recommended rate of 0.7 oz (20g). Combinations of various sachet sizes can be used to obtain the recommended minimum and maximum application rates for each container as indicated in the table above.

***Note:** Do not exceed the maximum treatment for any one application. [Immature or mature green [produce] [fruit], or [produce] [fruit] otherwise at an immature stage, may exhibit heightened sensitivity to this product resulting in extended ripening delay. The user should test this product on a case of the fruit, vegetable, or herb to be treated at the ripeness level intended prior to large-scale application to directly observe the ripening timeline and ensure that the timing of Hazel^[TM] application matches the user's [supply chain] needs.]

After application, fruit and vegetables not for immediate distribution should be stored, according to good standard commercial practices, in either refrigerated air or controlled atmosphere. Do not use this product on fruit or vegetables previously treated with Ethephon. [Best results from Hazel^[TM] are obtained with fruit and vegetables at the optimum maturity level for long-term storage.] Storage in controlled atmosphere is required for [produce] [fruit] that is to be held longer than 6 months.

Maintaining the cold chain (keeping the fruit and vegetables cool at all times) and strict adherence to sanitary practices remain essential in maintaining safe and high-quality fruit and vegetables.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE:

Individual packet(s): Hazel must be kept cold and in its original sealed packaging prior to application. Store in refrigerator or freezer in original [foil] [outer] sealed [packaging] [pouch]. **If storing this product for less than 1 month, store at 32 °F (0 °C) or if storing this product up to 6 months, it must be stored at -4 °F (-20 °C) or colder to remain effective or to remain fully effective.** [Use all sachets in the original [foil] [outer] sealed [packaging] [pouch] in accordance with the usage application chart above.] [Do not store Hazel^[TM] sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as Hazel^[TM] is designed to work immediately after removal from the original [foil] [outer] [packaging] [pouch].]

Container of individual packets(s): Hazel must be kept cold and in its original sealed packaging prior to application. [If storing Hazel for < 1 month, Hazel may be stored at 32 °F (0 °C).] If storing up to 6 months, Hazel must be stored at -4 °F (-20 °C) or colder.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard Hazel^[TM] sachets as waste. Do not remove Hazel^[TM] powder from the sachet.

CONTAINER/PACKAGING HANDLING: Nonrefillable packaging. Do not reuse or refill the original [foil] [outer] [packaging] [pouch].

WARRANTY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product.

HAZEL TECHNOLOGIES, INC. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when stored and used in accordance with label directions. HAZEL TECHNOLOGIES, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, all of which are beyond the control of HAZEL TECHNOLOGIES, INC. To the extent permitted by applicable law, Buyer and User agree to hold HAZEL TECHNOLOGIES, INC harmless from any claims relating to such factors. Buyer and User agree that HAZEL TECHNOLOGIES, INC. is not responsible for any crops or [produce] [fruit] that fail to ripen due to misuse of this product. Handling, storage, and use of the product by Buyer and User are beyond the control of HAZEL TECHNOLOGIES, INC. and Seller. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of HAZEL TECHNOLOGIES, INC. and, (2) Buyer and User assume the risk of any such use. To the extent permitted by applicable law, in no event shall HAZEL TECHNOLOGIES, INC be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF HAZEL TECHNOLOGIES, INC., FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF HAZEL TECHNOLOGIES, INC. THE REPLACEMENT OF THE PRODUCT.

Optional Label Claims

General Claims

- Convenient formulation and delivery system.
- Protects [produce] [fruit] during storage and shipping.
- Protects [produce] [fruit] shelf life
- A post-harvest technology for improving the shelf-life of certain fruits and vegetables.
- A post-harvest technology for inhibiting the negative effects of ethylene in certain fruits and vegetables.
- No water activation necessary.
- Treats a wide range of [produce] [fruit] [fruits and vegetables].
- Keeps fruits and vegetables fresh longer.
- Recyclable and biodegradable.
- Delays ripening.
- Delays senescence.
- Delays senescence in certain [produce] [fruit].
- Slows [produce] [fruit] respiration.
- Helps regulate post-harvest changes in certain [produce] [fruit].
- Inhibits ethylene action.
- Extends [produce] [fruit] shelf-life.

- 1-MCP reduces respiration rate and tightly bind to the ethylene receptor of treated [produce] [fruit] thereby blocking the effects of ethylene.
- Extends the shelf life of ornamental plants.
- Helps protect agricultural products and [produce] [fruit] from the effects of ethylene.
- Can release 1-MCP for up to two weeks and works under a wide range of storage conditions.
- Odorless and tasteless.
- Provides slow release of 1-MCP
- Does not [adversely][negatively] impact the flavor of fruits and vegetables.
- Can help protect against cold-chain breakage.
- Can be added directly into [produce] [fruit] packaging.
- Minimum landfill footprint.
- Can be used at any scale, from individual boxes to bulk shipments.
- Lasting protection for up to 4 weeks.
- Helps maintain firmness in fruits and vegetables.
- Helps maintain color in fruits and vegetables.
- Helps maintain total soluble solids (TSS) in fruits and vegetables.
- Helps maintain total titratable acidity (TTA) in fruits and vegetables.
- Helps preserve flavor in [produce] [fruit].
- Improves visual quality of post-harvest tomatoes.
- Helps prevents weight loss in cucumbers.
- Delays post-harvest decay in tomatoes.
- Helps prevent yellowing in [rocket][arugula][leaves][mustard greens][brassica greens].
- Slows respiration and helps protect weight of onions.
- Improves shelf life and reduces browning of post-harvest eggplant.
- Helps prevents internal browning of pineapples.
- Helps reduce chill injury in okra.
- Prevents yellowing in mizuna, tatsoi, and protects Chinese mustard, and choy sum, , from the effects of ethylene.
- Helps prevent rachis browning in grapes.
- Helps prevent scale senescence in pitaya.
- Helps prevent leaf senescence in mandarins.
- Inhibits de-greening and color change in citrus fruits, strawberry, pitaya, prickly pear, and olives.
- Helps protect peaches from discoloration and internal morphological changes.
- Helps prevent leaf abscission and root formation in eucalyptus.
- Helps preserve [produce] [fruit] quality.
- Improves the shelf life and quality of [produce] [fruit] during storage.

Apple

- Longer shelf life and higher post-storage quality
- 1-MCP is effective with most commercial apple cultivars.
- 1-MCP benefits for apples:
 - Effective with fresh-cut and whole fruits
 - Extends shelf-life of apples, even without refrigeration
 - Improves post-storage firmness
 - Reduces incidence of scald
 - Helps retain color
 - Reduces loss of chlorophyll

Asparagus

- Longer shelf life and higher post-storage quality
- 1-MCP benefits for asparagus:
 - Longer shelf-life and higher post-storage quality
 - Effective with fresh-cut and whole asparagus
 - Extends shelf-life
 - Improves post-storage texture
 - Reduces incidence of scald
 - Helps retain color
 - Reduces weight loss
 - Reduces loss of chlorophyll
 - Reduces lignin content

Avocado

- Longer shelf life and higher post-storage quality
1-MCP is effective with most commercial avocado cultivars
- 1-MCP benefits for avocados:
 - Effective with fresh-cut and whole fruits
 - Extends shelf-life of avocados, even without refrigeration
 - Helps maintain post-storage firmness
 - Reduces incidence of scald
 - Helps retain skin color
 - Reduces blackening and discoloration

Banana

- Longer shelf life and higher post-storage quality
- Improves resistance to rot and mold
- 1-MCP benefits for bananas:
 - Longer shelf-life and higher post-storage quality
 - Helps maintain yellow color and prevents overripening
 - Reduces browning, spotting, and discoloration fruits
 - Helps maintain firmness
 - Helps retain post-storage firmness
 - Improves resistance to rot and mold

Basil

- 1-MCP is effective with all forms of basil, including whole plants and detached leaves.
- 1-MCP benefits for basil:
 - Longer shelf-life and higher post-storage quality
 - Reduce post-storage weight loss
 - Helps maintain green color
 - Improves post-storage aroma
 - Increases utilizationReduces loss of chlorophyll

Broccoli

- 1-MCP is effective with most *Brassica* cultivars including broccoli and raab.
- 1-MCP benefits for broccoli:
 - Longer shelf-life and higher post-storage quality
 - Protects against cold-chain breakage
 - Effective with fresh-cut and whole broccoli
 - Helps retain green color

- Helps reduce weight loss
- Reduces off-odor formation (for example, those caused by sulfur compounds)
- Reduces loss of chlorophyll

Cherries

- 1-MCP is effective with most commercial cherry cultivars.
- 1-MCP benefits for cherries:
 - Longer shelf-life and higher post-storage quality
 - Effective with fresh-cut and whole fruits
 - Helps maintain firmness
 - Increase pitting resistance
 - Reduce incidence of decay
 - Helps maintain flavor
 - Helps maintain TSS content
 - Helps maintain stem greenness

Figs

- 1-MCP is effective with most commercial fig cultivars.
- 1-MCP benefits for figs:
 - Longer shelf-life and higher post-storage quality
 - Effective with unpeeled and peeled fruits
 - Reduces browning and discoloration
 - Helps maintain post-storage flavor
 - Reduce incidence of decay
 - Helps retain firmness

Kale

- 1-MCP is effective with most commercial kale cultivars.
- 1-MCP benefits for kale:
 - Longer shelf-life and higher post-storage quality
 - Improve post-storage firmness
 - Helps reduce post-storage weight loss
 - Helps retain color
 - Reduces loss of chlorophyll

Kiwifruit

- 1-MCP is effective with most commercial kiwifruit cultivars.
- 1-MCP benefits for kiwifruit:
 - Longer shelf-life and higher post-storage quality
 - Effective with fresh-cut and whole fruits
 - Increase post-storage firmness
 - Reduce weight loss

Lettuce

- [Helps prevent] [browning in], [accumulation of phenolic compounds in], [and] [slows metabolism of] iceberg lettuce.
- 1-MCP is effective with most commercial lettuce cultivars.
- 1-MCP benefits for lettuce:
 - Longer shelf-life and higher post-storage quality
 - Effective with fresh-cut and whole lettuce
 - Helps increase post-storage flavor
 - Helps reduce post-storage browning

- Helps reduce post-storage weight loss

Lychee

- Longer shelf life and higher post-storage quality
- 1-MCP is effective with most commercial lychee cultivars.
- 1-MCP benefits for lychee:
 - Helps prevent browning
 - Helps improve post-storage firmness
 - Helps improve post-storage flavor

Mangos

- Longer shelf life and higher post-storage quality
- 1-MCP is effective with most commercial mango cultivars.
- 1-MCP benefits for mangoes:
 - Effective with fresh-cut and whole fruits
 - Helps improve post-storage firmness
 - Helps improve weight loss
 - Helps improve post-storage flavor and aroma

Melons (Honeydew, Cantaloupe, Yellow Melon, Watermelon, Pumpkin)

- Longer shelf life and higher post-storage quality
- Protects against cold-chain breakage
- 1-MCP works for fresh cut melons as well as melons in all stages of ripeness.
- 1-MCP benefits for melons:
 - Helps improve post-storage firmness
 - Helps reduce weight loss
 - Helps improve post-storage flavor and aroma

Mushrooms

- Longer shelf life and higher post-storage quality.
- 1-MCP is effective with most commercial mushrooms, including button, cremini, maitake, shitake, oyster, and straw mushrooms.

Onions

- 1-MCP is effective with most commercial onion cultivars.
- 1-MCP benefits for onions:
 - Helps reduce weight loss
 - Helps maintain post-storage firmness
 - Helps maintain post-storage flavor and aroma

Papaya

- Longer shelf life and higher post-storage quality
- 1-MCP is effective with most commercial papaya cultivars.
- 1-MCP benefits for papayas:
 - Effective with both fresh-cut and whole fruit
 - Helps retain post-storage firmness
 - Helps maintain color
 - Helps reduce post-storage weight loss

Peach

- Longer shelf life and higher post-storage quality
- 1-MCP is effective with most commercial peach cultivars.
- 1-MCP benefits for peaches:

- Effective with both fresh-cut and whole fruit
- Helps retain post-storage firmness
- Helps reduce incidence of rot
- Helps maintain post-storage flavor

Peppers

- 1-MCP is effective with most commercial pepper cultivars.
- 1-MCP benefits for pepper:
 - Longer shelf life and higher post-storage quality
 - Helps reduce weight loss
 - Helps maintain post-storage firmness
 - Reduce rate of decay
 - Helps maintain post-storage flavor
 - Helps maintains post-storage color
 - Reduces loss of chlorophyll

Persimmons

- 1-MCP is effective with most commercial persimmon cultivars.
- 1-MCP benefits for persimmons:
 - Longer shelf life and higher post-storage quality
 - Effective with fresh-cut and whole fruits
 - Helps maintain post-storage firmness
 - Helps retain color
 - Helps maintain post-storage flavor
 - Helps maintains post-storage texture

Plums

- Longer shelf life and higher post-storage quality
- Protects against cold-chain breakage
- 1-MCP is effective with most commercial plum cultivars, including plum hybrids.
- 1-MCP benefits for plums:
 - Helps retain color and firmness
 - Helps maintain post-storage flavor

Tomato

- Longer shelf life and higher post-storage quality
- Protects against cold-chain breakage
 - Helps maintain post-storage firmness
 - Helps reduce weight loss
 - Helps reduce occurrence of disease
 - Helps retain color in heirloom tomato varieties

Sapodilla

- Longer shelf life and higher post-storage quality
- 1-MCP benefits for sapodilla:
 - Helps maintain post-storage firmness
 - Helps post-storage color retention
 - Reduces loss of chlorophyll

Hazel^[TM] extends the shelf-life of agave, ambarella, apples, apricots, araza, artichoke, arugula, asparagus, atemoya, avocados, babaco, bacuri, bananas, basil, bell pepper, bitter melon, blackapple, blackberry, blueberry, bok choy, brassicas, bread fruit, broccoli, brussel sprout, cacao pod, calabash tree, canistel, , carrots, cauliflower, cherimoya, cherries, chickpeas, chinese eggplant, chives, choy sum, cilantro, coffee beans, coffee cherries, collard greens, cucumbers, cucurbits, dandelion greens, dill, dragon fruit, drupe fruit, durian, eggplant, endive, figs, fresh herbs, frisee, gai lan, garbanzo beans, golden berry, granadilla, grape, green beans, guanabana, guava, herbs, horned melon, jackfruits, kale, kiwifruit, kumquat, leafy greens, leeks, lettuce, longan, mamoncillo, mandarin orange, mangoes, mangosteens, melons, mint, mizuna, mushroom, mustard green, nectarines, okra, onions, oregano, papayas, parsley, passion fruit, peaches, pears, persimmons, pineapples, plantains, plums, pluot, pome fruit, prickly pear, purslane, rabe, raddichio, rambutan, rape, rapini, raspberry, rocket, rosemary, sage, sapodilla, sapote, sorrel, soursop, spanish lime, spinach, squash, star fruit, stone fruit, strawberry, sweet potato, synsepalum dulcificum [miracle berry], tatsoi, thai eggplant, thyme, tomatoes, turnip greens, watercress, watermelon, and zucchini.

Alternative Brand Names

Hazel Bloom
Hazel Fresh
Hazel Harvest
Hazel 100
Hazel Fruit
Hazel Verde
FruitBrite
Hazel Extend
Hazel Embark
Hazel Shield
Hazel Crisp
Hazel Protect
Hazel Ripe
Hazel Kore
Omnifresh
Hazel Viva
Hazel Vitalia
Hazel Encore
Perennia
HT
HT100

Sublabel B: Ornamental and Cut Flowers

HazelTM

[A [novel] post-harvest tool for counteracting the undesirable effects of [both internal and external sources of ethylene by counteracting premature [early] color break on [harvested] [post-harvest] [ornamentals] [and] [cut flowers.]]

[For management of post-harvest freshness]

Active Ingredients:

| | |
|----------------------------|---------------|
| 1-Methylcyclopropene | 3.0% |
| Other Ingredients | 97.0% |
| TOTAL: | 100.0% |

**KEEP OUT OF REACH OF CHILDREN
CAUTION[/PRECAUCIÓN]**

[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)]

EPA Est. No.: 92120-IL-001

EPA Reg. No.: 92120-1

Manufactured [by][for]:

Hazel Technologies, Inc.
3440 S. Dearborn St.
Suite 112S
Chicago, IL 60616

Net Contents:

[Sachets] [per package][Unit Package Size][Sachet Count]:

| | | |
|----------------------|-----------------------------------|-----------------------|
| [One][1] | [Two][2] | [Five][5] |
| [Ten][10] | [Twenty][20] | [Fifty][50] |
| [One hundred][100] | [Two hundred and fifty][250] | [Five hundred][500] |
| [One thousand][1000] | [Two thousand five hundred][2500] | [Five thousand][5000] |

[HazelTM Sachet Size][Sachet Size][One sachet contains]:

| | | | |
|--------------------|--------------------|--------------------|--------------------|
| 0.0035 oz. (100mg) | 0.0044 oz. (125mg) | 0.0088 oz. (250mg) | 0.0175 oz. (500mg) |
| 0.035 oz. (1g) | 0.088 oz. (2.5g) | 0.175 oz. (5g) | 0.525 oz. (15g) |
| 0.63 oz. (18g) | 0.882 oz. (25g) | 1.724 oz. (50g) | 3.528 oz. (100g) |
| 4.55 oz. (130g) | 7.056 oz. (200g) | 8.75 oz. (250g)] | |

Batch No. / Lot Code:

[A] [Contains] [a] [Patented Technology]

[Patent Pending]

Not for sale or use after [DATE]

| FIRST AID | |
|---|--|
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Rinse skin immediately with plenty of water for 15-20 minutes. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| <p>Hotline Number: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergencies, call the poison control center at 1-800-222-1222, 24 hours a day, 7 days a week for emergency medical treatment information. You may also contact 1-800-858-7378 (National Pesticide Information Center) for emergency medical treatment information between 8:00 am to 12:00 pm Pacific Standard Time, Monday - Friday.</p> | |

**CAUTION[/PRECAUCIÓN]
HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

PRECAUTIONARY STATEMENTS

CAUTION: Harmful if inhaled or swallowed. Avoid breathing vapor. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse. This product can be irritating if inhaled or if it comes in contact with the eyes. If HazelTM sachet contents comes in contact with the eye, flush with water for 15 minutes. Avoid inhaling HazelTM powder.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators of this product must wear:

- Long-sleeved shirt and long pants.
- Shoes plus socks.
- Nitrile or butyl rubber gloves.
- Protective eyewear such as goggles
- Applicators and handlers must follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State and Tribe, consult the State/Tribal agency responsible for pesticide regulation. All applicable directions, precautionary statements, and conditions of sale and warranty are to be followed. This labeling must be in the user's possession during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. It also contains requirements for training, decontamination, notification and emergency assistance. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators of this product must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Nitrile or butyl rubber gloves
- Protective eyewear such as goggles
- Applicators and handlers must follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PRODUCT INFORMATION

Haze^[TM] is a [novel] post-harvest tool for counteracting [many] undesirable effects of ethylene by counteracting premature [early] color break on [harvested][post-harvest] ornamentals and cut flowers. By counteracting ethylene, Haze^[TM] provides benefits to many fresh cut flowers and potted flowers, bedding, nursery, and foliage plants during storage and transport including:

- [Prevent or reduce premature flower death]
- [Prevent leaf and/or flower senescence and abscission]
- [Prevent leaf yellowing]
- [Reduce internal ethylene production]
- [Protect from external sources of ethylene [(such as vehicle exhaust)]]
- [Reduce plant respiration]
- [Delay ripening and senescence]
- [Prolong natural beauty and number of blooms]
- [Help maintain color]
- [Prevent Wilting]

Haze^[TM] is specifically designed to be used by all levels of the floral and nursery industries, including growers, shippers, wholesalers, and retailers (such as florists). Haze^[TM] is very easy to use and can be used to treat the following flowers and plants:

[Achillea, Aconitum, Agapanthus, Alchemilla, Allium, Alstroemeria, Alyssum, Amaryllis, Anemone, Aphelandra, Aquilegia, Asclepias, Aster, Astrantia, Asparagus Fern, Azalea, Baby's Breath, Bedding plants, Begonia, Bells of Ireland, Bouvardia, Brassia (Schefflera), Brodiaea (Triteleia), Canistel, Calathea, Campanula, Carnation, Celosia, Centaurea, Chamaedorea, Chelone, Chrysanthemums, Coleus, Cordyline, Cymbidium, Crocosmia (Montbretia), Cut Flowers, Daffodils, Daisies, Daucus (Queen Annes Lace), Delphinium, Dendrobium, Dianthus, Dicentra, Dizygotheca, Doronicum, Echium, Eremurus, Eustoma (Lisianthus), Ficus, Foxglove, Freesia, Fuchsia, Geranium, Gladiolus, Godetia, Gypsophila, Hibiscus, Hyacinth, Hydrangea, Ilex (Holly), Impatiens, Ixia, Kalanchoe, Kniphofia, Larkspur, Lavatera, Lilac, Lily, Limonium, Lupine, Lysimachia, Marigold, Miniature Carnation, Monkshood, Orchids, Pelargonium, Peonies, Petunia, Philodendron, Phlox, Physostegia, Poinsettia, Ornamental Flowers, Radermachera Rose, Roses, Rudbeckia, Salvia, Saponaria, Scabiosa, Silene, Snapdragon, J Solidaster, Stock, Streptocarpus, Sunflower, Sweet William, Trachelium, Trollius, Tulips, Verbena, Veronica, Violets, Wax Flower, and Zygocactus.]

[HazelTM] [sachets] contain powder that [is specially formulated to delay] [delays the ripening of] [delays the spoilage of fresh cut flowers and ornamental plants]. [[HazelTM] works by [slowly] [control] releasing [1-methylcyclopropene] [1-MCP]]. Once the [sachets are] [sachet is] removed from the [original] [foil] [outer] [packaging] [pouch], HazelTM begins [working] [releasing 1-MCP] immediately. Apply to ornamentals and cut flowers post-harvest—prior to storage, prior to shipment, and/or prior to sale.

HazelTM is effective under both cool (below 55°F, 13°C) and warm (above 55°F, 13°C) temperature conditions. Cut flowers and ornamental plants must be exposed to HazelTM for at least eight (8) hours, the minimum amount of exposure as the industry standard, to achieve the full benefits of the product. Apply to [cut flowers] [and] [or] [ornamentals] immediately after the [original] [foil] [outer] [packaging] [pouch] seal is broken. [Cut flowers] [and] [or] [ornamentals] must be exposed to HazelTM in enclosed areas, such as storage rooms, greenhouses, coolers, shipping containers, enclosed truck trailers, enclosed packaging or ambient temperature, refrigerated, or controlled atmosphere storage facilities. **DO NOT USE THIS PRODUCT OUTDOORS.** All doors to enclosed treatment area must be sealed.

GENERAL INSTRUCTIONS

Store HazelTM in its [original] [foil] [outer] sealed [packaging] [pouch]. If storing this product for less than 1 month, store at 32 °F (0 °C) or if storing this product up to 6 months, it must be stored at -4 °F (-20 °C) or colder until use. When ready to use, break the [foil] seal [of the [original] outer [packaging] [pouch]] and remove the HazelTM sachets as instructed below.

Keep the powder inside the sachet at all times.

When ready to use HazelTM, open the [original] [foil] [outer] [packaging] [pouch] that contains the HazelTM sachets. After the HazelTM sachets are removed from the [original] [foil] [outer] [packaging] [pouch], HazelTM begins working immediately. **Do not remove the powder from the sachet.** Apply HazelTM immediately after the original [foil] [outer] [packaging] [pouch] seal is broken. **[Use all sachets in the original [foil] [outer] sealed [packaging] [pouch] in accordance with the usage application chart below.] [Do not store HazelTM sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as HazelTM is designed to work immediately after removal from the [foil] [outer] [packaging] [pouch].]**

Application Instructions for Package, Box, Pallet Treatment, Storage Rooms, or Shipping Containers

HazelTM is ready to apply after removal from the [original] [foil] [outer] [packaging] [pouch]. **Do not remove HazelTM powder from the sachet.** [To apply HazelTM as a [cut flowers] [and] [or] [ornamentals] package or box treatment place HazelTM sachets in the container with the [cut flowers] [and] [ornamentals]. If possible, close the package.] [To apply HazelTM as a pallet treatment, place the HazelTM sachet between pallet boxes containing [cut flowers] [and] [or] [ornamentals]. For maximum effectiveness, apply HazelTM to [cut flowers] [and] [or] [ornamentals] pallets immediately prior to shrink-wrapping.] [To apply HazelTM to a storage space (chiller room,

shipping container, or commercial truck), follow the application chart below to determine the number of Hazel^[TM] sachets needed for treatment. Close doors to storage spaces while Hazel^[TM] is in the storage space and place Hazel^[TM] throughout the room for maximum application coverage and benefit.] Follow the application chart below to determine the number of Hazel^[TM] sachets needed for treatment. **[Use all sachets in the original [foil] [outer] sealed [packaging] [pouch].]**

[Do not store Hazel^[TM] sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as Hazel^[TM] is designed to work immediately after removal from the [foil] [outer] [packaging] [pouch].]

Minimum and Maximum Hazel^[TM] Application Rates Based on [Cut Flowers] [and] [or] [Ornamentals] Weight*

| Container | [Cut Flowers] [and] [Ornamental] Weight | Hazel ^[TM] Minimum Recommended Rate | Hazel ^[TM] Maximum Allowed Rate |
|--------------------|---|--|--|
| Package | 3.3 lbs (< 1.5 kg) | 0.0035 oz (100 mg) | 0.014 oz (400 mg) |
| Box | 22 lbs (<10 kg) | 0.0088 oz (250 mg) | 0.0352 oz (1g) |
| Box | 44 lbs (< 20 kg) | 0.0175 oz (500 mg) | 0.07 oz (2g) |
| Large Box | 110 lbs (< 50 kg) | 0.035 oz (1 g) | 0.14 oz (4g) |
| Large Box | 330 lbs (< 150 kg) | 0.088 oz (2.5 g) | 0.352 oz (10g) |
| Large Box | 660 lbs (< 300 kg) | 0.175 oz (5 g) | 0.7 oz (20g) |
| Pallet | 1,980 lbs (< 900 kg) | 0.63 oz (18 g) | 2.52 oz (72g) |
| Truck | 26,400 lbs (< 12,000 kg) | 4.55 oz (130 g) | 18.2 oz (520g) |
| Shipping Container | 48,400 lbs (< 22,000 kg) | 8.75 oz (250 g) | 35 oz (1 kg) |

Example: For a large box weighing 660 lbs, place one (1) 0.175 oz (5g) Hazel^[TM] sachet in the container to obtain the minimum recommended rate of 0.175 oz (5 g). A maximum number of four (4) 0.175 oz (5g) Hazel^[TM] sachets may be added to obtain the maximum recommended rate of 0.7 oz (20g). Combinations of various sachet sizes can be used to obtain the recommended minimum and maximum application rates for each container as indicated in the table above.

***Note:** Do not exceed the maximum treatment for any one application. The user should test this product on the [cut flowers] [and] [or] [ornamentals] to be treated prior to large-scale application to directly observe and ensure that the timing of Hazel^[TM] application matches the user’s [supply chain] needs.]

After application, [ornamentals] [and] [cut flowers] not for immediate distribution should be stored, according to good standard commercial practices, in either refrigerated air or controlled atmosphere. Do not use this product on [ornamentals] [and] [cut flowers] previously treated with Ethephon. [Best results from Hazel^[TM] are obtained with [ornamentals] [and] [cut flowers] at the optimum maturity level for long term storage.] Prolonged or repeated treatment may be beneficial to the [cut flowers] [and] [or] [ornamentals]. Storage in controlled atmosphere is required for [cut flowers] [and] [or] [ornamentals] that is to be held longer than 6 months.

Maintaining the cold chain (keeping the [ornamentals] [and] [or] [cut flowers] cool at all times) and strict adherence to sanitary practices remain essential in maintaining safe and high-quality [ornamentals] [and] [or] [cut flowers].

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE:

Individual packet(s): Hazel must be kept cold and in its original sealed packaging prior to application. Store in original [foil] [outer] sealed [packaging] [pouch]. **If storing this product for less than 1 month, store at 32 °F (0 °C) or if storing this product up to 6 months, it must be stored at -4 °F (-20 °C) or colder to remain effective or to remain fully effective.** [Use all sachets in the original [foil] [outer] sealed [packaging] [pouch] in accordance with the usage application chart above.] [Do not store Hazel[™] sachets for later use after they have been removed from their original [foil] [outer] [packaging] [pouch] as Hazel[™] is designed to work immediately after removal from the original [foil] [outer] [packaging] [pouch].]

Container of individual packets(s): Hazel must be kept cold and in its original sealed packaging prior to application. [If storing Hazel for < 1 month, Hazel may be stored at 32 °F (0 °C).] If storing up to 6 months, Hazel must be stored at -4 °F (-20 °C) or colder.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard Hazel[™] sachets as waste. Do not remove Hazel[™] powder from the sachet.

CONTAINER/PACKAGING HANDLING: Nonrefillable packaging. Do not reuse or refill the original [foil] [outer] [packaging] [pouch].

WARRANTY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product.

HAZEL TECHNOLOGIES, INC. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when stored and used in accordance with label directions. HAZEL TECHNOLOGIES, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, all of which are beyond the control of HAZEL TECHNOLOGIES, INC. To the extent permitted by applicable law, Buyer and User agree to hold HAZEL TECHNOLOGIES, INC harmless from any claims relating to such factors. Buyer and User agree that HAZEL TECHNOLOGIES, INC. is not responsible for any crops or [produce] [fruit] that fail to ripen due to misuse of this product. Handling, storage, and use of the product by Buyer and User are beyond the control of HAZEL TECHNOLOGIES, INC. and Seller. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of HAZEL TECHNOLOGIES, INC., and, (2) Buyer and User assume the risk of any such use. To the extent permitted by applicable law, in no event shall HAZEL TECHNOLOGIES, INC. be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF HAZEL TECHNOLOGIES, INC FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF HAZEL TECHNOLOGIES, INC., THE REPLACEMENT OF THE PRODUCT.

Optional Label Claims

General Claims

- Convenient formulation and delivery system.
- Protects [cut flowers] [and] [or] [ornamentals] during storage and shipping.
- Protects [cut flowers] [and] [or] [ornamentals] shelf life
- No water activation necessary.
- Recyclable and biodegradable.
- Inhibits ethylene action.
- 1-MCP reduces respiration rate and increase resistance to ethylene.
- Extends the shelf life of ornamental plants and cut flowers.
- Odorless and tasteless.
- Provides slow release of 1-MCP
- Can help protect against cold-chain breakage.
- Can be used at any scale, from individual boxes to bulk shipments.
- Increases shelf life of cut flowers.
- Helps maintain firmness in flowers and plants.
- Helps maintain color in flowers and plants.
- Helps maintain total soluble solids (TSS) in flowers and plants.
- Prevents yellowing in garland chrysanthemum from the effects of ethylene.
- Helps prevent blossom abscission and enhances bloom stability in flowers.

Alternative Brand Names

Hazel Bloom
Hazel Fresh
Hazel 100
Hazel Verde
FruitBrite
Hazel Extend
Hazel Embark
Hazel Shield
Hazel Protect
Hazel Kore
Omnifresh
Hazel Viva
Hazel Vitalia
Hazel Encore
Perennia
HT
HT100

(Individual Unit)

Hazel^[TM]

[by Hazel^[®] [by Hazel Tech ^[®] [by Hazel Technologies]

[For management of post-harvest freshness]

Active Ingredients:

| | |
|---------------------------|---------------|
| 1-Methylcyclopropene..... | 3.0% |
| Other Ingredients..... | 97.0% |
| TOTAL: | 100.0% |

**KEEP OUT OF REACH OF CHILDREN
CAUTION[/PRECAUCIÓN]**

**[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)]**

See full label attached to the outer container for First Aid, Precautionary Statements, and Directions for Use, Storage and Disposal for this unit.

EPA Est. No.: 92120-IL-001

EPA Reg. No.: 92120-1

Net contents:

Batch code:

**[A] [Contains] [a] [Patented Technology]
[[PROUDLY] MADE IN THE USA]**

Not for sale or use after [DATE]

[Patent Pending]