



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

92413-7

Date of Issuance:

6/14/17

Term of Issuance:

Conditional

Name of Pesticide Product:

4% Deltamethrin Collar for Dogs

Name and Address of Registrant (include ZIP Code):

Olaf Hansen
Tevra Brands, LLC
9100 F St.
Omaha, NE 68127

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Sincerely,

Gene Benbow, Acting Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Date:

6/14/17

EPA Form 8570-6

2. You are required to comply with the data requirements described in the DCI identified below:

a. Deltamethrin GDCI-097805-889

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://www.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-pesticide-re-evaluation-division>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 92413-7.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/27/2016
- Alternate CSF 1 dated 09/27/2016


If you have any questions, please contact Tim Ciarlo by phone at 703-347-8082, or via email at Ciarlo.Timothy@epa.gov.

Editor's Note: [Optional proposed text appears in brackets – the final label may include some or all of the optional text]

4% Deltamethrin Collar for Dogs

[ABNs:]

Tevrapet ProAct for Dogs
 Vetality Protect for Dogs
 Tevrapet ProAct Flea & Tick Collar for Dogs
 ProAct Flea & Tick Collar for Dogs
 Vetality Protect flea & tick collar for Dogs
 Protect flea & tick collar for Dogs
 Activate Flea & Tick Collar for Dogs
 Avantect Flea & Tick Collar for Dogs
 Firstact Flea & Tick Collar for Dogs
 Firstect Flea & Tick Collar for Dogs
 Tevrapet Activate for Dogs
 Tevrapet Activate Flea & Tick Collar for Dogs
 Activate for Dogs
 Avantect for Dogs
 Vetality Avantect for Dog
 Vetality Avantect Flea & Tick Collar for Dogs
 ProAct for Dogs
 Tevrapet ProAct flea and tick collar for Dogs
 Vetality Protect flea and tick Collar for Dogs
 Protect for Dogs
 ProLONG Flea & Tick collar for dogs
 Tevrapet ProLONG Flea & Tick collar for Dogs
 Vetality ProLONG Flea & Tick collar for Dogs



ACTIVE INGREDIENT:

Deltamethrin.....	4.00%
OTHER INGREDIENTS	<u>96.00%</u>
Total	100.00%

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

CAUTION

See [Back] [Insert] [or] [Side] Label [Panel(s)] for Additional Precautionary Statements
 Net Weight: [[Small] 0.65oz. (18.4g)] [[Medium] 0.85oz. (24.1g)] [[Large] 0.97oz. (27.5g)]
 [Multi Packs] [[XX oz](XX g)]

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE
 USE ONLY ON [DOGS] [MEDIUM DOGS] [SMALL DOGS]
 [SMALL BREEDS] [PUPPIES 12 weeks or older]
 [DO NOT USE ON CATS]

[PRODUCT INFORMATION]

[[Product Name] [This collar kills fleas and ticks for up to [2] [two][3][three][4][four][5][five][6][six] months.] Use **[Product Name]** year round for most effective control. [Replace every [2][two][3][three][4][four][5][five][6][six] months or sooner if needed.]]

[[Product Name], containing deltamethrin insecticide, has been specially formulated using [patented] insecticide release technology. [Maximum effectiveness may not occur for 2-3 weeks after collar placement.] [If your dog is infested, you may consider shampooing your dog with an EPA registered [brand name] [flea and tick shampoo] to provide immediate relief from itching and biting before applying the [collar] [product name]. The collar works for up to six months to kill fleas (*Ctenocephalides sp.*) on the dog and to kill those that challenge and infest the dog from the surrounding environment. Collar will also kill ticks for up to [2] [two] [3] [three] [4] [four] [5] [five] [6] [six] months. Collar will kill ticks including Brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*), which may transmit Lyme disease. This collar should be worn continuously.] [Reapply a new collar every [2][two][3][three][4][four][5][five][6][six] months.]

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Do not open protective [pouch][package] until ready to use. Do not let children play with this collar. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This collar is intended for use only as an insecticide and is not to be taken internally by humans or animals.

FIRST AID**IF SWALLOWED:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-775-9416 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS 12 WEEKS AND OLDER

Do not open until ready to use. Dust forms on collar during storage. Do not get dust in mouth or eyes. Wipe collar with a damp paper towel or disposable cloth prior to applying. Place collar around dog's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Leave 2 or 3 inches for extra adjustment. Cut off and dispose of excess length. Wash hands after [installing] [placing] collar on dog. Replace collar every [2][two][3][three] [4][four][5][five][6][six] months or sooner if needed.

[OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR INJECTION MOLDED COLLARS]

[[1.] Do not open until ready to use. Dust forms on collar during storage. Do not get dust in mouth or eyes. Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them.]

[[2.] Wipe collar with a damp paper towel or disposable cloth prior to applying to remove dust on collar. Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.]

ICON

[[3.] Place the collar around your dog's neck. Feed the collar through both holes [[ridges][notches] facing out]. Fit to the neck of the dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head [, and two fingers can be placed between the collar and

dog's neck]. Leave [2 or 3] [1 or 2] extra inches for collar adjustment, cut off remaining excess collar and dispose of in the trash.]

ICON

[4.] Wash hands after [installing] [placing] collar on dog. Replace collar every [2][two][3][three][4][four] [5][five] [6][six] months, or sooner if needed.]

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Tevra Brands is committed to providing high quality products. To the extent consistent with applicable law, Tevra Brands makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Tevra Brands, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Satisfaction guaranteed][If you are not satisfied, we will make it right with a replacement or refund.]

[If you have questions or comments about this product, please write:

Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, Nebraska 68127]

In Case of Emergency, call: 1-800-775-9416

[Made in USA]

Non-Emergency, call 1-844-276-3290

{lot, date & label code}

[Distributed by:][Manufactured by:]

Tevra Brands, LLC.

[BAR CODE AREA]

Omaha, Nebraska, 68127

EPA Reg. No. 92413-xxx

EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

{Each optional graphic below may or may not appear anywhere on the finished label}

[Fleas, Ticks, Waterproof-drop, hourglass]



[]



[The following claims/text are optional and may or may not appear anywhere on the final printed labeling:]

[Compare to Scalibor® Protector Band for Dogs [Tick and Flea Collar for Dogs], contains the same active ingredient.*]

[Compare to Scalibor® Protector Band for Dogs [Tick and Flea Collar for Dogs], contains the same active ingredient deltamethrin.*]

[Compare to the same active ingredient found in Scalibor® Protector Band for Dogs [Tick and Flea Collar for Dogs]*]

[[Brand Name] [This product] contains deltamethrin, the same active ingredient used in Scalibor® Protector Band for Dogs [Tick and Flea Collar for Dogs].*]

*Scalibor® is a registered trademark of [Merck Animal Health] [Intervet International B.V.]. [Brand Name] [This product] is not manufactured or distributed by [Merck Animal Health] [Intervet International B.V.].

OR

*Scalibor® is a registered trademark of [Merck Animal Health] [Intervet International B.V.]. [Brand Name] [This product] is not manufactured or distributed by the makers of Scalibor® Protector [Band] [Brand] for Dogs.

Fleas

- [Flea [control] [prevention] for dogs [& puppies 12 weeks or older]]
- [Kills Fleas]
- [Kills [Adult] Fleas for up to [60][90][120][150][180] days[!]]
- [Kills [Adult] Fleas for up to [2][two][3][three][4][four][5][five][6][six] months[!]]
- [Provides [long lasting] [60][90][120][150][180] days[s]] protection against fleas]
- [Provides [long lasting] [2][two][3][three][4][four][5][five][6][six] month[s]] protection against fleas]
- [Prevents new flea infestations]
- [Kills adult fleas (before they lay eggs)]
- [Kills fleas that may cause flea bite anemia]
- [Kills fleas that may cause bartonellosis]
- [Kills [adult] fleas which may transmit tapeworms]
- [Kills [adult] fleas which may cause flea bite anemia]
- [Kills [adult] fleas which may reduce the incidence of Flea Allergy Dermatitis (FAD)]
- [Kills [adult] fleas that may cause [Flea Allergy Dermatitis (FAD)][and][flea bite anemia]]
- [Kills [adult] fleas which may be a source of flea allergy dermatitis][and] flea bite anemia][and]tapeworm]

Ticks

- [Tick (control)(prevention) for dogs (& puppies 12 weeks or older)]
- [Kills Ticks]
- [Kills Ticks for up to [60][90][120][150][180] days[!]]
- [Kills Ticks for up to [2][two][3][three][4][four][5][five][6][six] months[!]]
- [Provides [long lasting] [60][90][120][150][180] days[s]] protection against ticks]

- [Provides [long lasting] [2][two][3][three][4][four][5][five][6][six] month[s]] protection against ticks]
- [Kills ticks that may transmit Lyme Disease]
- [Kills ticks that may transmit babesiosis]
- [Kills ticks that may transmit anaplasmosis]
- [Kills ticks (including deer ticks which may transmit Lyme disease)]
- [Kills the Ticks that may transmit Rocky Mountain Spotted Fever]
- [Kills ticks for [2][two][3][three][4][four][5][five][6][six] months, including Deer ticks (vector of Lyme disease and anaplasmosis), American dog ticks (vector of Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (vector of ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)]

Multiple Pests

- [Provides up to [60][90][120][150][180] days control [of fleas [and] [&] ticks]]
- [Provides up to [2][two][3][three][4][four][5][five][6][six] months control [of fleas [and] [&] ticks]]
- [Kills Fleas [and] [&] Ticks]
- [Kills Fleas and Ticks [for up to] [60][90][120][150][180] days]]
- [Kills Fleas and Ticks [for up to] [2][two][3][three][4][four][5][five][6][six] months]]

Multiple Package Claims

- [Each Collar = [6][Six] months protection [against fleas & ticks]]
- [Two][2] Collars [provide][=] [12][Twelve] months protection [against fleas & ticks]
- [Twelve][12] month protection: apply [one][1] collar every [six][6] months]

Collar Fit Claims

- [For Dogs of all sizes]
- [Lock and Stay Design]
- [Click and Stay Design]
- [Pull and Click]
- [Clicks into place]
- [Click to Fit Design]
- [Modern Click to Fit Design]
- [[New] Lock and Fit Design]
- [Slide [to] [and] Fit [Design]]
- [Fit] [-] [and] Stay [Design]]
- [Slide Fit [and] Stay Design]
- [Right Fit [Design]]
- [Just Right Fit [Design]]
- [Fits Just Right [Design]]
- [Fits securely] [Stays in place]
- [Fits just right ... won't be too loose or too tight]
- [Best Fitting Flea Collar]
- [Comfort Fit [Design]]
- [Designed for Comfort]
- [Stay in Place design]
- [Won't slide and stretch]
- [Won't be too loose or too tight [...fits just right [!]]]

- [Grrreat Fit]
- [Grr.eat [Fit]]
- [GRR...eat FIT]
- [Cut to size]
- [Size to fit]
- [Fit to size]
- [Adjustable]
- [Fits all size dogs]
- [Right Size Collar [Design]]
- [Fits securely on any size dog]
- [Notched to fit securely on any size dog]
- [Fits Neck to [specific inch size]]
- [Fits neck up to [15"] [20"] [23"] [26"]]
- [Fits right over existing collar]

All Other

- [Time Release formula]
- [Continuous protection]
- [[Features] insecticide-release technology]
- [Long[-]Lasting]
- [[2][two][3][three][4][four][5][five][6][six] months protection]
- [Long Lasting Protection [for up to] [60][90][120][150][180] days]]
- [Long Lasting Protection [for up to] [2][two][3][three][4][four][5][five][6][six] months]]
- [Apply new collar every [60][90][120][150][180] days]
- [Apply new collar every [2][two][3][three][4][four][5][five][6][six] months]
- [All Weather Collar]
- [Not affected by water] [Water resistant] [Waterproof]
- [Rugged][and][weatherproof]
- [Wetting will not impair the collar's effectiveness or the dog's protection]
- [Convenient]
- [Easy to (use)(apply)(attach)]
- [Cut off excess length]
- [Tevra collar technology]
- [For multiple dog [and puppy 12 weeks or older] households]
- [over 12 [twelve] weeks of age]
- [For dog(s) (and puppies) 12 weeks of age and older]
- [For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & Puppies] [Small Breeds]]
- [Deodorizes]
- [Deodorizing]
- [[Fresh][Powdery][Clean] Scent]
- [Specific fragrance noted here][Scent][Fragrance]]
- [Specific printed design described here (i.e., animal paw print, paw print, etc.)][print][design][collar]
- [Reflective][Stylish][Trendy][Fashion][Glow-in-the Dark][Collar Cover][Protector Band][Collar Embellishment][Collar Accessories]
- [Pup-cessory]
- [Save Now!]
- [Great Value]
- [Better Value]
- [Bonus Pack]
- [Club Pack]

- [Club Size]
- [Value Size]
- [Value Pack]
- [Multi[-][Pack]
- [[X] % Free]
- [Buy [X] and Save]
- [Buy More and Save]
- [Buy [X] Get [X] Free]
- [(X) Month(s) Free!]
- [X+X=X Bonus Pack!]
- [Coupon Inside!]
- [Product Coupons on inside or outside of package]
- [[New!] [Now] [Available without a visit to a veterinarian]]