U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:
_X_ Registration
___ Reregistration
(under FIFRA, as amended)

EPA Reg. Number:	**Date of Issuance:**
92413-17	3/20/26

Term of Issuance:
Conditional

Name of Pesticide Product:
Tevrapet Deltamethrin Pyriproxyfen Collar for Dogs

Name and Address of Registrant (include ZIP Code):

Tevra Brands, LLC
c/o Pyxis Regulatory Consulting Inc.
535 Dock St, Ste 211
Tacoma, WA 98402

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

J. d Herrick

Jacquelyn Herrick, Acting Chief
IVB1, Registration Division (7505T)

Date:
3/20/26

EPA Form 8570-6

2. You are required to comply with the data requirements described in the generic data call-in (GDCI) identified below:

    a. Deltamethrin GDCI-097805-899
    b. Deltamethrin GDCI-097805-1100

    You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Re-Evaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

3. Make the following label changes before you release the product for shipment:

    - Revise the EPA Registration Number to read, "EPA Reg. No. 92413-17."

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. The record for this product currently contains the following CSFs:

- Basic CSF dated 06/05/2025
- Alternate CSF 1 dated 06/05/2025
- Alternate CSF 2 dated 06/05/2025
- Alternate CSF 3 dated 06/05/2025
- Alternate CSF 4 dated 06/05/2025
- Alternate CSF 5 dated 06/05/2025
- Alternate CSF 6 dated 06/05/2025
- Alternate CSF 7 dated 06/05/2025
- Alternate CSF 8 dated 06/05/2025

If you have any questions, please contact Hester Dingle at 202-566-2596 or at dingle.hester@epa.gov.

{Note to reviewer: [Text] in brackets denotes optional text. The final label may include some or all of the optional text. {Text} in braces denotes where in the final label text will appear and notes to reviewer.}

{Front label}

{Picture of the appropriate size dog will be included on front panel}

Tevrapet Deltamethrin + Pyriproxyfen Collar for Dogs
{Alternate Brand Names: Vetality Deltamethrin + Pyriproxyfen Collar for Dogs

{see end of label for additional alternate brand names}

ACTIVE INGREDIENTS:	
Deltamethrin	4.00%
Pyriproxyfen	0.50%
OTHER INGREDIENTS	95.50%
Total	100.00%

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

CAUTION

See Back[Label][Panel] for First Aid and Additional Precautionary Statements

Net Weight:

{Single Packs contain 1 or 2 collars (1-count, 2-count); Multi Pack(s): each labeled package contains 1 or 2 collars; a Multi Pack is a clam shell that contains 1, 2 or 3 labeled packages containing the same number of collars with no over-wrap labeling. Text on all packages will be legible through clam shell outer packaging.; multi-pack claims will be either on clam shell or front label. Multi Packs will have a statement of net weight that will include individual collar weight as well as appropriate total weight.}

{Single pack, one collar}
One Collar
[One Size Fits All: 0.97 oz. (27.5 g) [Collar] **[[Adjustable—]One Size Fits All]**
{Small}[0.65 oz. (18.4 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[0.85 oz. (24.1 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[0.97 oz. (27.5 g) [Collar] [Fits neck up to 23[“][inches]]

{Single pack, two collars}
Two Collars
[One Size Fits All: 1.94 oz. (55 g) [Collar] **[[Adjustable—]One Size Fits All]**
{Small}[1.3 oz. (36.8 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[1.70 oz. (48.2 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[1.94 oz. (55 g) [Collar] [Fits neck up to 23[“][inches]]

{3 x 1-count; 3 collars total}
3 Collars
[One Size Fits All: 2.91 oz. (82.5 g) [Collar] **[[Adjustable—]One Size Fits All]**
{Small}[1.95 oz. (55.2 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[2.55 oz. (72.3 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[2.91 oz. (82.5 g) [Collar] [Fits neck up to 23[“][inches]]

ACCEPTED
03/20/2026
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 92413-17

{2 x 2-count. 4 collars total}
4 Collars
[One Size Fits All: 3.88 oz. (110 g) [Collar] **[[Adjustable—]One Size Fits All]**
{Small}[2.6 oz. (36.8 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[3.4 oz. (96.4 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[3.88 oz. (110 g) [Collar] **[**Fits neck up to 23[“][inches]]

{3 x 2-count; 6 collars total; X=6} [5.82 oz. (165 g)]
{Small}[3.9 oz. (110.4 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[5.1 oz. (144.6 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[5.82 oz. (165 g) [Collar] [Fits neck up to 23[“][inches]]

6 Collars
[One Size Fits All: 5.82 oz. (165 g) [Collar] **[[Adjustable—]One Size Fits All]**
{Small}[3.9 oz. (110.4 g) [Collar] [Fits neck up to 15[“][inches]]
{Medium}[5.1 oz. (144.6 g) [Collar] [Fits neck up to 20[“][inches]]
{Large}[5.82 oz. (165 g) [Collar] [Fits neck up to 23[“][inches]]

{End Front Label}

{Back label}

[Product Name]

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 12[TWELVE] WEEKS OF AGE AND OLDER
DO NOT USE ON CATS

[PRODUCT INFORMATION]

[**[Product Name]**[This collar]{ kills fleas and ticks for [6[six] months][180 days]. Use **[Product Name]** year-round for most effective control. [Replace every [6[six] months] [180 days].]

[[Product Name], containing deltamethrin insecticide and [the Insect Growth Regulator] pyriproxyfen, has been formulated using insecticide release technology.]

Maximum effectiveness may not occur for 2-3 weeks after collar placement.

[The collar will kill fleas *(Ctenocephalides sp.)* on the dog and will continue to kill fleas for [6[six] months][180 days], thus working to kill fleas from the environment that may appear later on the dog. Collar will also kill ticks for [6[six] months][180 days]. Collar will kill ticks including Brown dog tick *(Rhipicephalus sanguineus),* American dog tick *(Dermacentor variabilis),* and deer ticks *(Ixodes scapularis* and *Ixodes pacificus),* which may transmit Lyme disease. The collar will sterilize adult fleas and will sterilize [and kill] flea eggs*. This collar should be worn continuously.] [Reapply a new collar every [6[six] months][180 days].]
*excluding California

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Do not open protective [pouch][package] until ready to use. Do not let children play with this collar. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This collar is intended for external use only as an insecticide and is not to be taken internally by humans or animals.

FIRST AID
IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-775-9416 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 12[TWELVE] WEEKS AND OLDER

RESTRICTIONS

- Do not use on puppies under 12[twelve] weeks.
- Do not use on cats.
- Do not open [wrapper][pouch][package]until ready to use.
- Do not let children play with collar.
- {For multi-packs only} [Use only one collar per dog at a time.]
- Dust forms on collar during storage. Do not get dust in mouth or eyes.

{ EXTRUDED COLLARS}

Wipe collar with a damp paper towel or disposable cloth prior to applying. Place collar around dog's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Two fingers should fit between the collar and neck. Leave 2 or 3 inches for extra adjustment. Cut off excess length, wrap in newspaper and dispose of in trash. Wash hands after [installing] [placing] collar on dog. Replace collar every [6[six] months.][180 days.]

{ INJECTION MOLDED COLLARS*}*

[[1.] Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them. Discard tabs in the trash.]

[[2.] Wipe collar with a damp paper towel or disposable cloth prior to applying to remove dust on collar. Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.]

[ ]

[[3.] Place the collar around your dog's neck. Feed the collar through both holes [[ridges][notches] facing out. Fit to the neck of the dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head [, and two fingers can be placed between the collar and dog's neck]. Leave [2 or 3] [1 or 2] extra inches for collar adjustment. Cut off remaining excess collar, wrap in newspaper and dispose of in the trash.]

[ ]

[4.] Wash hands after [installing] [placing] collar on dog. Replace collar every [6[six] months][180 days].]

STORAGE AND DISPOSAL

Pesticide Storage: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law all such risks shall be assumed by the user or buyer. Tevra Brands is committed to providing high quality products. To the extent consistent with applicable law, Tevra Brands makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements

on this label. To the extent consistent with applicable law, Tevra Brands, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Satisfaction guaranteed
If you are not satisfied, we will make it right with a replacement or refund.]

[If you have questions or comments about this product, please write:
Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, Nebraska 68127]

In Case of Emergency, call: 1-800-775-9416
Non-Emergency, call 1-844-276-3290 [lot, date & label code]

[Distributed by:][Manufactured for:]
Tevra Brands, LLC.
13575 Lynam Dr., Suite 103
Omaha, Nebraska, 68138

[BAR CODE AREA]

EPA Reg. No. 92413-xx
EPA Est. No. XXXXX-XX-XXX

{End Back label}

{Note to reviewer: Each optional graphic below may or may not appear anywhere on the finished label}

[Fleas, Flea Eggs*, Ticks, Waterproof-drop, hourglass, breaks-flea-life-cycle*, kills-flea-eggs for [6[six] months][180 days]*, kills flea eggs*, {only when 2 collars are offered}, lock-and-stay-design, molded-collar, comfort-fit-design, flea-eggs*]

[TIME RELEASED FORMULA]

[ ][ ][ ]* [ ]

[12 2 collars = MONTH PROTECTION] [12 2 COLLARS = MONTHS PROTECTION FOR DOGS 12 WEEKS OF AGE & OLDER]

BREAKS FLEA
LIFE CYCLE

[ ]*[

KILLS FLEA EGGS
FOR 6 MONTHS

]*[

KILLS FLEA EGGS

]*

LOCK&
STAY
DESIGN

[ ][

6 MONTHS OF
CONTINOUS
PROTECTION

][

6 MONTHS CONTINOUS
PROTECTION

] [

TIME-RELEASED
FORMULA

]


WATER
RESISTANT

TICKS

MOSQUITOES

BREAKS THE
FLEA LIFECYCLE*

[

FLEAS

FLEAS
EGGS

]

[ ][

COMFORT
FIT DESIGN

][

][

]

[ ][ ]

[ ] [ ] [ ]

[ ]* [ ]*[ ]*

*excluding California

The following claims/text are optional and may or may not appear anywhere on the final printed labeling:

Fleas and Flea Eggs*

- Flea [control] [prevention] for dogs & puppies 12[twelve] weeks or older
- Kills [Adult] Fleas for [6[six] months] [180 days[!]
- Provides [6[six] months] [180 days] protection against fleas
- Prevents new flea infestations
- Kills [adult] fleas [before they lay eggs]
- Kills fleas that may cause flea bite anemia
- Kills fleas that may transmit bartonellosis
- Kills [adult] fleas which may transmit tapeworms
- Kills [adult] fleas which may cause flea bite anemia
- Kills [adult] fleas which may reduce the incidence of Flea Allergy Dermatitis (FAD)
- Kills [adult] fleas that may cause [Flea Allergy Dermatitis (FAD)][and][flea bite anemia]
- Kills [adult] fleas which may be a source of flea allergy dermatitis[(and) flea bite anemia][(and)tapeworm]
- Sterilizes adult fleas for [6[six] months][180 days]*
- Sterilizes [and kills] flea eggs for [6[six] months][180 days]*
- Kills flea eggs for [6[six] months][180 days]*
- Kills Fleas and Flea Eggs for [6[six] months][180 days]*
- Plus Pyriproxyfen
- Pyriproxyfen added
- Includes an IGR

*excluding California

Ticks

- Tick [control][prevention] for dogs & puppies 12[twelve] weeks or older
- Kills Ticks
- Kills Ticks for [6[six] months][180 days][!]
- Provides [6[six] months][180 days] protection against ticks
- Kills ticks that may transmit Lyme Disease
- Kills ticks that may transmit babesiosis
- Kills ticks that may transmit anaplasmosis
- Kills ticks (including deer ticks which may transmit [Lyme disease][Borreliosis])
- Kills the Ticks that may transmit Rocky Mountain Spotted Fever
- Kills ticks for [6[six] months][180 days], including Deer ticks (which may transmit Lyme disease and anaplasmosis), American dog ticks (which may transmit Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (which may transmit ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)

Mosquitoes*

- Repels mosquitoes for [6[six] months][180 days]*
- Reduces mosquito bites for [6[six] months][180 days]*
- Reduces blood feeding by mosquitoes for [6[six] months][180 days]*
- Protects against mosquito bites for [6[six] months][180 days]*

*excluding California

Multiple Pests

- Provides [6[six] months][180 days] control [of fleas [and] [&] ticks][and][repels mosquitoes]
- Kills Fleas [and][&] Ticks
- Kills Fleas and Ticks for [6[six] months][180 days]
- Provides full season, [6[six] months][180 days] protection against fleas [and] ticks [and] [repels mosquitoes*]
- Kills fleas[,][flea eggs*][,][ticks][,][and][repels mosquitoes*] for 6 [six]months[180 days] *excluding California

Multiple Package Claims {Claims for packages with 2 collars}

- Each Collar = [6[Six] months][180 days] protection [against fleas & ticks][fleas, flea eggs*, ticks & repels mosquitoes*]
- Two [2] Collars, worn [one at a time][consecutively] [provide][=] 12[twelve] months protection [against fleas & ticks] fleas [and] ticks [and] [repels mosquitoes*]
  *excluding California

Collar Fit Claims

- For Dogs [and Puppies] over 12[twelve] weeks old
- Lock and Stay Design
- Click and Stay Design
- Pull and Click
- Clicks into place
- Click to Fit Design
- Modern Click to Fit Design
- Lock and Fit Design
- Slide [to] [and] Fit [Design]
- Fit] [-] [and] Stay [Design]
- Slide Fit [and] Stay Design

- Right Fit [Design]
- Just Right Fit [Design]
- Fits Just Right [Design]
- Fits securely [Stays in place]
- Fits just right … won't be too loose or too tight
- Comfort Fit [Design]
- Designed for Comfort
- Stay in Place design
- Won't slide and stretch
- Won't be too loose or too tight […fits just right [!]]
- Cut to size
- Size to fit
- Fit to size
- Adjustable
- {Only for adjustable size collar} Adjustable – One Size Fits [Large][Medium][Small][Small Breed] Dogs
- {Only for adjustable size collar} Fits all size dogs over 12[twelve] weeks old [Cut off excess collar]
- Right Size Collar [Design]
- {Only for adjustable size collar} Fits securely on any size dog [Cut of excess collar]
- Fits Neck to [specific inch size]
- Fits right over existing collar

All Other

- Time Release formula
- Continuous protection for [6[six] months][180 days]
- ICON 6-Months of Continuous protection:

- [Features] insecticide-release technology
- [6[six] months][180 days] protection
- Long Lasting Protection for [6[six] months][180 days]
- Apply new collar every [6[six] months][180 days]
- All Weather Collar
- Not affected by water [Water resistant]
- Rugged [and][weatherproof]
- Wetting will not impair the collar's effectiveness or the pet's protection
- Convenient
- Easy to use[apply][attach]
- Cut off excess length
- Tevra collar technology
- For dog(s) (and puppies) 12 [twelve]weeks of age and older
- [Fresh][Powdery][Clean] Scent
- Specific fragrance noted here[Scent][Fragrance]]
- Collar Cover[Protector Band]

- Save Now!
- Great Value
- Better Value
- Bonus Pack [Club Pack][Club Size][Value Size][Value Pack][[Multi-Pack] {Note to reviewer: Each labeled package contains 1 or 2 collars. Bonus Pack (or Club Pack, Club Size, Value Size, Value Pack, or Multi Pack) will contain more than 1 labeled package containing the same number of collars in a clamshell outer package. There is no over-wrap labeling. Text on all packages will be legible through clam shell outer packaging.}
- Buy [X] and Save {X= 2 or 3; one or two collars are packaged in one container; if you buy more than one package, X is >1}}
- Buy More and Save
- [BOGO] Buy One Get One FREE
- [BOGO] Buy One Get one 50% Off
- 1+1=2 Bonus Pack!
- 2+1=3 Bonus Pack!
- Coupon Inside!
- Product Coupons on inside or outside of package {Note to reviewer: if product coupon is on outside of package, none of the text on the label will be obscured}

[ABNs]

Activate® 2 Flea and Tick Collar for Dogs	Tevrapet Activate Duo Flea and Tick Collar for Dogs
Tevrapet Activate® 2 Flea and Tick Collar for Dogs	Avantect® Multi Flea and Tick Collar for Dogs
Activate® Multi Flea and Tick Collar for Dogs	Vetality Avantect® Multi Flea and Tick Collar for Dogs
Tevrapet Activate® Multi Flea and Tick Collar for Dogs	Avantect® 2 Flea and Tick Collar for Dogs
Activ8™ II Flea and Tick Collar for Dogs	Vetality Avantect® 2 Flea and Tick Collar for Dogs
Tevrapet Activ8™ II Flea and Tick Collar for Dogs	Avantect® Duo Flea and Tick Collar for Dogs
Activ8™ 2 Flea and Tick Collar for Dogs	Vetality Avantect® Duo Flea and Tick Collar for Dogs
Tevrapet Activ8™ 2 Flea and Tick Collar for Dogs	Advantect® II Flea and Tick Collar for Dogs
Activate Duo Flea and Tick Collar for Dogs	Vetality Advantect® II Flea and Tick Collar for Dogs