

## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 11, 2024

Michael Barber Senior Regulatory Affairs Specialist SBM Life Science 11000 Weston Parkway, Suite 150 Cary, NC 27513

Subject: Approval of Label Amendment; Only Indicated Changes Reviewed revise the directions for use, addition of pests, addition/revision of marketing claims, addition of optional fertilizer marketing statements, addition of 2 lb. net content,

and registration of alternate brand names

Product Name: FPF Plus Fertilizer Granule Insecticide

EPA Registration Number: 92564-1 Application Date: 10/22/2019

Case Number: 605960

### Dear Mr. Barber:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. However, EPA reviewed only the label changes highlighted, marked, or otherwise indicated on the submitted label. Any other changes to the previously approved label that were not clearly highlighted, marked, or otherwise indicated in your submission were not reviewed and may form the basis of regulatory and/or enforcement action if later discovered by the Agency. Further, submission of a label amendment application with unidentified changes may be considered a knowing submission of false information to the Agency. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The label submitted with the application has been stamped "Accepted Only Indicated Revisions Reviewed" and is enclosed for your records.

The alternate brand names: BioAdvanced® Science-Based Solutions 2-in-1 Systemic Rose and Flower Care Granules, BioAdvanced® Science-Based Solutions 2-in-1 Rose & Flower Care Granules, BioAdvanced® Science-Based Solutions 2-in-1 Systemic Rose & Flower Care Granules I, BioAdvanced® Science-Based Solutions 2-in-1 Flower & Rose Care Granules have been added to the registration. Our records have been updated accordingly. This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be

Page 2 of 2 EPA Reg. No. 92564-1 Case Number 605960

subject to existing terms or conditions on your registration and any deadlines connected with them.

This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 C.F.R. § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 C.F.R. § 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website contains any false or misleading statement, design, or graphic, the product may be misbranded and unlawful to sell or distribute under FIFRA Sections 2(q)(1)(A) and 12(a)(1)(E). 40 C.F.R. § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on the product label, claims made as part of the product's sale or distribution may not substantially differ from those claims approved through the registration process under FIFRA Section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the product will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Joseph Belsky at 202-566-2495 or at belsky.joseph@epa.gov.

Sincerely,

Kable Bo Davis

Senior Regulatory Specialist Office of Pesticide Programs

Registration Division, Immediate Office

Enclosure

## (Front Panel)

# **FPF Plus Fertilizer Granule Insecticide**

[ABNs]

BioAdvanced <sup>®</sup> \$	Science-Based	Solutions 2-in-	1 Systemic R	Rose and Flower	<b>Care Granules</b>
-----------------------------	---------------	-----------------	--------------	-----------------	----------------------

BioAdvanced® Science-Based Solutions 2-in-1 Rose & Flower Care Granules I

BioAdvanced® Science-Based Solutions 2-in-1 Systemic Rose & Flower Care Granules I

BioAdvanced® Science-Based Solutions 2-in-1 Flower & Rose Care Granules I

BioAdvanced® Science-Based Solutions 2-in-1 Systemic Flower Care Ready-to-Use Granules

BioAdvanced® Science-Based Solutions Flower Care Ready-to-Use Granules

BioAdvanced® 2-in-1 Systemic Flower Care Ready-to-Use Granules

BioAdvanced® Flower Care Ready-to-Use Granules

Bianova Advanced™ 2-in-1 Systemic Flower Care Ready-to-Use Granules

Bianova Advanced™ Flower Care Ready-to-Use Granules

Fortifend Advanced™ 2-in-1 Systemic Flower Care Ready-to-Use Granules

Fortifend Advanced™ Flower Care Ready-to-Use Granules

### **ACTIVE INGREDIENT:**

Flupyradifurone	0.53%
OTHER INGREDIENTS:	<u>99.47%</u>
TOTAL:	100.00%

### Net Weight: [X lb. (XXX kg)]

[2 lb. (0.9 kg)]

[4 lb. (1.8 kg)]

[5 lb. (2.3 kg)]

[6 lb. (2.7 kg)]

[8 lb. (3.6 kg)]

[10 lb. (4.5 kg)]

[12 lb. (5.4 kg)]

[GUARANTEED ANALYSIS X-X-X]

## ACCEPTED

ONLY INDICATED
REVISIONS REVIEWED

12/11/2024

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

92564-1

No label revisions other than those indicated were reported to the Agency.

# STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN

# CAUTION

See Back Panel [Booklet] for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York

<b>♣</b> FIRST AID		
IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
IF ON SKIN:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	

**NOTE:** Have the product container or label with you when calling poison control center or doctor or going for treatment. You may call toll-free 877-229-3763 for medical emergency information.

[Active Ingredient: 0.53% Flupyradifurone (CAS # 951659-40-8)]

## (BACK PANEL)

FPF Plus Fertilizer Granule Insecticide's formula protects against listed[\*] insects for up to four weeks, and feeds your plants. Now you can grow beautiful roses, flowers and shrubs in one easy step. Easy to use, no spraying or mixing. Growing beautiful roses, flowers and shrubs has never been easier!

## **READ THE LABEL FIRST!**

(Note to PM: Reference Statement for Booklets)

[For FIRST AID STATEMENT, ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information]

[Peel back for additional Precautionary statements including First Aid Statements]

[Open Resealable Label for Directions & [and] Precautions].

### **QUICK FACTS**

- Feeds and Protects in One Easy Step
- Easy -to-Use Granules
- Two [2] Products in One [1]:
  - -Fertilizer
  - -Insect Control
- Protects against listed [\*] insects for [up to] 4 weeks [plus feeds]
- · Feeds and Protects in one easy step
- No spraying or mixing

{Note to PM: May choose any claim from marketing claims list.}

KILLS	Aphids, Lace Bugs, Leafhoppers, Mealybugs, <a href="Psyllids">Psyllids</a> , Rose Slugs (Suppression), Scale Insects, Thrips, Whiteflies and other listed[*] pests.		
FEEDS	X-X-X fertilizer for strong roots and blooms		
WHERE TO USE	Flowers, Roses & Shrubs Not for use on lawns		
WHEN TO USE	When listed[*] insects are present  Every 4 weeks during the growing season. (See seasonal limitations in Directions For Use.)  To reduce frost damage, stop applications 8 weeks before the first frost.  For New and Established Roses, Shrubs and Flowers: Apply when planting or anytime during the active growing season.  If necessary, apply again every 4 weeks during the growing season but not to exceed the maximum application rate 0.365 lb. flupyradifurone per acre per year. Refer to How Much to Use section for instructions.		
COVERAGE	[Treats up to 17 rose bushes or up to 404101 square feet [sq. ft.].] [Treats up to 34 rose bushes or up to 807202 square feet [sq. ft.].] Treats up to 42 rose bushes or up to 1,000252 square feet [sq. ft.]. [Treats up to 50 rose bushes or up to 1,211303 square feet [sq. ft.].] [Treats up to 67 rose bushes or up to 1,614404 square feet [sq. ft.].] [Treats up to 84 rose bushes or up to 2,018504 square feet [sq. ft.].] [Treats up to 101 rose bushes or up to 2,421605 square feet [sq. ft.].]	{2 lb. size} {4 lb. size} {5 lb. size} {6 lb. size} {8 lb. size} {10 lb. size} {12 lb. size}	
	For questions or comments, call toll-free 1-877-229-3724 or visit our w [www.bioadvancedsciencebasedsolutions.com]	ebsite at www.BioAdvanced.com	

## FOR RESIDENTIAL [OUTDOOR] USE ONLY

## **NOT FOR USE ON TURF LAWNS**

EPA Reg. No. 92564-1 EPA Est. No. \_\_\_\_-AA-\_\_

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## **CAUTION**

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

## **ENVIRONMENTAL HAZARDS**

- Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.
- Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
- Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.
- Toxic to adult bees in laboratory studies via oral exposure, however, not toxic to bees through contact exposure, and field studies conducted with this product have shown no effects on honeybee colony development.

DIRECTIONS FOR USE				
It is a violation of Federal L	It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.			
BEFORE YOU USE	Restrictions:			
Read and follow all	-Do not apply near fish pools, ponds, lakes or si	treams		
directions.	-Do not use in vegetable gardens.			
	-Outdoor use only			
	-Do not water the treated area to the point of run-off			
	-Do not apply by hand			
	-Do not reuse measuring/application utensil for food use			
	-Do not make applications during rain			
	-Do not allow children or pets to re-enter until product is incorporated into soil			
	-Maximum application rate is 0.365 lb. flupyradifurone [X bottles] per acre per calendar year			
	[3 applications per rose bush per calendar year]. This bottle contains [X] lb. of flupyradifurone.			
KILLS	Aphids	Mealybugs		
	Lace Bugs	Plant Bugs (Including Western Plant Bugs and		
	Leafhoppers	Tarnished Plant Bugs)		
		Psyllids		
		Rose Slugs (Suppression)		
		Scale Insects (Citricola, Euonymus, Orange, Oystershell and San Jose)		

		Thrips	
		Whiteflies	
HOW MUCH TO USE			
	Fill measuring cap to top of inner circle [to	p of screw threads]: [equivalent to 2 oz. or 54 grams]	
	Azaleas, Camellias, & Rhododendrons	½ capful [1 oz.] [27 g] per foot of plant height	
	Roses	1 capful [2 oz.] [54 g] per plant	
	Shrubs	½ capful [1 oz.] [27 g] per foot of plant height	
	Flowerbeds	2 capfuls [4 oz.] [108 g] per 12 sq. ft. (3' x 4' bed area)	
	Flowers, Roses & Shrubs		
WHERE TO USE			
	When listed[*] insects are present		
	Every 4 weeks during the growing season. (S	ee seasonal limitations in Directions For Use.)	
	To reduce frost damage, stop applications 8 weeks before the first frost.		
WHEN TO USE	For New and Established Roses, Shrubs and Flowers: Apply when planting or anytime during the active growing season.		
	If necessary, apply again every 4 weeks during the growing season but not to exceed the maximum		
	application rate 0.365 lb. flupyradifurone per a instructions.	cre per year. Refer to How Much to Use section for	
HOW TO APPLY	Apply granules to soil around base of plant, sprinkling evenly from cap or other utensil in the area under the branches.		
	2. Work granules into top 1 to 2 inches of so	il, being careful not to disturb established roots.	
	3. Water thoroughly after applying.		
	4. For flowerbeds, sprinkle granules evenly thoroughly.	over the bed, cultivate lightly into the soil and water in	
FOR BEST RESULTS	Begin using this product in the spring who	<u> </u>	
	<ul> <li>Reapply every 4 weeks for a total of 3 apple</li> </ul>	· · · · · · · · · · · · · · · · · · ·	
	To reduce frost damage, stop applications		
	<ul> <li>Keep rose, flower and shrub beds clean.</li> <li>additional cultural practices, consult your</li> </ul>	This minimizes harborage sites for diseases and insects (fo	
	<ul> <li>Ensure the product gets down into the roo</li> </ul>		
	<ul> <li>pulling mulch away from plants t</li> </ul>		
	<ul> <li>building a well around individual</li> </ul>	plants.	
	<ul> <li>sprinkling granules evenly aroun</li> </ul>	d the plant and watering thoroughly.	
HOW IT WORKS		one where it is taken up and [&] moved into the plant. The ected against listed [*] insects and disease. Rain or waterin	
HOME HORRO	cannot wash off this systemic protection.	solice against noted [ ] inscote and disease. Italii 01 wateriii	

STORAGE AND DISPOSAL		
Do not contaminate water, food, or feed by storage or disposal.		
Pesticide Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet.	

Pesticide Container:

Non-refillable container. Do not reuse or refill this container.

If empty: place in trash or offer for recycling, if available.



If partly filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

**NOTICE:** Research and testing has determined that the "Directions for Use" are appropriate for the proper use of FPF Plus Fertilizer Granule Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if the product is not used according to the directions on this label.

<sup>‡‡</sup>Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

<sup>‡‡</sup>or your money back

{Note to PM: Batch code to be added at time of production}

BioAdvanced® is a registered trademark of SBM Life Science Corp.

# PRODUCED FOR [DISTRIBUTED BY]

SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, NC 27513

FPF Plus Fertilizer Granule Insecticide 4/7/2020 12/6/2024

## **Optional Marketing Claims:**

### **Pesticide Claims:**

- Controls [kills] listed [\*] insects [that harm [roses] [flowers] [ground covers] [vines] [ornamentals] [and] [shrubs] [and] [trees]
- 2. Protects against listed [\*] insects for 4 weeks, and feeds
- 3. Kill listed[\*] insects for up to 4 weeks [plus feeds]
- 4. Insect Protection for up to 4 weeks, and [&] [plus] feeds plants
- Protects against listed [\*] insects for [up to] 4 weeks [plus feeds]
- 6. Just one application [quickly] kills [controls] [listed[\*] insects] [whiteflies]
- 7. Just one application controls listed[\*] insects [whiteflies]
- 8. Up to 4 weeks protection from insects
- 9. Protects against listed[\*] insects for up to 4 weeks
- 10. Keeps protecting against listed[\*] insects for up to 4 weeks
- 11. [Residual action], keeps protecting for up to 4 weeks
- 12. Xylem mobility [Systemic action] [Systemic movement] to protect against listed[\*] insect damage
- 13. Protects plants from listed[\*] insect pests
- 14. Knocks out whiteflies
- 15. Controls [kills] aphids [and other listed[\*] insects]
- 16. Kills aphids [and other listed[\*] insects]
- 17. Kills listed[\*] insects and keeps protecting against listed[\*] insects for up to 4 weeks [a month] [1 month]
- 18. Exclusive [Proprietary] Formula [controls listed[\*] insects] [kills listed [\*] insects]
- 19. Kills aphids and other listed[\*] insect pests
- 20. Kills aphids and [&] other listed [\*] insects
- 21. Kills listed[\*] insects and protects against listed[\*] insects for up to 4 weeks [up to 1 month]
- 22. Kills [Controls] aphids and other listed[\*] insect pests
- 23. Kills listed [\*] insects by ingestion [after foliar penetration into the plant] [after foliar penetration to the leaves]
- 24. Kills [controls] aphids, [whiteflies,] [psyllids,] [Lace bugs,] [Leafhoppers,] [Mealybugs,] [Plant bugs,] [Rose Slugs,] [Thrips]
- 25. Kills whiteflies [aphids][psyllids]
- 26. Kills thrips and aphids
- 27. Kills all stages of listed[\*] [sucking] pests
- 28. Kills Aphids, Lace Bugs, Rose Slugs, Thrips, and Other Harmful listed[\*] Insects
- 29. Kills harmful listed[\*] Insects
- 30. The Rose and Flower defender [quardian] [protector]
- 31.30. Is [readily] absorbed into leaf tissue
- 32.31. Rapid translaminar movement
- 33. [New] [alternative] chemistry
- 34. New [alternative] formula
- 35.32. Up to 1 month [28 days] [4 weeks] protection against listed[\*] insect damage
- 36-33. Up to 28 days [up to 1 month] [up to 4 weeks] protection [guard] [defense] [shield] against listed[\*] insects
- 37.34. On-going protection against listed[\*] insects [lasts up to] [1 month] [28 days] [4 weeks]
- 38.35. Protects for up to 1 month [28 days] [4 weeks] against listed[\*] insect damage
- 39.36. 1 [One] application protects for up to 4 weeks
- 40.37. Kills listed[\*] insects by ingestion [after they eat the plant]
- 41.38. Protects against listed[\*] insects plus feeds
- 42.39. Kills aphids, [whiteflies,] [psyllids,] [Lace bugs,] [Leafhoppers,] [Mealybugs,] [Plant bugs,] [Thrips,]
- 43.40. Control[s] [Kill[s]] listed[\*] pests [insects] on the foliage [regardless of where they feed on the leaves]
- 44.41. Controls [Kill[s]] [hidden] listed[\*] insects
- 45.42. Protects against [nymphs] [&] adults of listed[\*] insects
- 46.43. Protects against [feeding] damage from listed[\*] insects
- 47.44. Causes [makes] listed[\*] insects [to] stop feeding

- 48.45. Stops insects from feeding [on leaves]
- 49.46. Protects against [hidden] listed[\*] insect pests
- 50.47. Knocks out whiteflies
- 51.48. Knocks out psyllids
- 52.49. Effective [insecticidal] [residual] activity on listed[\*] insects
- 53.50. Effective control of listed[\*] [sucking] insect pests, both adult and immature [nymph] stages
- 54.51. Systemic protection

### **Fertilizer Claims:**

- 1. Promotes strong roots and beautiful blooms
- 2. Feeds plants & protects in one easy step
- 3. Feed & Protect in one easy step
- 4. Feeds and Protects in One Easy Step
- 5. Feeds for beautiful [abundant] blooms
- 6. Helps plants resist [environmental stresses including] heat, drought and insect damage
  - Helps protect [flowering] plants from [environmental stresses including] heat, drought and insect damage
- 8.6. Slow release [nitrogen] fertilizer [for more even feeding of annual flowering plants] [for more even feeding of flowering plants]
- 9-7. Controlled release fertilizer [for more even feeding of annual flowering plants] [for more even feeding of flowering plants]
- 40.8. Starts to work instantly
- 44.9. Promotes quick, beautiful results
- 42.10. Promotes Strong Roots and Beautiful Blooms
- 43.11. Promotes stronger roots systems
- 44.12. Fertilizer Feeds & Renews
- 45.13. Feeds for up to 4 weeks
- 46.14. Keeps on feeding for up to 4 weeks
- 47.15. Continuous feeding for up to 4 weeks
- 48.16. Feeds and renews for up to 4 weeks
- 19.17. Improves plant growth
- 20.18. Revitalize s roses, flowers and shrubs
- 21. Spurs roses, flowers and shrub recovery
- 22. Stimulates roses, flowers & shrub recovery
- 23.19. Increases plant growth
- 24.20. Provides slow release feeding {fertilizer}
- 25.21. Slow-release feeding, [Feeds up to 4 weeks.]
- 26.22. Grows bigger, more beautiful plants [vs. unfed plants]
- 27.23. Feeds instantly
- 28.24. The Rose & Flower enhancer
- 29.25. Maintains [and] [restores] colorful, beautiful blooms

### **General Claims:**

- 1. 2-in-1 [Systemic] Rose & Flower Formula
- 2. 2-in-1 [Systemic] Flower & Rose Formula
- 3. Ready-To-Use Granules
- 4. Easy-to-Use Granules
- 5. 2 Products in One
  - Fertilizer
  - Insect Control
- 6. No spraying or mixing

- 7. Helps protect flowering plants from environmental stresses: heat, drought, and insect damage
- 8. Helps protect [flowering] plants from [environmental stresses]: heat, drought, and [&] insect damage
- 9.8. Rainproof after 30 minutes
- 40.9. Rainproof protection
- 11. [New] [proprietary] [and] exclusive product
- 42.10. Systemic movement [through foliage]
- 43.11. Treats up to [XXX] Sq. ft.

#### **Packaging Claims:**

- 1. Ridged Cap makes the bottle easy to open
- 2. Easy Open Ridged Cap
- 3. Easy Screw Off Cap
- 4. EZ Open Cap
- 5. Easy Open Cap
- 6. Cap opens easily
- 7. Cap opens with ease
- 8. No more struggling to remove [open]the cap with the [new] [EZ] ridged cap
- 9. Comfort Cap
- 10. Easy [Open] Cap
- 11. Easy Twist Off Cap
- 12. Remove cap easily
- 13. Easy twist off design
- 14. Fill line helps you measure [sprinkle] the right amount
- 15. Fill line helps you see how much to use
- 16. No more guessing how much to use
- 17. Fill measuring cap to the FILL LINE [indicated on the exterior of the cap] [(X oz.)]


## **Bonus/Promotional Claims:**

- 1. Bonus size 25% more (vs 4 lb. size)
- 2. Bonus size 50% more (vs. 4 lb. size
- 3. Bonus size -- 25% more (vs. 8 lb. size)
- 4. Bonus size -- 20% more (vs. 10 lb. size)
- 5. 25% MORE vs. 8 lb. Size
- 6. 25% MORE vs. 4 lb. Size
- 7. 20% MORE vs. 10 lb. Size
- 8. 20% MORE vs. 5 lb. Size
- 9. 33% MORE vs. 6 lb. Size
- 10. 2-Pack
- 11. 2-Pack Value Pack

{Note to PM: the claim "NEW" will only be used within 6 months of marketing the product.}

<sup>\*</sup>listed {Note to PM: The word "listed" can appear as a footnote on the same page with the appropriate phrase listed[\*] pests/insects}

## [ART]



## [For placement under Fertilizer Guarantee Section]

[FPF Plus Fertilizer Granule Insecticide x6-x9-x6]

{Note to PM: Maximum nitrogen content is 6%}

#### **GUARANTEED ANALYSIS**

Total Nitrogen (N).....XX.0% XX% Urea Nitrogen\* Soluble Potash (K2O).....X.0% X.X% Free Sulfur (S)

X.X% Combined Sulfur (S)

F2414

Derived From: Urea, Polymer Coated Sulfur Coated Urea, & Potassium Sulfate

[\*Contains XX.X% slowly available Nitrogen from Polymer Coated Sulfur Coated Urea]

[This product does not contain live microbial inoculum.]

[Fertilizer components are all synthetically derived.]

[Microbiological guarantees are not claimed on this product.]

## [ALSO CONTAINS NON-PLANT FOOD INGREDIENTS] [SOIL AMENDMENT GUARANTEED ANALYSIS]

Information regarding the contents and levels of metals in this product are available on the Internet at http://www.aapfco.org/metals.html.

Net Weight: 2 lb., 4 lb., 5 lb., 6 lb., 8 lb., 10 lb., 12 lb.

[Note to PM: Nitrogen content maximum 6%]