

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 13, 2017

Norma C. Pangilinan Head of Regulatory Affairs NA SBM Life Science Corp. 1001 Winstead Drive Suite 500 Cary, NC 27513

Subject: Notification per PRN 98-10 – Addition of brackets, marketing claims, and graphics

Product Name: TEBUCONAZOLE 2.9% SE CONCENTRATE SYSTEMIC

FUNGICIDE

EPA Registration Number: 92564-5 Application Date: 11/01/2017 Decision Number: 535616

Dear Ms. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, please contact Maryam K. Muhammad by phone at 703-347-0301, or via email at Muhammad.maryam@epa.gov.

Sincerely,

Hope Johnson, Product Manager 21 Fungicide Branch Registration Division (7505P) Office of Pesticide Programs (FRONT PANEL)

Tebuconazole 2.9% SE Concentrate Systemic Fungicide

(ABN) Bianova Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; Bianova Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Garden Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate** product use and **Outdoor Residential Ready-To-Spray**[±] product use.

- [One quart] makes [up to] 42 gallons [diluted] spray
- For control of [listed] [*] diseases on plants
- Controls and prevents [listed] [*] common diseases on [roses,] [flowers,] [trees,] [and] [shrubs]
- Controls all [listed] [*] fungal diseases that harm [roses,] [flowers,] [trees,] [and] [shrubs]
- Rescues plants from diseases listed on label
- Systemic fungicide works through the leaves and stems to protect and cure
- Provides up to 2 weeks protection
- · Rainproof Protection won't wash off once it is dry
- Leaves no white residue
- · Protects from the inside out
- Controls [listed] [*] diseases and restores beauty to plants
- 100% Satisfaction Guaranteed
- Systemic formula controls and [Prevents] [Cures] [listed] [*] diseases
 - Black Spot
 - Powdery Mildew
 - Rust & Other listed diseases

NOTIFICATION

92564-5

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/13/2017

Marketing Claim for Brand Name Change:

New Name. Same Great Results.

New Name. Same Familiar Formula.

New Name. Same Performance.

[±]For use with garden hose

*listed (Note to PM: The word "listed" can appear as a footnote with the appropriate phrase, *listed pests/diseases)

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Precautionary Statements

Not for sale, distribution or use in New York State.

FIRST AID		
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
If inhaled:	 If breathing is affected, move person to fresh air. If not breathing, call an ambulance and give artificial respiration. Contact doctor or poison control center for further treatment advice. 	

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.

(Pump Sprayer/Hose-end Sprayer label) (FRONT PANEL)

Tebuconazole 2.9% SE Concentrate Systemic Fungicide

(ABN) Bianova Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; Bianova Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Garden Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

- [One quart] makes [up to] 42 gallons [diluted] spray
- For control of [listed] [*] diseases on plants
- Controls and prevents [listed] [*] common diseases on [roses,] [flowers,] [trees,] [and] [shrubs]
- Controls all [listed] [*] fungal diseases that harm [roses,] [flowers,] [trees,] [and] [shrubs]
- Rescues plants from diseases listed on label
- Systemic fungicide works through the leaves and stems to protect and cure
- · Provides up to 2 weeks protection
- Rainproof Protection won't wash off once it is dry
- Leaves no white residue
- · Protects from the inside out
- Controls [listed] [*] diseases and restores beauty to plants
- 100% Satisfaction Guaranteed
- Systemic formula controls and [Prevents] [Cures] [listed] [*] diseases
 - Black Spot
 - Powdery Mildew
 - Rust & Other listed diseases

Marketing Claim for Brand Name Change:

New Name. Same Great Results. New Name. Same Familiar Formula. New Name. Same Performance.

*listed (Note to PM: The word "listed" can appear as a footnote with the appropriate phrase, *listed pests/diseases)

ACTIVE INGREDIENT: 2.9% Tebuconazole 2.9% OTHER INGREDIENTS: 97.1% TOTAL: 100.0%

CAUTION

See Back Panel Booklet for Additional Precautionary Statements Not for sale, distribution or use in New York State.

FIRST AID		
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
If inhaled:	 If breathing is affected, move person to fresh air. If not breathing, call an ambulance and give artificial respiration. Contact doctor or poison control center for further treatment advice. 	

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.

(BACK PANEL)

[This Product] TEBUCONAZOLE 2.9% SE CONCENTRATE controls, stops and prevents plant diseases. This systemic formula provides rainproof protection against most common plant diseases such as black spot, powdery mildew, and rust. Now it is easier than ever to prevent diseases and have beautiful plants.

Read the label first!

Read the laber mist:		
QUICK FACTS		
 Protects against [listed] [*] diseases on roses, flowers, trees, and shrubs 		
 Controls and prevents listed common [listed] [*] diseases on roses, flowers, trees, and shrubs 		
Controls [listed] [*] disea	ases and restores beauty to plants	
CONTROLS	Anthracnose, Black Spot, Flower Blight, Leaf Spot, Petal Blight, Powdery Mildew, Rust, Scab, Southern Blight, Boxwood Blight	
WHERE TO USE	Roses and Flowers	
	Azaleas, Camellias, and Rhododendrons	
Landscape Trees & Shrubs		
	Ground Covers & Vines	
	Houseplants	
WHEN TO USE	To treat an existing disease	
	To prevent and protect against future diseases	
COVERAGE	Makes up to 42 gallons of spray solution (1 Qt.)	
	For questions or comments, call toll-free 1-877-229-3724 or visit us on-line at	

FOR OUTDOOR RESIDENTIAL USE ONLY

[www.bianovaadvanced.com] [www.BioAdvanced.com] [www.BioAdvancedScienceBasedSolutions.com]

ACTIVE INGREDIENT:

Tebuconazole	2.9%
OTHER INGREDIENTS	<u>97.1%</u>
TOTAL	100.00%

EPA Reg. No. 92564-5 EPA Est. No. _-AA-_

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Harmful if swallowed, inhaled, or absorbed through skin.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will
 reduce exposure.
- · Avoid contact with skin, eyes, or clothing.
- · Removing and washing contaminated clothing before reuse may reduce exposure.

[www.fortifendadvanced.com]

- · Avoid breathing vapor or spray mist.
- When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates.
- Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.
 Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE				
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.				
For best results, read an	d follow all label direction	ns.		
BEFORE YOU USE	Do not apply not	Do not apply near lakes, streams, rivers, or ponds.		
	Do not apply to			
	 Food utensils s after use with fur 	 Food utensils such as measuring spoons and measuring cups must not be used for food purposes after use with fungicides. 		
	Move indoor ho	useplants outside before treating.		
HOW TO USE	Determine how	much spray solution to make up – See "Ho	w Much to Use".	
Shake Well Before Use	Make up spray	solution by following directions specific to y	our sprayer – See "Sprayer Types".	
	Wet all plant su	rfaces until evenly coated with spray, but no	ot dripping.	
HOW MUCH TO USE	Add ¾ fl. oz. (1 ½ T	BS) to 1 gallon of water		
SPRAYER TYPES	Pump Style Spraye	Pump Style Sprayers		
	Add the approp	riate amounts of concentrate and water to t	he sprayer tank.	
	2. Close sprayer,	shake well and pressurize.		
	3. Adjust nozzle to	a coarse spray pattern and apply.		
	4. Occasionally re	Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.		
	Dial Style Hose-En	Dial Style Hose-End Sprayers		
	1. Fill sprayer jar wi	Fill sprayer jar with enough concentrate for the area to be treated. DO NOT ADD WATER.		
	2. Close sprayer an	Close sprayer and set dial as recommended below:		
	- Ortho Dial 'N S	- Ortho Dial 'N Spray Setting: 1 TBSP		
	- Chameleon Ho	- Chameleon Hose-End Sprayer Setting: 1 TSP		
		TIP: The numbers on dial indicate amount of concentrate per gallon of spray.		
	3. Hook to garden hose and apply.			
	To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray. 4. Pour any unused product back into this original container.			
	Concentrate Plus Water Hose-End Sprayer			
	Pour concentra	te into sprayer jar to the required fluid ounc	e level.	
	2. Add the appropriate amount of water to the gallons level.			
Replace sprayer top and shake well.				
	4. Attach sprayer to hose and apply.			
PLANTS	CONTROLS PLANT	WHEN TO APPLY		
	DISEASES	To Treat Existing Disease	To Prevent Diseases	
Roses	Black Spot Powdery Mildew Rust	Apply every 14 days for a total of 3 applications beginning at the first sign of disease. Single application rate is	Apply every 14 days during the growing season, starting when leaves first appear.	

Flowers	Leaf Spot Powdery Mildew Rust Southern Blight	0.0014 lb a.i./gal.	Apply no more than 3 times per year, 14 days apart, beginning with Spring bud break. Single application rate is 0.0014 lb a.i./gal.
Crabapples (Ornamental), Dogwoods and Other Landscape [Ornamental] Trees	Anthracnose Leaf Spot Powdery Mildew Rust Scab		Petal Blight – Apply 2-3 times per week into the flowers as they open and develop color.
Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs,	Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew		
Ground Covers and Vines	Rust Southern Blight		
Houseplants	Leaf Spot Powdery Mildew		Apply no more than 3 times per year, 14 days apart.
Boxwood	Boxwood Blight	Contact your local Extension Office for disease confirmation and if positive, destroy the infected plant(s) in a manner that will minimize exposure to other boxwoods.	Apply this product 3 times at 14 day intervals when conditions are conducive to disease development (64 – 80°F, high humidity/rain/overhead irrigation). Single application rate is 0.0014 lb a.i./gal.
FOR BEST RESULTS	 Apply at the shorter interval specified under "Directions for Use" when disease or conditions favorable to disease (generally cloudy, wet and warm weather) are present. Prevent damage to your plants caused by disease by starting a spray schedule when diseases are likely in your area. For more information on what you can do to control plant diseases, contact your local County Extension Service (usually found in the White Pages of the phone book under the name of your county.) 		
HOW [IT] [TEBUCONAZOLE 2.9% SE CONCENTRATE] WORKS	This product provides 3-way action: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant to keep on protecting regardless of weather conditions (up to 2 weeks).		
RESTRICTIONS	Do not exceed 3 applications per year.		



Do not allow people and pets to enter the treated area until sprays have dried.

STORAGE AND DISPOSAL		
Do not contaminate water, food, or feed by storage or disposal.		
Pesticide Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.		

Container Handling: Nonrefillable Container. Do not reuse or refill this container. If Empty: Place empty container in trash or offer for recycling, if available. If Partly Filled: If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.

Important: Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TEBUCONAZOLE 2.9% SE CONCENTRATE SYSTEMIC FUNGICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

(Ready-to-Spray label[±]) (FRONT PANEL)

Tebuconazole 2.9% SE Concentrate Systemic Fungicide

(ABN) Bianova Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Disease Control for Roses, Flowers & Shrubs Concentrate; Bianova Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate; BioAdvanced Science-Based Solutions Garden Disease Control for Roses, Flowers & Shrubs Concentrate; Fortifend Advanced Garden Disease Control for Roses, Flowers & Shrubs Concentrate

- [One quart] makes [up to] 42 gallons [diluted] spray
- For control of [listed] [*] diseases on plants
- Controls and prevents [listed] [*] common diseases on roses, flowers, trees, and shrubs
- · Controls all [listed] [*] fungal diseases that harm roses, flowers, trees, and shrubs
- Rescues plants from diseases listed on label
- Systemic fungicide works through the leaves and stems to protect and cure
- · Provides up to 2 weeks protection
- Rainproof Protection won't wash off once it is dry
- · Leaves no white residue
- · Protects from the inside out
- Controls [listed] [*] diseases and restores beauty to plants
- 100% Satisfaction Guaranteed
- Systemic formula controls and [Prevents] [Cures] [listed] [*] diseases
 - Black Spot
 - Powdery Mildew
 - Rust & Other listed diseases

Marketing Claim for Brand Name Change:

New Name. Same Great Results. New Name. Same Familiar Results. New Name. Same Performance.

*listed (Note to PM: The word "listed" can appear as a footnote with the appropriate phrase, *listed pests/diseases)

ACTIVE INGREDIENT: 2.9% Tebuconazole 97.1% TOTAL: 100.0%

CAUTION

See Back Panel Booklet for Additional Precautionary Statements

Not for sale, distribution or use in New York State.

[±]For use with garden hose

FIRST AID			
If swallowed:	Call a poison control center or doctor immediately for treatment advice.		
	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by a poison control center or doctor.		
	Do not give anything by mouth to an unconscious person.		
If on skin or clothing:	Take off contaminated clothing.		
	Rinse skin immediately with plenty of water for 15 to 20 minutes.		
	Call a poison control center or doctor for treatment advice.		
If inhaled:	If breathing is affected, move person to fresh air.		
	If not breathing, call an ambulance and give artificial respiration.		
	Contact doctor or poison control center for further treatment advice.		

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.

(BACK PANEL)

<u>This Product</u>] TEBUCONAZOLE 2.9% SE CONCENTRATE controls, stops and prevents plant diseases. This systemic formula provides rainproof protection against most common plant diseases such as black spot, powdery mildew, and rust. Now it is easier than ever to prevent diseases and have beautiful plants.

Read the label first!

QUICK FACTS

- · Protects against listed diseases on roses, flowers, trees, and shrubs
- Controls and prevents listed common diseases on roses, flowers, trees, and shrubs
- Controls listed diseases and restores beauty to plants
- · Ready-to-Spray ... No Mixing, No Measuring

CONTROLS	Anthracnose, Black Spot, Flower Blight, Leaf Spot, Petal Blight, Powdery Mildew, Rust, Scab, Southern Blight, Boxwood Blight		
WHERE TO USE	Roses and Flowers		
	Azaleas, Camellias and Rhododendrons		
	Landscape Trees & Shrubs		
	Ground Covers & Vines		
	Houseplants		
WHEN TO USE	To treat an existing disease		
	To prevent and protect against future diseases		
COVERAGE	No measuring or mixing needed. Dilutes automatically as you spray.		
	Makes up to 42 gallons of spray solution (1 qt.)		
☎ 🖳	For questions or comments, call toll-free 1-877-229-3724 or visit online at [www.bianovaadvanced.com][www.BioAdvanced.com][www.BioAdvancedScienceBasedSolutions.com][www.fortifendadvanced.com].		

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Tebuconazole	2.9%
OTHER INGREDIENTS	<u>97.1%</u>
TOTAL	100.00%

EPA Reg. No. 92564-5 EPA Est. No. _-AA-_

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Harmful if swallowed, inhaled or absorbed through skin.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will
 reduce exposure.
- · Avoid contact with skin, eyes, or clothing.
- · Removing and washing contaminated clothing before reuse may reduce exposure.
- · Avoid breathing vapor or spray mist.
- · When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

ENVIRONMENTAL HAZARDS

- This product is toxic to aquatic invertebrates.
- Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

	DIR	ECTIONS FOR USE		
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.				
For best results, read and follow all label directions.				
BEFORE YOU USE	Do not apply near lakes, streams, rivers, or ponds.			
	Do not apply to plants grown for food.			
	 Food utensils such as measuring spoons and measuring cups must not be used for food purposes after use with fungicides. 			
		plants outside before treating.		
HOW TO USE Shake Well Before Use		This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.		
HOW TO ATTACH AND SPRAY	Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position.			
	2. Turn on water at faucet. Twist the small star-shaped, blue product-control button to align the f portion with the lock tab. Push the button in to open.			
		point nozzle toward the area to be treated ab will be horizontal.	and turn the blue water control valve to	
	4. To stop spraying, t	urn the blue water control valve on top of the button opposite the star-shaped product-co		
	5. Relieve water pres	sure by turning blue water control valve to ter control valve back to OFF. Disconnect g	the ON position until water slows to a	
	1	n can be saved and used at a later date.	arden nose nom bothe.	
	Tips for Applying			
		farthest area to be treated and work back	toward the faucet to avoid walking into	
	· ·	ace while spraying, using an even sweepin	g motion, slightly overlapping the	
PLANTS	CONTROLS PLANT	WHEN TO APPLY		
	DISEASES	To Treat Existing Disease	To Prevent Diseases	
Roses	Black Spot Powdery Mildew Rust	Apply every 14 days for a total of 3 applications beginning at the first sign of disease. Single application rate is	Apply every 14 days during the growing season, starting when leaves first appear.	
Flowers	Leaf Spot Powdery Mildew Rust Southern Blight	0.0014 lb a.i./gal.	Apply no more than 3 times per year, 14 days apart, beginning with Spring bud break. Single application rate is 0.0014 lb a.i./gal.	
Crabapples (Ornamental), Dogwoods and Other Landscape [Ornamental] Trees	Anthracnose Leaf Spot Powdery Mildew Rust Scab		Petal Blight – Apply 2-3 times per week into the flowers as they open and develop color.	
Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs, Ground Covers and Vines	Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust Southern Blight			
Houseplants	Leaf Spot Powdery Mildew		Apply no more than 3 times per year, 14 days apart.	
Boxwood	Boxwood Blight	Contact your local Extension Office for disease confirmation and if positive, destroy the infected plant(s) in a manner that will minimize exposure to other boxwoods.	Apply this product 3 times at 14 day intervals when conditions are conducive to disease development (64 – 80°F, high humidity/rain/overhead irrigation). Single application rate is 0.0014 lb a.i./gal.	

FOR BEST RESULTS	 Apply at the shorter interval specified under "Directions for Use" when disease or conditions favorable to disease (generally cloudy, wet and warm weather) are present. Prevent damage to your plants caused by disease by starting a spray schedule when diseases are likely in your area. For more information on what you can do to control plant diseases, contact your local County Extension Service (usually found in the White Pages of the phone book under the name of your county.) 	
HOW TEBUCONAZOLE 2.9% SE CONCENTRATE WORKS	This product provides 3-way action: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant to keep on protecting regardless of weather conditions (up to 2 weeks).	
RESTRICTIONS	Do not exceed 3 applications per year.	

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal.	
Container Handling:	Nonrefillable Container. Do not reuse or refill this container. If Empty: Place empty container in trash or offer for recycling, if available. If Partly Filled:
	 If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.
	Never place unused product down any indoor or outdoor drain.
Important: Use all of the applicable state or lo	ne product in accordance with label directions. If it is necessary to dispose of unused product, please follow any ocal guidelines.
	Do not allow people and pets to enter the treated area until sprays have dried.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TEBUCONAZOLE 2.9% SE CONCENTRATE SYSTEMIC FUNGICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

BioAdvanced[™] [Fortifend Advanced[™]] [Bianova Advanced[™]] is a trademark of SBM Life Science Corp.

Produced for [Distributed by]

SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, North Carolina 27513

Tebuconazole 2.9% SE Concentrate (PENDING) 04/09/201710/30/2017

