



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

August 3, 2020

Prachi Pandya  
Federal Regulatory Affairs Associate  
SBM Life Science Corp.  
1001 Winstead Drive, Suite 500  
Cary, NC 27513

Subject: Notification per PRN 98-10 – Formatting changes, add brackets and graphics,  
remove alternate brand name and remove marketing claim  
Product Name: Triclopyr 0.8% RTU  
EPA Registration Number: 92564-8  
Application Date: June 2, 2020  
Decision Number: 564355

Dear Ms. Pandya:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records. The alternate brand name “**Bayer Advanced Brush Killer Plus Ready-to-Use**” has been removed from the product record.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance. If you have any questions, you may contact Endia Blunt at 703-347-0788 or by email at [Blunt.Endia@epa.gov](mailto:Blunt.Endia@epa.gov).

Sincerely,

A handwritten signature in cursive script that reads "Mindy Ondish".

Mindy Ondish  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

(FRONT PANEL)

# Triclopyr 0.8% RTU Herbicide

## NOTIFICATION

92564-8

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/03/2020

~~[ABN's: ]BAYER ADVANCED BRUSH KILLER PLUS READY-TO-USE;~~

~~Bianova Advanced™ Brush Killer Plus Ready-to-UseBIANOVA ADVANCED™  
BRUSH KILLER PLUS READY-TO-USE;~~

~~BioAdvanced® Brush Killer Plus Ready-to-UseBIOADVANCED™ BRUSH KILLER  
PLUS READY-TO-USE;~~

~~BioAdvanced® Science-Based Solutions Brush Killer Plus Ready-to-  
UseBIOADVANCED™ SCIENCE-BASED SOLUTIONS BRUSH KILLER PLUS  
READY-TO-USE;~~

~~Fortifend Advanced™ Brush Killer Plus Ready-to-UseFORTIFEND ADVANCED™  
BRUSH KILLER PLUS READY-TO-USE]~~

---

Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.

---

- Controls Woody Plants, Vines, Brush, Brambles, and [other] listed Broadleaf Weeds[\*]
- Covers up to 272 Square Feet
- Kills Down to the Root
- Kills the Weed\* Above and the Root Below
- Kills the Toughest listed Weeds[\*], Vines and Woody Plants—Roots and All
- Special Penetrating Formula Kills Even the Toughest Plants
- Works Systemically Killing listed Weeds[\*] Right Down to the Root
- Begins Working in 1–3 Days
- Rainfast in hours
- Kills Tough Brush Roots\* And All
- Kills Poison Ivy, Poison Oak, Blackberry Kudzu And Other Listed Brush
- Kills Roots
- 100% Satisfaction Guaranteed.
- [New][XX] [20] [25]% more±
- Refillable from Triclopyr 8.8% Concentrate Herbicide
- Refillable [from Concentrate]
- Refill Port [Use to refill from Triclopyr 8.8% Concentrate Herbicide]
- [Easy to Use] Refill [port] [cap]
- 7 inch spray wand extension included for targeted applications
- [Continuous spray for] Up to [XX] min [of continuous spray]
- Controls over 75 listed hard to kill plants[\*]
- 30% more than [1] gallon size
- For easy application
- For ease of application
- For fast application
- Power sprayer
- Easy sprayer
- EZ sprayer
- ERGO GRIP™ Spray Wand
- Grip controlled sprayer reduces hand fatigue
- Grip control make it easier to spray
- Contours and grip control reduce hand fatigue
- Contours and grip control make it easy to spray
- Contours and grip control take the pressure off your hands
- Contours and grip control for better comfort
- Grip controlled sprayer for your comfort

- Grip control and contours for easier spraying
- Contoured grip control for your comfort
- Contoured grip control reduces hand fatigue
- Comfortable, accurate, easy to store
- Designed for comfort, accuracy, easy storage
- Refill
- [Can be used to] Refill [for] [Ergo-Grip™] [1.3 Gallon [Sprayer] [Insert Alternate Brand Name of Triclopyr 0.8% RTU]
- Bonus [X] oz size – [X]% more than [X] oz size
- Now covers [XXX] [square] [sq] feet
- Bonus [X] oz size
- Bonus value – [X]% more [vs [X] oz size]

Marketing Claim for Brand Name Change:

~~New Name. Same Great Results.~~

~~New Name. Same Familiar Formula.~~

~~New Name. Same Performance.~~

\* as listed [listed brush types] [listed plants types] [listed under Kills section]  
 ‡ (vs. [XX] [fl. oz.]size)

**ACTIVE INGREDIENT:**

Triclopyr, triethylamine salt ..... 0.8%\*\*

**OTHER INGREDIENTS:** ..... 99.2%

**TOTAL** ..... 100.0%

\*\* 0.58% Triclopyr acid equivalent

**Net Contents:** 24 fl oz (709 mL), 1 gallon (3.78 L), 1.3 gallon

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel Booklet for Additional Precautionary Statements

**FOR OUTDOOR RESIDENTIAL USE ONLY**


**FIRST AID**

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>NOTE:</b> When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.</p> <p><b>Active Ingredients:</b> 0.8% Triclopyr, triethylamine salt (CAS # 57213-69-1).</p>	

**(BACK PANEL)**

Triclopyr 0.8% RTU Herbicide kills tough listed [brush] [&] [vine] weeds[\*], roots and all. This convenient, ready-to-use formula controls Poison Ivy, Poison Oak, Blackberries, and Kudzu - over 75 hard-to-kill listed plants [\*] in all. It's the easy, convenient way to eliminate unsightly brush, vines, brambles, and listed weeds[\*] from your home's landscape.

**[READ THE LABEL FIRST!]**

<b>QUICK FACTS</b> (Marketing Claims Positioned Here)	
<b>KILLS</b>	<ul style="list-style-type: none"><li>• Brush, Vines, brambles, and Other listed Woody Plants[*]</li><li>• listed Broadleaf Weeds [*]</li></ul>
<b>WHERE TO USE</b>	Use around homes, cabins, buildings, fences, walkways, trails, and wooded areas. Not for use on lawns.
<b>WHEN TO USE</b>	When weeds are leafed out. When brush is leafed out.
	For questions or comments, call toll-free 1-877-229-3724 or visit us on-line at [www.BioAdvanced.com] [www.bianovaadvanced.com][www.BioAdvancedScienceBasedSolutions.com] [www.fortifendadvanced.com].

**FOR OUTDOOR RESIDENTIAL USE ONLY**

EPA Reg. No.92564-8

EPA Est. No. XXXX-AA-XX

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

- Causes moderate eye irritation.
- Harmful if swallowed, inhaled or absorbed through skin.
- Avoid contact with eyes, skin, or clothing.
- Avoid breathing spray mist.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove contaminated clothing and wash before reuse.
- Wear a long sleeved shirt, long pants, shoes, and socks when applying this product.

### ENVIRONMENTAL HAZARDS

- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### BEFORE YOU USE

Read and follow these directions when using.

- Triclopyr 0.8% RTU Herbicide will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.
  - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
  - Apply when wind is calm.
  - Keep people and pets off treated areas until spray has dried.
- Do not apply to or around fruits or vegetables used for food.
- Rain or water 4 hours after application will not wash away effectiveness.




### HOW TO APPLY

Shake well before use

#### [Option 1]

- Adjust sprayer nozzle to give a coarse spray.
- Hold sprayer about 12" from weed.
- Spray the weeds you want to kill until thoroughly wet but not dripping.

#### [Option 24]

		
<p><b>HOW TO ATTACH SPRAYER TO BOTTLE:</b> Remove Power Sprayer and hose from side carrier. Replace bottle cap with cap attached to Power Sprayer hose.</p>	<p><b>PREPARE TO SPRAY:</b> Point Sprayer away from body.  Adjust nozzle to desired setting. [Do not turn past "X" position].  Slide safety switch to ON position.</p>	<p><b>SPRAY:</b> Squeeze trigger to dispense product. Sprayer may require several seconds to prime before spraying.</p> <p><b>AFTER USE:</b> Slide Safety switch to LOCK position. Return Power Sprayer to side carrier for storage.</p>

### IMPORTANT: READ AND FOLLOW DIRECTIONS BEFORE USE

**Battery powered 4AA Batteries Included: For important battery information-see booklet** 

**PROPER USE OF BATTERIES:** Never mix old batteries with new. Do not mix Alkaline with Standard (carbon zinc) or rechargeable (nickel cadmium) batteries. When replacing batteries, follow diagram inside battery compartment that is located at the bottom of the sprayer. When storing sprayer at end of season, remove batteries to prevent leakage. Follow manufacturer's recommendations for disposal of batteries.

#### TIPS:

- Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.
- To Kill Vines:  
For vines growing on desirable plants, cut the vine and spray the stump.
- To Kill Poison Ivy or Poison Oak  
Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.

To this empty container (24 fl oz), add 2 fl oz (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.

**[Optional directions for packaging in 1.3 gal pump sprayer]**

[Option 32]

**How To Use Your Sprayer:**

1. **Remove ERGO-GRIP<sup>®</sup> spray wand from pocket**
  - Remove wrap from coiled hose
  - Remove protective battery strip from sprayer handle



**2. REMOVE STICKER & CAP COVER**



**3. CONNECT HOSE TO CAP**

Insert plug at end of coiled hose into hole on cap and push firmly until secure.

Remove sticker and cap cover before inserting hose plug.




**4. OPEN SPRAY WAND**

- Unfold spray wand until it snaps into place
- Point spray nozzle away from body.
- Adjust spray nozzle to desired setting.



**5. TURN POWER ON**

Slide OFF-ON switch to ON position.



**6. SQUEEZE**

- Squeeze trigger to dispense product. Sprayer may require several seconds to prime before product is released.
- Release trigger to stop spraying.

**4 AA Batteries Included**

For important battery information – see booklet.

**Storage**

- Slide OFF-ON switch to OFF position.
- Do not unplug hose. Leave connected to cap.
- Turn spray nozzle to the off position.
- Fold spray wand down against sprayer handle.
- Return ERGO-GRIP<sup>®</sup> spray wand to pocket for storage.

**To Replace Batteries**










- Open battery compartment [with a small screwdriver].
- Remove used batteries and replace with new batteries in correct position as indicated inside battery compartment.
- Securely close battery compartment door [and screw closed].

**Proper use of Batteries**

- Never mix old batteries with new.
- Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.



- |  |                                                                                                                                                                                                                                   |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <ul style="list-style-type: none"><li>• When storing sprayer for long periods, remove batteries to prevent leakage.</li><li>• Dispose of used batteries according to manufacturer's instructions or in household trash.</li></ul> |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

	<p><b>[Option 4]</b></p> <table border="1" data-bbox="418 170 1503 877"> <tr> <td data-bbox="418 170 786 453">  </td> <td data-bbox="786 170 1133 453">  </td> <td data-bbox="1133 170 1503 453">  </td> </tr> <tr> <td data-bbox="418 453 786 877"> <p><b>Attach Sprayer:</b> Remove sprayer from bottle and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. [Remove sprayer from bottle. Remove twist tie. Pull down and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. Move tab to open position.]</p> </td> <td data-bbox="786 453 1133 877"> <p><b>Spray:</b> Adjust nozzle to stream or spray position. Point sprayer downward and squeeze trigger repeatedly until liquid is released.</p> </td> <td data-bbox="1133 453 1503 877"> <p><b>After Use:</b> Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle. Sprayer will snap into place.</p> </td> </tr> </table>				<p><b>Attach Sprayer:</b> Remove sprayer from bottle and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. [Remove sprayer from bottle. Remove twist tie. Pull down and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. Move tab to open position.]</p>	<p><b>Spray:</b> Adjust nozzle to stream or spray position. Point sprayer downward and squeeze trigger repeatedly until liquid is released.</p>	<p><b>After Use:</b> Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle. Sprayer will snap into place.</p>
							
<p><b>Attach Sprayer:</b> Remove sprayer from bottle and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. [Remove sprayer from bottle. Remove twist tie. Pull down and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. Move tab to open position.]</p>	<p><b>Spray:</b> Adjust nozzle to stream or spray position. Point sprayer downward and squeeze trigger repeatedly until liquid is released.</p>	<p><b>After Use:</b> Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle. Sprayer will snap into place.</p>					
<p><b>TIPS</b></p>	<ul style="list-style-type: none"> <li>• Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.</li> <li>• To Kill Vines: - For vines growing on desirable plants, cut the vine and spray the stump.</li> <li>• To Kill Poison Ivy or Poison Oak - Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.</li> </ul>						
<p><b>REFILL</b></p>	<p><b>[This bottle may be refilled when empty.]</b></p> <p><b>[Refilling the sprayer:</b></p> <ul style="list-style-type: none"> <li>• Open refill port cap.</li> <li>• Add 11.5 fl oz (23 TBS) of Triclopyr 8.8% Concentrate Herbicide to sprayer bottle.</li> <li>• Fill sprayer bottle with water to 1 gal. fill line, replace refill port cap, tighten and shake well.]</li> </ul> <p><b>[Refilling the 1.3 gallon sprayer from the 1 gallon [or 1.3 gallon Triclopyr 0.8% RTU Herbicide package] size Triclopyr 0.8% RTU Herbicide package:</b></p> <ol style="list-style-type: none"> <li>1. Open refill port cap</li> <li>2. Fill bottle with desired amount, using the Ready-to-Use product.</li> <li>3. Replace refill port cap, tighten and shake well]</li> </ol> <p><b>[Refilling the 24 fl oz sprayer:</b></p> <p>To this empty container (24 fl oz), add 2 fl oz (4 TBSP) of Triclopyr 8.8% Concentrate Herbicide, then fill with water very slowly to avoid foaming.]</p>						

**ATTACH SPRAYER:** Remove sprayer from bottle and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. [Remove sprayer from bottle. Remove twist tie. Pull down and extend hose. Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place. Move tab to open position.]

**SPRAY:** Adjust nozzle to stream or spray position. Point sprayer downward and squeeze trigger repeatedly until liquid is released.

**AFTER USE:** Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle. Sprayer will snap into place.

**FOR BEST RESULTS**

- Apply when weeds are fully leafed out and actively growing.
- Certain listed hard-to-kill weeds [\*] may require a repeat application if regrowth occurs.

**HOW TRICLOPYR 0.8% RTU HERBICIDE WORKS**

This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks.

KILLS				
	Alder	Cottonwood	Madrone	Spurge
	Arkansas Rose	Crataegus	Maples	Sumac
	Arrowwood	Curly Dock	Mesquite	Sweetbay Magnolia
	Ash	Dandelion	Mimosa	Sweetgum
	Aspen	Douglas Fir	Mulberry	Sycamore
	Beech	Dogwood	Multiflora Rose	Tanoak
	Bindweed	Elderberry	Oaks	Tansy Ragwort
	Birch	Elm	Oxalis	Thimbleberry
	Blackberry	Evening Primrose	Parsley Piert	Thistle
	Blackgum	Field Bindweed	Persimmon	Trumpet Creeper
	Box Elder	Field Horsetail Rush	Pine	Tulip Poplar
	Brazilian Pepper	Florida Pusley	Plantain	Vetch
	Burdock	Hawthorn	Poison Ivy	Virginia Creeper
	California Rose	Hazel	Poison Oak	Western Hemlock
	Canada Thistle	Henbit	Poplar	Wild Grape
	Cascara	Honeysuckle	Purple Loosestrife	Wild Lettuce
	Ceanothus	Hornbeam	Ragweed	Wild Onion
	Cherry	Kudzu	Raspberry	Wild Rose
	Chicory	Japanese Knotweed	Salmonberry	Wild Violet
	Chinquapin	Lambsquarter	Sassafras	Willow
	Choke Cherry	Lespedeza	Scotch Broom	Winged Elm
	Clover	Locust	Smartweed	Yellow Rocket
	Common Chickweed			



Do not allow people or pets onto treated areas until spray has dried.

{Note to PM: Marketing may choose any weed(s) from the kills list.}

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

### Pesticide Storage:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

### Pesticide Disposal and Container Handling:



#### If Empty:

- Non-refillable container. Do not reuse or refill this container. ~~[EXCEPT to refill with another product referenced on this label.]~~
- Place empty container in trash or offer for recycling if available.

#### If partly filled:

- Call your local solid waste agency ~~or toll free 1-877-229-3724~~ for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

**Important:** Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

## NOTICE

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

~~[Note to PM: Batch code to be added at time of production.]~~

~~[Note to PM: Product name Triclopyr 0.8% RTU Herbicide will be replaced with marketed Alternate Brand Name [it] [this product].]~~

**PRODUCED FOR [BY]**

**[DISTRIBUTED BY]**

**[GUARANTEED BY]**

BioAdvanced<sup>®TM</sup> ~~[and] [ERGO-GRIP<sup>®</sup> [is/are] [a] registered trademark(s) of SBM Life Science Corp.~~  
[Fortifend Advanced<sup>TM</sup>] ~~[.] [Bianova Advanced<sup>TM</sup>] ~~[.] [EZ-Grip<sup>TM</sup> Sprayer] [is/are] [a] trademark(s) of SBM Life Science Corp.~~  
~~-ERGO-GRIP<sup>TM</sup> is a trademark of SBM Life Science Corp.~~~~

**SBM Life Science Corp.**  
1001 Winstead Drive, Suite 500  
Cary, North Carolina 27513

Triclopyr 0.8% RTU Herbicide ~~11/02/2017~~ ~~08/03/2020~~

# Marketing Claims

## Pesticide Claims

1. Controls Woody Plants, Vines, Brush, Brambles, and [other] listed Broadleaf Weeds[\*]
2. Covers up to 272 Square Feet
3. Kills Down to the Root
4. Kills the Weed\* Above and the Root Below
5. Kills the Toughest listed Weeds[\*], Vines and Woody Plants - Roots and All
6. Special Penetrating Formula Kills Even the Toughest Plants
7. Works Systemically Killing listed Weeds[\*] [Right Down] to the Root
8. Begins Working in 1 - 3 Days
9. Rainfast in hours
10. Kills Tough Brush-Roots\* And All
11. Kills Poison Ivy, Poison Oak, Blackberry Kudzu And Other Listed Brush
12. Kills Roots
13. 100% Satisfaction Guaranteed.
14. [Now][XX] [20] [25]% more±
15. Refillable from Triclopyr 8.8% Concentrate Herbicide
16. Refillable [from Concentrate]
17. Refill Port [Use to refill from Triclopyr 8.8% Concentrate Herbicide]
18. [Easy to Use] Refill [port] [cap]
19. 7-inch spray wand extension included for targeted applications
20. [Continuous spray for] Up to [XX] min [of continuous spray]
21. Controls over 75 listed hard-to-kill plants[\*]
22. 30% more [than] [VS] [1] gallon/gal size
23. For easy application
24. For ease of application
25. For fast application
26. Power sprayer
27. Easy sprayer
28. EZ sprayer
29. ERGO-GRIP® Spray Wand
30. Grip controlled sprayer reduces hand fatigue
31. Grip control make it easier to spray
32. Contours and grip control reduce hand fatigue
33. Contours and grip control make it easy to spray
34. Contours and grip control take the pressure off your hands
35. Contours and grip control for better comfort
36. Grip controlled sprayer for your comfort
37. Grip control and contours for easier spraying
38. Contoured grip control for your comfort
39. Contoured grip control reduces hand fatigue
40. Comfortable, accurate, easy to store
41. Designed for comfort, accuracy, easy storage
42. Refill
43. [Can be used to] Refill [for] [Ergo-Grip®] [1.3 Gallon [Sprayer] [Insert Alternate Brand Name of Triclopyr 0.8% RTU]
44. Bonus [X] oz size – [X]% more than [X] oz size
45. Now covers [XXX] [square] [sq] feet
46. Bonus [X] oz size
47. Bonus value - [X]% more [vs [X] oz size]

---

**Marketing Claim for Brand Name Change:**

1. New Name. Same Great Results.
2. New Name. Same Familiar Formula.
3. New Name. Same Performance.

as listed [listed brush types] [listed plants types] [listed under Kills section]  
± (vs. [XX] [fl. oz.]size)

---

[ART]



*Makes Up To*  
**8 GALLONS**

*Makes Up To*  
**16 GALLONS**



