



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

July 8, 2026

Michael Barber
Senior Regulatory Affairs Specialist
SBM Life Science Corp.
11000 Weston Pkwy, Suite 150
Cary, North Carolina, 27513

Subject: Label Amendment - Registration Review Mitigation for Beta-Cyfluthrin
Product Name: Imidacloprid 0.72%+Beta-Cyfluthrin 0.36% Concentrate
EPA Registration Number: 92564-12
Case Number: 672734
Application Dates: February 19, 2021

Dear Michael Barber:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above-mentioned product in connection with the Cyfluthrin and Beta-Cyfluthrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Samantha Thomas by phone at 202-566-2368, or via email at thomas.samantha@epa.gov.

Sincerely,

A handwritten signature in blue ink, reading "Cathryn Britton".

Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

[Master Label]

[This master label contains two sub-labels, A and B, and each sub-label is marketed with an alternate brand name.]

[This label contains two separate label statements for, Outdoor Residential Pump Sprayer/Hose and Sprayer Concentrate product use (Sub-label B) and Outdoor Residential Pre-Packaged Ready-To-Spray product use (Sub-label A.)]

(FRONT PANEL)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate

(ABN) Bayer Advanced Complete brand Insect Killer for Lawns; Bayer Advanced Complete brand Insect Killer for Soil and Lawn; IMIDACLOPRID 0.72% + BETA-CYFLUTHRIN 0.36% READY-TO-SPRAY INSECTICIDE; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Ready-To-Spray; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Concentrate; Bayer Advanced Fire Ant Killer Plus Ready-to-Spray; Bayer Advanced Fire Ant Killer Plus Insect Control Ready-to-Spray; Bianova Advanced™ Complete brand Insect Killer for Lawns; BioAdvanced™ Complete Brand Insect Killer for Lawns; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Lawns; Fortifend Advanced™ Complete Brand Insect Killer for Lawns; Bianova Advanced Complete Brand Insect Killer for Soil & Lawn; BioAdvanced™ Complete Brand Insect Killer for Soil & Lawn; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Lawn; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Lawn; Bianova Advanced Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; BioAdvanced™ Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; Bianova Advanced Complete Brand Insect Killer for Soil & Turf Concentrate; BioAdvanced™ Complete Brand Insect Killer for Soil & Turf Concentrate; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Turf Concentrate; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Turf Concentrate; Bianova Advanced™ Fire Ant Killer Plus Ready-To-Spray; BioAdvanced™ Fire Ant Killer Plus Ready-To-Spray; BioAdvanced™ Science-Based Solutions Fire Ant Killer Plus Ready-To-Spray; Fortifend Advanced™ Fire Ant Killer Plus Ready-To-Spray; Bianova Advanced Fire Ant Killer Plus Insect Control Ready-To-Spray; BioAdvanced™ Fire Ant Killer Plus Insect Control Ready-To-Spray; BioAdvanced™ Science-Based Solutions Fire Ant Killer Plus Insect Control Ready-To-Spray; Fortifend Advanced™ Fire Ant Killer Plus Insect Control Ready-To-Spray

- Rainproof 1 hour after application
- Kills listed [*] insects through contact
- Protects up to 30 days against listed [*] surface insects
- Rainproof protection
- Makes up to 64 gallons of spray solution
- Ready-to-Spray
- No Mixing, No Measuring
- Covers 5,334 sq ft of lawn (32 ounce size)
- Covers 6,667 sq ft of lawn (40 ounce size)
- Controls ants**, fleas, ticks, grubs, and other listed [*] insects
- Controls listed [*] surface and sub-surface insects
- Kills listed [*] surface insects in 24 hours

- 2-Way [Dual Action] Formula
 - Kills listed [*] insects above ground
 - Kills listed [*] insects below ground
 - Kills Mosquitoes
- 100% satisfaction guaranteed or your money back
- Long lasting – up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface listed [*] insect protection
- 3-month listed [*] soil insect protection
- Formula works two ways for effective listed [*] insect control
- Kills listed [*] soil insects for up to 3 months
- 25% more vs. 32 ounce size and 40 ounce size
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- 2-Way [Dual Action] Formula
 - Kills listed [*] surface insects in 24 hours
 - Kills listed [*] soil insects for up to 3 months
- Concentrate

ACTIVE INGREDIENTS:

Beta-cyfluthrin 0.36%
 Imidacloprid0.72%

OTHER INGREDIENTS:98.92%

TOTAL:100.00%

This bottle contains [0.062] lbs of imidacloprid per gallon.

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants


FOR OUTDOOR USE ONLY

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution, and or use in Nassau, Suffolk, Kings, and Queens Counties of New York.



(Sub-Label A: Ready-to-Spray Sub-Label)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide

(ABN) Bayer Advanced Complete brand Insect Killer for Lawns; Bayer Advanced Complete brand Insect Killer for Soil and Lawn; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Ready-To-Spray; Bayer Advanced Fire Ant Killer Plus Ready-to-Spray; Bayer Advanced Fire Ant Killer Plus Insect Control Ready-to-Spray; Bianova Advanced™ Complete Brand Insect Killer for Lawns Ready-to-Spray; BioAdvanced™ Complete Brand Insect Killer for Lawns Ready-to-Spray; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Lawns Ready-to-Spray; Fortifend Advanced™ Complete Brand Insect Killer for Lawns Ready-to-Spray; Bianova Advanced Complete Brand Insect Killer for Soil & Lawn Ready-to-Spray; BioAdvanced™ Complete Brand Insect Killer for Soil & Lawn Ready-to-Spray; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Lawn Ready-to-Spray; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Lawn Ready-to-Spray; Bianova Advanced Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; BioAdvanced™ Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Turf Ready-To-Spray; Bianova Advanced™ Fire Ant Killer Plus Ready-To-Spray; BioAdvanced™ Fire Ant Killer Plus Ready-To-Spray; BioAdvanced™ Science-Based Solutions Fire Ant Killer Plus Ready-To-Spray; Fortifend Advanced™ Fire Ant Killer Plus Ready-To-Spray; Bianova Advanced Fire Ant Killer Plus Insect Control Ready-To-Spray; BioAdvanced™ Fire Ant Killer Plus Insect Control Ready-To-Spray; BioAdvanced™ Science-Based Solutions Fire Ant Killer Plus Insect Control Ready-To-Spray; Fortifend Advanced™ Fire Ant Killer Plus Insect Control Ready-To-Spray

-
- | | |
|--|---|
| <ul style="list-style-type: none">• Rainproof 1 hour after application• Kills listed [*] insects through contact• Protects up to 30 days against listed surface insects• Rainproof protection• Makes up to 64 gallons of spray solution• Ready-to-Spray• No Mixing, No Measuring• Covers 5,334 sq ft of lawn (32 ounce size)• Covers 6667 sq ft of lawn (40 ounce size)• Controls ants**, fleas, ticks, grubs, and other listed [*] insects• Controls listed [*] surface and sub-surface insects | <ul style="list-style-type: none">• Kills listed [*] surface insects in 24 hours• 2 Way [Dual Action] Formula<ul style="list-style-type: none">- Kills listed [*] insects above ground- Kills listed [*] insects below ground• 100% Satisfaction Guaranteed or your money back• Long lasting – up to 90-day subsurface listed [*] insect protection• Up to 90-day grub protection• 90-day subsurface listed [*] insect protection• 3-month soil listed [*] insect protection• Formula works two ways for effective listed [*] insect control• Kills listed [*] soil insects for up to 3 months |
|--|---|

- 25% more vs. 32 ounce size and 40 ounce size
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- Kills Mosquitoes
- 2-Way [Dual Action] Formula
 - Kills listed [*] surface insects in 24 hours
 - Kills listed [*] soil insects for up to 3 months
- Ready to spray
- Easy hold
- EZ Sprayer
- One-touch sprayer™
- Simple sprayer
- EZ-Grip™
- One touch
- Spray n go
- Thumb switch
- Handy sprayer
- EZ touch
- One-touch application
- EZ-Grip One Touch Sprayer™

ACTIVE INGREDIENTS:

Beta-cyfluthrin.....0.36%
 Imidacloprid.....0.72%

OTHER INGREDIENTS:..... 98.92%

TOTAL:..... 100.00%

This bottle contains [0.062] lbs of imidacloprid per gallon.

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens Counties of New York.

(BACK PANEL)

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide provides up to 30 days rainproof protection against listed [*] surface insects in a single application. Just hook up to your garden hose and spray. No mixing and measuring hassles. No messy clean-up. Controlling listed [*] insects on your lawn has never been easier.

[READ THE LABEL FIRST!]

(Note to PM: Reference Statement for Booklets)

[For ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information] [and directions for use]

[Peel back for additional Precautionary statements [and Directions for Use]

[Open Resealable Label for Directions For Use & [and] Precautionary Statements].

QUICK FACTS

- Works 2 ways for effective listed [*] insect control
- Kills listed [*] insects both above and below ground
- Long-lasting – up to 90-day subsurface insect protection

KILLS	Ants**, Japanese Beetles (adult) ,fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae, stink bugs (including brown marmorated stink bugs and kudzu bugs), and other listed [*] insects.
COVERAGE	• [Makes up to 64 gallons of spray solution] • Covers 5,334 sq ft of lawn(32 ounce size) • Covers 6,667 sq ft of lawn(40 ounce size)
WHERE TO USE	Lawns and along building foundations only

WHEN TO USE	- When listed [*] insects or damage first appear - Grubs: May through July
HOW MUCH TO USE	No measuring or mixing needed. Dilutes automatically as you spray.
	For questions or comments, call toll-free 1-877 1-877-229-3724 or visit our website at [www.bianovaadvanced.com] [www.BioAdvanced.com] [www.bioadvancedsciencebasedsolutions.com] [www.fortifendadvanced.com]

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%

OTHER INGREDIENTS: 98.92%

TOTAL: 100.00%

This bottle contains [0.062] lbs of imidacloprid per gallon.

EPA Reg. No. 92564-12

EPA Est. No. ____-AA-__

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

+ FIRST AID

If swallowed:	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to by a poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If on skin or clothing:	- Take off contaminated clothing. - Rise skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If in eyes:	- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If inhaled:	- Move person to fresh air. - If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed.
- Harmful if absorbed through skin.
- Harmful if inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist or vapor.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are foraging.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Read and follow all label restrictions and directions when using this product.

BEFORE YOU USE



RESTRICTIONS:

- Do not spray the product into fish pools, ponds, streams, or lakes.
 - Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
 - Do not allow the product to enter any drain during or after application.
 - Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
 - Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
 - Do not apply or irrigate to the point of runoff.
 - Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
 - Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
 - Remove animal feeding dishes prior to application. Keep people and pets away from treated areas until spray has dried.
 - Do not make applications during rain.
 - To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.
 - All outdoor applications must be limited to spot or crack and crevice treatment only, except for the following permitted uses:
 - (1) Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn)
 - (2) Application to pervious surfaces such as soil, lawn, turf, and other vegetation
 - (3) Applications to building foundations, up to a maximum height of 2 feet.
 - Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack and crevice applications, only.
 - Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- 
- Do not allow to enter indoor or outdoor drains
No permita la entrada a desagües internos o externos
 - Follow proper disposal procedures on this label
Siga las indicaciones del etiquetado para el desecho apropiado del producto
 - For Outdoor Residential Use Only.
 - Do not apply more than 0.4 lb of active ingredient per acre per year. If 32 oz bottle is used, it contains 0.0155 lbs of imidacloprid.
 - If 40 oz bottle is used, it contains 0.0194 lbs of imidacloprid.
 - Do not mow lawn area for 24 hours after application.
 - Do not allow runoff or puddling of irrigation water following application.
 - Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.
 - Not for turf/sod production
 - Do not allow people and pets to enter the treated area until after spray has dried.
 - For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
 - Do not apply when the wind speed is greater than 15 mph

HOW TO USE	Shake Well Before Use. This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray. For grubs, water product in soon after application.
HOW TO ATTACH AND SPRAY HOW TO USE [For Ready to spray hose end bottle] Shake Well Before Use  	[Optional Sprayer Directions 1] 1. Connect your garden hose to the bottle. Be sure the [blue] water control valve on top of the spray nozzle is in the OFF position. Turn on water at faucet. <Icon – Water Control Valve in “OFF” Position> 2. To maximize the effectiveness of this product against your specific insect problems, two application settings have been developed. Be certain to choose the L position, which is for Lawn Use and along Building Foundations. Pull the small, star-shaped, blue product-control button out until it stops. Twist the blue product-control button so that the “L” on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. <Icon – Product Control Button in Open “L” Position>] [Optional Sprayer Directions 2] [CONNECT] 1. Shake well before use. 2. Connect sprayer to garden hose. 3. Turn on water. SPRAY 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed. 2. Begin spraying <Insert sprayer-specific language here> [Hayes HP-2 and Calmar RTS] sprayers: Press lock tab while using other hand to turn sprayer valve to ON position. 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated area. FINISH 1. To stop spraying, < Insert sprayer-specific language here.> [Hayes HP-2 RTS sprayer]: Press lock tab while using other hand to turn sprayer valve to OFF position. Calmar & Green Garden RTS sprayers: turn sprayer valve to OFF position. 2. Turn off water at faucet. 3. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position. 4. Disconnect sprayer from hose.] [OPTIONAL SPRAYER DIRECTIONS 3] [CONNECT] 1. Shake well before use. 2. Securely Connect sprayer to garden hose. 3. Be sure that ON/OFF Switch is in OFF position, toward hose end of sprayer. 4. Turn on water at faucet. 5. For first time use, remove plastic shipping lock from beneath switch. SPRAY 1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed. 2. Begin spraying - Push ON/OFF Switch forward into ON position. 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas. Work back toward faucet to avoid walking over wet, treated grass. FINISH 1. To stop spraying, push ON/OFF Switch to OFF position. 2. Turn off water at faucet.

- | | |
|--|--|
| | <ol style="list-style-type: none">3. Relieve water pressure in hose by turning ON/OFF Switch back to ON position until water slows to a drip, then return ON/OFF switch to OFF position.4. Disconnect sprayer from hose.] |
|--|--|

FOR USE ON LAWNS AND ALONG BUILDING FOUNDATIONS

KILLS	Annual Bluegrass weevil (hyperodes weevil) Ants** Carpenter Ants Armyworms Billbugs Bluegrass billbugs Boxelder bugs Caterpillars Chiggers Chinch bugs	Clover mites Cockroaches Crickets Cutworms Earwigs European crane fly larvae Fire ants Fleas	Flies Grasshoppers Hyperodes weevils Japanese beetles(adult) Mole crickets Mosquitoes Pillbugs	Sod webworms Sowbugs Spiders Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs) Ticks (including deer ticks) Wasps White grubs
USE INFORMATION	• Rain or watering one hour after application will not wash away effectiveness. • To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed.			
HOW THIS PRODUCT WORKS	This 2-way dual action product contains both contact and systemic insecticides and effectively controls listed [*] insects infesting lawns. The two-way blend of insecticides controls current infestations of listed [*] insects and prevents re-infestations for up to 30 days for listed surface insects and 90 days for listed subsurface insects. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! listed [*] insects are killed when they come into contact with the product or when they attempt to eat the plant.			
Restrictions • Do not apply more than 0.4 lbs a.i./A/year or [xx bottles]/A/year. • Do not apply this product or allow it to drift to plants and trees. Only for use on lawns and building foundations.				
Application Instructions To avoid serious damage to lawns, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed, but not to exceed maximum rate per year.				

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Container Handling



If empty:

- Non-refillable container. Do not refill or reuse container.
- Place empty container in trash or offer for recycling if available.

If partly filled:

- Do not pour or dispose down the drain or sewer. Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl oz (946 mL), 40 fl oz

BioAdvanced™ [Fortifend Advanced™] [Bianova Advanced™] is Trademark of SBM Life Science Corp.
EZ-Grip One Touch Sprayer™ is a trademark of SBM Life Science Corp.

**PRODUCED FOR
[DISTRIBUTED BY]**

**SBM Life Science Corp.
PO Box 525,
Morrisville, North Carolina 27560**

(Sub-Label B: Pump Sprayer/Hose-end Sprayer Sub-Label)

(FRONT PANEL)

Imidacloprid 0.72%+Beta-cyfluthrin 0.36% Concentrate

(ABN) Bayer Advanced Complete brand Insect Killer for Lawns; Bayer Advanced Complete brand Insect Killer for Soil and Lawn; Bayer Advanced Complete Brand Insect Killer For Soil And Turf Concentrate; Bianova Advanced™ Complete Brand Insect Killer for Lawns Concentrate; BioAdvanced™ Complete Brand Insect Killer for Lawns Concentrate; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Lawns Concentrate; Fortifend Advanced™ Complete Brand Insect Killer for Lawns Concentrate; Bianova Advanced™ Complete Brand Insect Killer for Soil & Lawn Concentrate; BioAdvanced™ Complete Brand Insect Killer for Soil & Lawn Concentrate; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Lawn Concentrate; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Lawn Concentrate; Bianova Advanced™ Complete Brand Insect Killer for Soil & Turf Concentrate; BioAdvanced™ Complete Brand Insect Killer for Soil & Turf Concentrate; BioAdvanced™ Science-Based Solutions Complete Brand Insect Killer for Soil & Turf Concentrate; Fortifend Advanced™ Complete Brand Insect Killer for Soil & Turf Concentrate

- Rainproof 1 hour after application
- Kills listed [*] insects through contact
- Protects up to 30 days against listed surface insects
- Rainproof protection
- Makes up to 64 gallons of spray solution
- Covers 5,334 sq ft of lawn (32 ounce size)
- Covers 6,667 sq ft of lawn (40 ounce size)
- Controls ants**, fleas, ticks, grubs, and other listed insects
- Controls listed [*] surface and sub-surface insects
- Kills listed [*] surface insects in 24 hours
- 2 Way (Dual Action) Formula
 - Kills insects above ground
 - Kills Insects below ground
- 100% Satisfaction Guaranteed or your money back
- Long lasting – up to 90-day subsurface insect protection
- Up to 90-day grub protection
- 90-day subsurface insect protection
- 3-month soil listed [*] insect protection
- Formula works two ways for effective listed [*] insect control
- Kills listed [*] soil insects for up to 3 months
- 25% more vs. 32 ounce size and 40 ounce size
- Kills Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs)
- 2-Way (Dual Action) Formula
 - Kills listed [*] surface insects in 24 hours
 - Kills listed [*] soil insects for up to 3 months
 - Kills Mosquitoes
- Concentrate

Marketing Claim for Brand Name Change:

New Name. Same Great Results.

New Name. Same Familiar Formula.

New Name. Same Performance.

ACTIVE INGREDIENTS:

Beta-cyfluthrin 0.36%
Imidacloprid 0.72%

OTHER INGREDIENTS: 98.92%

TOTAL: 100.00%

This bottle contains [0.062] lbs of imidacloprid per gallon.

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

FOR OUTDOOR USE ONLY
STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel Booklet for Additional Ingredients and Precautionary Statements

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens Counties of New York.

(BACK PANEL)

Contains Imidacloprid 0.72% + Beta Cyfluthrin 0.36% (dual action) formula for control of surface listed [*] insects like ants**, fleas, and ticks plus subsurface listed [*] insects like grubs and European crane fly larvae in one easy step. Keeping your lawn free of listed [*] nuisance has never been easier.

[READ THE LABEL FIRST!]

(Note to PM: Reference Statement for Booklets)

[For ADDITIONAL PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE: See Inside Booklet.]

[Open resealable label for Additional Product Information] [and directions for use]

[Peel back for additional Precautionary statements [and Directions for Use]

[Open Resealable Label for Directions For Use & [and] Precautionary Statements].

QUICK FACTS

- For effective listed [*] insect control
- Kills listed [*] insects both above and below ground
- Long-lasting – up to 90-day subsurface listed [*] insect protection

KILLS	Ants**, Japanese Beetles (adult), fleas, ticks, grubs, chinch bugs, mole crickets, European crane fly larvae, stink bugs (including brown marmorated stink bugs and kudzu bugs), and other listed [*] insects
COVERAGE	• Makes up to 64 gallons of spray solution for 32 ounce [80 gal for 40 oz size] • Covers 5,334 sq ft of lawn(32 ounce size) • Covers 6,667 sq ft of lawn(40 ounce size)
WHERE TO USE	Lawns and along building foundations only
WHEN TO USE	• When listed [*] insects or damage first appear • Grubs: May through July
HOW MUCH TO USE	Dilute 3 fl oz (6 Tablespoons) per gallon



For questions or comments, call toll-free 1-877-229-3724 or visit our website at
[www.bianovaadvanced.com][www.BioAdvanced.com]
[www.bioadvancedsciencebasedsolutions.com][www.fortifendadvanced.com]

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

Beta-cyfluthrin	0.36%
Imidacloprid	0.72%

OTHER INGREDIENTS:	98.92%
--------------------------	--------

TOTAL:	100.00%
--------	---------

This bottle contains [0.062] lbs of imidacloprid per gallon.

EPA Reg. No. 92564-12

EPA Est. No. ____-AA-__

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

✚ FIRST AID

If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rise skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5], 0.72% Imidacloprid [CAS# 138261-41-3].

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed.
- Harmful if absorbed through skin.
- Harmful if inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist or vapor.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates and fish.
- This pesticide is highly toxic to bees. Do not apply this product when bees are foraging.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all label restrictions and directions when using this product.

BEFORE YOU USE



RESTRICTIONS:

- Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
 - Do not allow the product to enter any drain during or after application.
 - Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
 - Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
 - Do not apply or irrigate to the point of runoff.
 - Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
 - Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
 - Remove animal feeding dishes prior to application. Keep people and pets away from treated areas until spray has dried.
 - Do not make applications during rain.
 - To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.
 - All outdoor applications must be limited to spot or crack and crevice treatment only, except for the following permitted uses:
 - (1) Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn)
 - (2) Application to pervious surfaces such as soil, lawn, turf, and other vegetation.
 - (3) Applications to building foundations, up to a maximum height of 2 feet.
 - Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack and crevice applications, only.
 - Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
-
- Do not allow to enter indoor or outdoor drains
No permita la entrada a desagües internos o externos
 - Follow proper disposal procedures on this label
Siga las indicaciones del etiquetado para el desecho apropiado del producto
 - For Outdoor Residential Use Only.
 - Do not apply more than 0.4 lb of active ingredient per acre per year.
 - If 32 oz bottle is used, it contains 0.0155 lbs of imidacloprid.
 - If 40 oz bottle is used, it contains 0.0194 lbs of imidacloprid.
 - Do not mow lawn area for 24 hours after application.
 - Do not allow runoff or puddling of irrigation water following application.
 - Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.
 - Do not allow people and pets to enter the treated area until after spray has dried.
 - For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
 - Do not apply when the wind speed is greater than 15 mph

MIXING & MEASURING

Shake Well Before Use. SEE SPRAYER TYPES

HOW MUCH TO USE

Dilute 3 fl oz (6 Tablespoons) per gallon of water (covers 500 sq ft)

HOW TO SPRAY

Adjust nozzle on your sprayer to desired spray pattern.

ON LAWNS AND ALONG BUILDING FOUNDATIONS

KILLS	Annual Bluegrass weevil (hyperodes weevil) Ants** Carpenter Ants Armyworms Billbugs Bluegrass billbugs Boxelder bugs Caterpillars Chiggers Chinch bugs	Clover mites Cockroaches Crickets Cutworms Earwigs European crane fly larvae Fire ants Fleas	Flies Grasshoppers Hyperodes weevils Japanese beetles(adult) Mole crickets Mosquitoes Pillbugs	Sod webworms Sowbugs Spiders Stink Bugs (including Brown Marmorated Stink Bugs and Kudzu Bugs) Ticks (including deer ticks) Wasps White grubs
USE INFORMATION	• Rain or watering one hour after application will not wash away effectiveness.			
HOW THIS PRODUCT WORKS	This 2-way dual action product contains both contact and systemic insecticides and effectively controls listed [*] insects infesting lawns. The two-way blend of insecticides controls current infestations of listed [*] insects and prevents reinfestations for up to 30 days for listed [*] surface insects and 90 days for listed [*] subsurface insects. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! listed [*] insects are killed when they come into contact with the product or when they attempt to eat the plant.			
Application Instructions To avoid serious damage to lawns, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed, but not to exceed the maximum rate per year.				

*listed insects (Note to PM: The word "listed" can appear as a footnote on the same page as the claim)

** Except pharaoh ants

SPRAYER TYPES

For Pump Style Tank Sprayer:

To make one gallon of spray:

- Pour 1/2 fl oz (1 Tablespoon = 1/2 fl oz) of the liquid concentrate.
- Dilute with 1 gallon of water.
- Close sprayer and shake well before applying.

For Dial-Style Hose-End Sprayers:

Dilution rate: 3 fl oz (6 Tablespoons) per gallon per gallon of water (covers 500 sq ft)

- Fill sprayer jar with enough concentrate for the area to be treated. DO NOT ADD WATER.
- Close sprayer and set dial as recommended below:
 () Ortho Dial 'N Spray Setting: 2.5 OZ
 () Chameleon Hose-End Sprayer Setting: 1.5 OZ
 TIP: The numbers on dial indicate amount of concentrate per gallon of spray.
- Hook to garden hose and apply.
 To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.
- Pour any unused product back into the original container.

For Concentrate-Plus-Water Hose-End Sprayers:

Dilution rate: 3 fl oz (6 Tablespoons) per gallon per gallon of water (covers 500 sq ft)

- Pour concentrate into sprayer jar to the required fluid ounce level.
- Add the appropriate amount of water to the gallons level.
- Replace sprayer top and shake well before applying.
- To avoid contact with the treated area, begin by spraying area farthest from faucet walking backwards as you spray.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Container Handling



If empty:

- Non-refillable container. Do not refill or reuse container.
- Place empty container in trash or offer for recycling if available.

If partly filled:

- Do not pour or dispose down the drain or sewer. Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid 0.72% + Beta-cyfluthrin 0.36% Ready-to-Spray Insecticide under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl oz (946 mL), 40 fl oz

BioAdvanced™ [Fortifend Advanced™] [Bianova Advanced™] is Trademark of SBM Life Science Corp. **PRODUCED FOR [DISTRIBUTED BY]**

SBM Life Science Corp.
PO Box 525,
Morrisville, North Carolina 27560

Imidacloprid 0.72% + Beta-cyfluthrin 0.36% 2/11/2026

ART

	
	
 ‡ or your money back	