

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 19, 2019

Prachi Pandya Federal Regulatory Affairs Associate SBM Life Science Corp. 1001 Winstead Dr., Suite 500 Cary, NC 27513

Subject: Notification per PRN 98-10 – Add company internet address, label claim, graphic

Product Name: Imidacloprid CTG Insecticide Ready-to-Spread Granules

EPA Registration Number: 92564-26

Application Date: 1/19/2018 Decision Number: 538136

Dear Ms. Pandya:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, please contact Jacquelyn Herrick by phone at 703-347-0559, or via email at herrick.jacquelyn@epa.gov.

Sincerely,

Venus Eagle, Product Manager 01 Invertebrate & Vertebrate Branch 3 Registration Division (7505P)

Il Herick for

Office of Pesticide Programs

NOTIFICATION

(Front Panel)

92564-26

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/19/2019

Imidacloprid CTG Insecticide

Ready-To-Spread Granules

(ABN) Bianova Advanced Powerforce Carpenter Ant & Termite Killer Concentrate; BioAdvanced Powerforce Carpenter Ant & Termite Killer Concentrate; BioAdvanced Science-Based Solutions Powerforce Carpenter Ant & Termite Killer Concentrate; Fortifend Advanced Powerforce Carpenter Ant & Termite Killer Concentrate; Bianova Advanced Termite Killer; BioAdvanced Science-Based Solutions Termite Killer; Fortifend Advanced Termite Killer

- No odor
- [Insert Trademark] Termites don't detect until it's too late
- Stops termite feeding
- Kills termites in one application
- Fast (Quick) releasing (dissolving) termite killing granules
- Treats the perimeter of an average home
- Do-It-Yourself Termite Killing Granules (against subterranean termites)
- Easy to use custom dispenser
- Fast releasing (dissolving) granules
- Easy to use granules: apply, water in, and walk away
- Contains Premise®
- Pour & Go Easy to use granules: apply, water in, and walk away
- Easy to use granules: Sprinkle, water in, and walk away
- 100% Satisfaction Guaranteed* (or your money back)

Marketing Claim for Brand Name Change:

New Name. Same Great Results. New Name. Same Familiar Formula. New Name. Same Performance.

Active Ingredients:

•	
Imidacloprid	
Other Ingredients	<u>99.63%</u>
3	100.00%

Net Contents 9 lbs.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which may be present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestations.

(Back Panel)

This product kills termites with a single application. Just spread the granules around the outside of your home, water in and walk away. Killing Termites around your home has never been easier.

- Break off tab
- Lift applicator spout to open
- Tilt container to apply
- To stop flow of product, tilt container upright
- (Hold container steady, as shaking will affect the flow of granules.)

READ LABEL FIRST

READ THE LABEL FIRST!

QUICK FACTS		
Editorial Note – Marketing Claims Positioned Here		
KILLS	Termites: (including Subterranean termite species of Reticulitermes and Coptotermes)	
COVERAGE	Will treat up to 200 linear feet with a 6 inch band (9 lb. size) (treated area around an average size home).	
WHERE TO USE	This product can be applied to areas that surround building structures, wooden fence posts or poles, other wooden constructions, subject to termite attack. Areas that can be treated include bare soils, landscaped planting areas, mulched areas and turfgrass.	
WHEN TO USE	Whenever you want to kill termites.	
	For questions or comments, call toll-free 1-877-229-3724 or visit our website at [www.bianovaadvanced.com][www.BioAdvanced.com][www.bioadvancedsciencebasedsolutions.com] [www.fortifendadvanced.com]	

For Outdoor Residential Use Only

Active Ingredients:

Imidacloprid	
Other Ingredients	99.63%
Total	100.00%

EPA Reg. No. 92564-26

EPA Est. No. XXX-AA-XX

ENVIRONMENTAL HAZARDS

HOW MUCH TO

APPLY

- This product is highly toxic to aquatic invertebrates.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid CTG under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. RESTRICTIONS: BEFORE YOU USE This product is a ready-to-use granule formulation of Imidacloprid intended to kill termites Read and follow directions when using. (including subterranean termite species of Reticulitermes and Coptotermes). Determine distance in feet around your home. This 9.0 lb container will treat a home 100 -200 linear feet in distance (6 inches wide). If active subterranean termite infestations continue to occur in the area where the treatment was made, it is recommended that a licensed pest control operator be contacted for treatment (see Guarantee). Applications must not be made when areas are waterlogged, snow covered, or frozen. Adequate distribution of the active ingredient into the soil cannot be achieved when these conditions exist. Applications must not be made to hard surfaces, such as driveways, sidewalks, or patios. Do not plant for the purpose of consumption, edible plants into the treated areas of soil for 1 year. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide. Do not contaminate public and private water supplies. Do not apply this product, by any application method, to linden, basswood, or other Tilia species. This product is formulated on a granulated carrier for perimeter band applications. When **HOW TO USE** applied to soil, moisture (rainfall or irrigation) causes the granules to disintegrate and release the active ingredient into the uppermost layers of soil where termite foraging activity occurs. This product must only be used on existing structures. **BUILDING FOUNDATIONS** Open the container and sprinkle the granules onto the ground (bare soils, mulched areas, **HOW TO APPLY** landscape beds, or turf grass) directly adjacent to the building foundation. Make a band of sprinkled granules 6 inches wide around the structure being treated. Directly after application, water until moist, but not to the point of run-off. Do not disrupt treated soil. If significant disruption occurs (construction work, downspout erosion, landscaping, etc.) reapplication should be made as a spot treatment to those areas where the original treatment zone has been disrupted. Make a band of sprinkled granules 6 inches wide around the structure where the disruption occurred.

This 9.0 lb container will treat a structure with an outside perimeter of 100 - 200 linear

feet. Distribute granules evenly in a 6-inch-wide band over these 100 - 200 linear feet,

which equals to (0.75 grams A.I.) about 1 cup granules per 5 - 10 linear feet.

WOODEN POSTS AND POLES		
HOW TO APPLY	 This product can be applied around wooden posts, wooden poles (such as, fences, decks, mailboxes), and other wooden constructions. Sprinkle the granules evenly onto the ground (bare soil, mulched areas, landscape beds, or turfgrass) to provide a 6-inch-wide band completely surrounding each post or pole. Directly after application, water until moist, but not to the point of run-off. 	
HOW MUCH TO APPLY	 Distribute (sprinkle) granules evenly over the area to be treated. For each linear foot treated, use (0.075 – 0.15 grams of A.I. in a half foot band around wooden post or pole) approximately 1.5 to 3.0 tablespoons of product in a 6-inch band around the wooden post or pole. 	

FOR BEST RESULTS

- Do not disturb the treatment after making application.
- Keep landscaping a few feet from the home foundation.
- Eliminate or correct sources of moisture around the home. Promptly repair any water leaks, clean gutters and downspouts regularly so water flows away from home, divert sprinkler water and AC condensation from home. Slope the grade so surface water drains away from the house.
- Keep wood-based items, such as firewood, scrap lumber, fencing, stumps, and brush away from the home exterior.
- Have a professional wood-destroying insect inspection performed annually.



Children and pets may re-enter after the treated area has been watered and allowed to dry.

Important – Directions for Storage and Disposal			
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.		
Disposal	If empty: Non-refillable container. Do not refill or reuse container. Place empty container in trash or offer for recycling if available. If partly filled:		
	 Call your local solid waste agency or toll free 1-877-229-3724 [1-800 CLEAN-UP] for disposal instructions. Never place unused product down any indoor or outdoor drain. 		

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Harmful if swallowed or absorbed through skin.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

FIRST AID +	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. **You may call toll-free 1-877-229-3763 for medical emergency information.**

Active Ingredients: 0.37% Imidacloprid (CAS # 138261-41-3).

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Imidacloprid CTG under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

*Money back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for [Distributed by]

BioAdvanced[®] [™] [Fortifend Advanced[™]] [Bianova Advanced[™]] is a trademark of SBM Life Science Corp.

SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, North Carolina 27513

Imidacloprid CTG 12/04/2017 03/13/2019

[Art]





† or your money back



