

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 31, 2019

Norma Pangilinan, Ph.D. Head of Regulatory Affairs North America SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, NC 27513

Subject: Notification per PRN 98-10 – Addition of fertilizer guaranteed analysis statement, product use statement, marketing claims and other minor changes Product Name: Merit 1.1% Insecticide Plus Fertilizer EPA Registration Number: 92564-30 Application Date: February 1, 2018 Decision Number: 538253

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Jasmin Jackson at 703-347-0732 or by email at jackson.jasmin@epa.gov.

Sincerely,

Josuen Jacus for

Venus Eagle, Product Manager 1 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

(FRONT PANEL)

Merit[®] 1.1% Insecticide Plus Fertilizer

Bianova Advanced[™] 12 Month Tree & Shrub Protect & Feed Ready-To-Use Granules; BioAdvanced[®]™ 12 Month Tree & Shrub Protect & Feed Ready-To-Use Granules;

BioAdvanced[®]™ Science-Based Solutions 12 Month Tree & Shrub Protect & Feed Ready-To-Use Granules; Fortifend Advanced[™] 12 Month Tree & Shrub Protect & Feed Ready-To-Use Granules

ACTIVE INGREDIENT:	
Imidacloprid	
OTHER INGREDIENTS:	
TOTAL :	100.0%

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel [Booklet] for Additional Precautionary Statements

Not for sale, sale into, distribution, and or use in Nassau, Suffolk, Kings, or Queens Counties of New York.

Text in () is optional.

NOTIFICATION

92564-30

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/31/2019

(BACK PANEL)

Merit[®] 1.1% Insecticide Plus Fertilizer provides 12-month systemic protection against damaging insects including Adelgids, Aphids, Leafminers, Beetles, and Borers (including Emerald Ash Borers) plus feeds the roots (and improves the vitality of trees and shrubs). Having beautiful trees and shrubs has never been easier.

- No spraying or mixing
- Just measure and sprinkle and water-in
- Protects & feeds entire tree or shrub

READ THE LABEL FIRST!

QUICK FACTS

- Provides Year Long Insect Protection
- Will Not Harm Trees, Shrubs, and Containerized Plants
- Easy to Use . . . Apply Around Plant, Water in and Walk Away
- Not Affected by Rain or Moisture
- Rainproof
- Dual action, kills listed[*] insects and feeds your tree
- Two Products in one, an insect killer and a fertilizer
- Two-in-One formula kills <u>listed[*]</u>-insects while feeding your tree
- Unique Double Action Formula (2-in-1): kills listed[*]-insects before they damage tree and feeds root system
- Easy to Use measuring (devise name, i.e. cup, cap, etc.)
- Provides 12-month insect protection
- Provides slow release feeding

[Note to PM: May choose any claim from marketing claim list.]

[]				
KILLS	Adelgids, aphids, Emerald Ash Borers, Japanese beetle, leafminers, scale and other listed[*] pests			
	Trees: 4 trees that measure 8 inches around trunk (3 lb size			
COVERAGE Shrubs: 5 shrubs that are 2 foot tall (3 lb size				
	Containerized Plants: 43 – five gallon containers (3 lb size)			
WHERE TO USE Outdoor trees, shrubs, and containerized plants. Do not apply to plants grown for food.				
WHERE TO USE	Not for use on lawns.			
	1. Measure distance around tree trunk or height of shrub or determine container size.			
HOW TO USE	2. Apply required amount of product around plant base and water in.			
	Trees: approximately 1/4 cup (0.46 grams ai) for every inch of distance around trunk			
HOW MUCH TO USE	Shrubs: approximately 3/4 cup (1.38 grams ai) for every foot of height			
	Containerized Plants: approximately 2 1/2 Tablespoons (0.345 grams ai) for each five gallon container			
	(Note: Number of cups and tablespoons, or teaspoons will depend on bulk density of the formulation)			
	For questions or comments, call toll-free 1-877-229-3724 or visit us on-line at			
	[www.bianovaadvanced.com][www.BioAdvanced.com]			
	[www.bioadvancedsciencebasedsolutions.com][www.fortifendadvanced.com]			

FOR OUTDOOR RESIDENTIAL USE ONLY

Not for use on lawns

ACTIVE INGREDIENT:

Imidacloprid	1.1 %
OTHER INGREDIENTS:	<u>98.9 %</u>
TOTAL:	100.00%

EPA Reg. No. 92564-30

EPA Est. No. XXXX-AA-XX

➡ FIRST AID neonicotinyl Insecticide			
If swallowed:	 Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 		
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 1.1% Imidacloprid [CAS # 138261-41-3]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

- Harmful if swallowed or absorbed through skin.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS


• This pesticide is toxic to aquatic invertebrates.

- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE					
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all label directions.					
BEFORE YOU USE RESTRICTIONS:					
	• Do not apply near lakes, streams, rivers, or ponds.				
	Do not apply to soils w	 Do not apply to soils which are water-logged or saturated. 			
	 Bucket or measuring u this product. 	• Bucket or measuring utensils must not be used for any food or drinking water purposes after use with			
	Do not allow people or	pets to r	e-enter the treat	ed area until after it	has dried.
	 Do not apply this produce 	uct, by an	y application me	ethod, to linden, bas	swood, or other Tilia species.
	 Not for use on lawns 				
HOW TO USE	Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Apply the required amount around the base of the tree or shrub. For containerized plants, determine container size and apply the required amount of product on top of the potting soil in the plant container.				
FOR USE ON	Outdoor trees, shrubs, an	nd contain	erized plants. D	o not apply to plants	grown for food.
	1				
CONTROLS	Adelgids		Fungus Gnats		Psyllids
	Aphids		Japanese Bee	etles, Adult	Royal Palm Bugs
	Armored Scales (suppres	sion)	Lace bugs		Root Weevil Larvae (including
	Borers			including Elm Leaf	black vine weevil)
	Roundheaded (including			m Leaf Beetles)	Sawfly Larvae
	Eucalyptus Longhorned Borers, Asian Longhorn		winged Sharp	,	Soft Scales (including lobate lac scales)
	Beetle) Flatheaded (including E	morold		cluding Birch and	Thrips
	Ash Borers, Bronze Bird		Boxwood Le	afminers)	Whiteflies
	Alder) Bark Beetles (suppress		Pine Tin Moth Larvae		White Grub larvae (such as Japanese Beetles, Chafers, European Chafer, Oriental Beetle, Asiatic Garden Beetle)
HOW MUCH TO APPLY	Trees Measure the distance in inches around the tree trunk at approximately 4.5 f from ground level. For each inch of distance around the trunk, apply approximately ¼ cup (0.46 grams ai) product around the tree trunk.			e around the trunk, apply	
	Example: For a tree measuring 10 inches around, apply approups (ten – 1/4 cups) (4.6 grams ai) product in a circle 2 feet trunk.		round, apply approximately 2 1/2 t in a circle 2 feet from the tree		
			le tape measure e around a tree.	is the recommende	d method (tool) for measuring the
	Tree With 2 or More TrunksMeasure the distance in inches around each tree trunk at approximately 4.5 feet from ground level, add together, and multiply by 0.75. This measurement times 1/4 cups (0.46 grams ai) is the amount of product to apply around the tree trunk.				ultiply by 0.75. This measurement
		total of		0.75 = 30 then multi	re 20, 10, 5, and 5 (inches) or a ply 30 x (0.46 grams ai) 1/4 cups =
	Shrubs				est foot. For each foot of height product evenly around the shrub
	Containerized Plants	Contai	ner Size	Amount	Product Needed
		1 ga	illon	(0.077	g ai) 2 teaspoons
		2 ga	llon	(0.193	g ai) 4 teaspoons
		3 ga			ai) 2 Tablespoons
		5 ga			g ai) 2 1/2 Tablespoons
		10 ga			ai) 1/3 cup
		15 ga			ai) 1/2 cup
	Do not make more then a	-		, -	, .
	Do not make more than one application per year. Do not apply more than 0.4 lbs of imidacloprid (the active ingredient in this product) per acre per year. This bottle contains [X] lbs of imidacloprid.				

HOW TO APPLY	Trace and Chryshes			
	Trees and Shrubs:			
	• For trees with distance around trunk less than 30 inches, apply the required amount of product evenly in a circle 2 feet from the tree trunk. Trees with distance around trunk greater than 30 inches, apply the product evenly in a circle 3 - 4 feet from the tree trunk.			
	• For shrubs less than 3 feet tall, apply the required amount of product evenly in a circle 1 foot from the base of the shrub. Shrubs greater than 3 feet tall, evenly apply granules in a circle 2 feet from the base of the shrub.			
	Brush or wash off any granules from plant foliage to prevent injury.			
	Containerized Plants:			
	Apply the required amount of granules evenly on top of potting soil and water thoroughly.			
	• For the first 10 days, avoid flushing through the container to the point where it flows out the bottom.			
	• For indoor containerized plants, bring outdoors, make treatment, and return indoors when no excess water is present.			
FOR BEST RESULTS	Water in granules immediately after application with enough water to dissolve the granules and cause th soil to be wet to a depth of 3 - 4 inches. With watering, granules will slowly dissolve to release the insecticide and fertilizer into the soil.			
	Pull back mulch and weed barrier before application.			
	Use this product as part of an overall tree and shrub health care program before problems start (preferably in the fall). (However,) Merit 1.1% Insecticide Plus Fertilizer can be applied anytime except when the soil is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone. During prolonged dry periods, saturate the soil around the tree or shrub well with water the night before making an application.			
	For severe infestations, treat with a foliar insecticide such as Merit + Tempo Ultra Concentrate Insecticide, then use Merit 1.1% Insecticide Plus Fertilizer as part of a routine care program.			
HOW Merit 1.1% Insecticide Plus Fertilizer WORKS	The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. Merit 1.1% Insecticide Plus Fertilizer even moves into new growth after application, thus protecting it, too! To get full protection, the insecticide must distribute completely through the tree or shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection. In addition to insect protection, a slow release nitrogen fertilizer is supplied for the tree or shrub.			

(NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.)



STORAGE AND DISPOSAL			
Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.		
Pesticide Disposal & Container Handling	 If empty: Non-refillable container. Do not refill or reuse container. Place empty container in trash or offer for recycling if available. If partly filled: 		
	 Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain. 		

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of Merit 1.1% Insecticide Plus Fertilizer under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

{Note to PM, batch code to be added at time of production}

Net Contents: 3 lbs (1.36kg) or 12 lbs (5.45 kg), 4 lbs, 10 lbs

BioAdvanced[®] [™] [Fortifend Advanced[™]] [Bianova Advanced[™]] are trademarks of SBM Life Science Corp.

PRODUCED FOR [DISTRIBUTED BY]

SBM Life Science Corp. 1001 Winstead Drive, Suite 500 Cary, North Carolina 27513

Merit 1.1% Insecticide Plus Fertilizer 10/10/2017 03/17/2019 12/06/2019

FERTILIZER CLAIMS

- Improves plant growth
- Improves plant health
- Revitalizes trees and shrubs
- Spurs tree and shrub recovery
- Restores vitality of trees and shrubs
- Stimulates Tree & Shrub recovery
- Advances plant health
- Increases plant health
- Increases plant growth
- Provides Annual Nutrition [Nutrient requirements]
- Provides slow release nitrogen
- Provides a full season's (season of) nutritional (feeding) requirements
- Fertilizer Feeds & Renews
- Premium Fertilizer

PESTICIDE CLAIMS

- Insects stop eating when they feed on the plant
- · Protects trees, shrubs, and containerized plants from damaging listed insects with one easy treatment
- Helps keep trees and shrubs strong. Protects new growth
- Kills listed[*] insects that damage trees and shrubs
- Controls listed[*] insects that damage trees and shrubs
- Season long protection
- The Insect Guard
- The Tree Guardian
- Year-long insect protection for trees and shrubs as listed
- Systemic insecticide is absorbed through the roots, carried up into the plant and won't wash off
- Prevents listed^{*} insects from damaging trees and shrubs
- Will not harm trees and shrubs
- For use on ornamental trees, shrubs, and containerized plants
- Kills <u>listed[*]</u> insects & prevents new infestations
- One application feeds and protects up to 12 months
- Provides 12-Month Insect Protection
- Rainproof Protection
- Apply granules around the base of the plant and walk away
- Feeds and protects against <u>listed [*]</u>-insects in one easy step
- Feeds and protects against <u>listed [*]</u>-insects for up to 12 months
- Contains Merit[®] (a proprietary formula)
- Protects trees and shrubs from listed [*] -insects and feeds roots
- Fast releasing (dissolving) granules
- Easy to use granules
- Ready to Spread Granules no mixing
- No messy spraying
- Do it Yourself Tree Protection
 - Protects against listed [*]-insects PLUS improves vitality of trees and shrubs
- formula Provides 12 month insect Patented protection Plus season long feeding
- Patented formula protects your trees and shrubs from listed^{*} insects plus feeds

*listed {Note to PM: The word 'listed' can appear as a footnote *listed insect}

- Delivers 12 month insect protection
- Delivers year long insect protection
- No Spray technology
- Protects against listed^{*} insects plus restores vitality of trees and shrubs
- Rainproof
- Easy Measuring Cup
- Protects for 12 months plus feeds
- Kills listed [*] -insects
- Provides slow release feeding
- Insect protection
- 100% satisfaction guaranteed* (or your money back)
- Kills Emerald Ash Borers
- Kills devastating pests like: [Adelgids], [Borers], [Emerald Ash Borers], [Leafminers], [Japanese Beetles], [Whiteflies], and other listed^{*}] pests

Now 33% more vs. 3 lb size [4 lb size]

Marketing Claim for Brand Name Change: New Name. Same Great Results. New Name. Same Familiar Formula. New Name. Same Performance.

