Shvingon Henrich Tal PROTECTION

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 9, 2017

Ms. Norma C. Pangilinan Head of Regulatory Affairs SBM Life Science Corporation 1001 Winstead Drive, Suite 500 Cary, NC 27513

Subject: Notification per PRN 98-10 – Add Alternate Brand Names and Update Company Information Product Name: Merit 1.47% Insecticide Plus Fertilizer EPA Registration Number: 92564-33 Application Date: April 12, 2017 Decision Number: 528449

Dear Ms. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

The Alternate Brand Names: Bayer Advanced 12 Month Tree & Shrub Protect & Feed Concentrate; Bianova Advanced 12 Month Tree & Shrub Protect & Feed Concentrate; BioAdvanced 12 Month Tree & Shrub Protect & Feed Concentrate; BioAdvanced Science-Based Solutions 12 Month Tree & Shrub Protect & Feed Concentrate; Fortifend Advanced 12 Month Tree & Shrub Protect & Feed Concentrate.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 92564-33 Decision No. 528449

If you have any questions, you may contact Melody Banks at (703) 305-5413, or via email at Banks.Melody@epa.gov.

Sincerely,

Me lody Bands Venus Eagle, Product Manager 01

Venus Eagle, Product Manager 01 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

NOTIFICATION

92564-33

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this nonfication by letter dated:

05/09/2017

(Front Panel)

Merit[®] 1.47% Insecticide Plus Fertilizer

[ABN] Bayer Advanced 12 Month Tree & Shrub Protect & Feed Concentrate; Bianova Advanced 12 Month Tree & Shrub Protect & Feed Concentrate; BioAdvanced 12 Month Tree & Shrub Protect & Feed Concentrate; BioAdvanced Science-Based Solutions 12 Month Tree & Shrub Protect & Feed Concentrate; Fortifend Advanced 12 Month Tree & Shrub Protect & Feed Concentrate.

- . Stimulates Tree & Shrub recovery
- Green color liquid fertilizer formula .
- Dual Action Protect & Feeds .
- . Protects and Feeds
- Protects for up to a year (with a single application) . and Feeds
- Listed insects stop eating when they feed on the plant
- Protects trees, shrubs, and containerized plants from . damaging listed insects with one easy treatment
- Helps keep trees and shrubs strong. Protects new . growth
- Kills listed insects that damage trees and shrubs .
- Controls listed insects that damage trees and shrubs
- Season long protection .
- Year-long insect protection for trees and shrubs
- Systemic insecticide is absorbed through the roots. . carried up into the plant and won't wash off
- . Prevents listed insects from damaging trees and shrubs
- For use on ornamental trees, shrubs, and containerized plants
- Kills listed insects & prevents new infestations
- One application feeds and protects up to 12 months .
- Provides 12-Month Insect Protection •
- Rainproof Protection
- Apply around plant and walk away .
- Feeds and protects against listed insects in one easy ٠
- step Feeds, and protects against listed insects for up to 12 months
- No spraying, just mix and pour around tree base (trunk)
- No messy spraving
- A new way to protect (and feed) trees and shrubs

Marketing Claim for Brand Name Change: New Name: Same Great Results. New Name. Same Familiar Formula. New Name. Same Performance.

[The word "listed" can appear as a footnote on the same page as the claim with the appropriate phrase, such as *listed insects]

. Cost effective alternative to professional treatments Do it Yourself Tree Protection .

- Protects against listed insects PLUS improves vitality 14 of trees and shrubs
- Provides 12 month insect protection Plus Feeds
- Protects your trees and shrubs from listed insects plus feeds
- Delivers 12 month insect protection
- Delivers year long insect protection
- No Spray technology .
- Protects against listed insects plus restores vitality of trees and shrubs
- A breakthrough in Do-It-Yourself tree care
- 12-MONTH PROTECTION with one application
- Protects the entire tree or shrub especially new arowth
- Rainproof protection won't wash off
- Kills devastating listed pests like: Adelgids, Borers, Emerald Ash Borers, Leafminers, Japanese Beetles, and many others
- No spraying! Just mix and pour at base of tree or shrub
- Significantly easier way to protect trees
- Contains MERIT® Insecticide
- 100% Satisfaction Guaranteed *(or your money back)
- Easy Measure-up® Cup .
- Protects for 12 months Plus feeds
- Kills listed insects including Japanese Beetles & Emerald Ash borers
- Now 25% more vs. 32 oz size [40 oz size]
- Now 25% more vs. 1 gallon size [1.25 gallon size]
- Insect Protection and Slow Release Fertilizer

Formatted: Highlight

ACTIVE INGREDIENT: Imidacloprid... 1.47 % OTHER INGREDIENTS: 98.53 % TOTAL: 100.00%

Now Feeds and Protects ۰.

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN

CAUTION

38 0402

See Back Panel [Booklet] for Additional Precautionary Statements Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York Text in () is optional.

(BACK PANEL])

This product provides 12-month systemic protection against damaging listed insects including Adelgids, Aphids, Borers (including emerald ash borer), Japanese Beetles, Leafminers, Scale, and Whiteflies plus feeds in a single application. Having beautiful trees and shrubs has never been easier.

No spraying, just mix and pour. Protects and feeds entire tree and shrub.

READ THE LABEL FIRST!

QUICK FACTS	
 Provides Year Lon 	g (12 month) Insect Protection
 Easy to Use in three 	e steps: Measure, Mix and Apply Around Plant
 Rain or Moisture ca 	an not wash off this internal protection
 Rainproof Protection 	n
 Dual action, kills lis 	ted insects and feeds your tree
 Two Products in or 	ne, an insect killer and a fertilizer
 Two-in-One formu 	la kills listed insects while feeding your tree
 Double Action Form 	nula (2-in-1): kills listed insects before they damage tree and feeds root system
 Provides slow-released 	asing feeding
 Easy-to-use measurement 	aring cup
KILLS	Adelgids, aphids, borers (including emerald ash borer), Japanese beetles, leafminers, scale, whiteflies and other listed pests
WHERE TO USE	Outdoor trees, shrubs, and containerized plants. Do not apply to plants grown for food.
HOW TO USE	1. Measure distance around tree trunk or height of shrub or determine container size
	2. Measure and pour required amount of product into bucket of water
	3. Pour solution around tree or shrub base or in container
HOW MUCH TO USE	Trees: 1 oz for every inch of distance around trunk; treats 4 trees that measure 8 inches around trunk (32 fl oz size)
	Shrubs: 3 oz for every foot of height; treats 5 shrubs that are 2 foot tall (32 fl oz size)
	Containerized Plants: 1 2/3 tablespoons for each five gallon container; treats up to 38 - five gallon containers (32 fl oz size)
	For questions or comments, call toll-free 1-877 BayerAG (1-877-229-3724) or visit our website-at
	www.bayeradvanced.com or visit us on-line at [INSERT COMPANY WEBSITE HERE]

Formatted: Highlight	
Formatted: Highlight	
Formatted: Highlight	
Formatted: Highlight	

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:	
Imidacloprid	
OTHER INGREDIENTS:	
TOTAL:	100.00%
Imidaclonrid is the chemical name for Marit® Insecticide	

Imidacloprid is the chemical name for Merit® Insecticide.

EPA Reg. No. 72155-76 92564-33

EPA Est. No. XXXX-AA-XX

Formatted: Highlight

FERTILIZER ANALYSIS X-X-X

	FIRST AID + Neonicotinyl Insecticide
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information. Active Ingredient: 1.47% Imidaclophid [CAS # 138261-41-3]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed or absorbed through skin.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes, or clothing.
- · Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates.
- Do not dump rinse water into sewers or other bodies of water.
- Apply this product only as specified on this label.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface
 waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or
 rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid
 run off to water bodies or drainage systems.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming plants or weeds. Do not apply product
 to blooming plants or weeds if bees are foraging in the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE	RESTRICTIONS
	 Do not apply near lakes, streams, rivers, or ponds.
	Do not apply to soils which are waterlogged or saturated.
	 Bucket or measuring utensils must not be used for any food or drinking water purposes after use with this product.
	Children and pets may re-enter the treated area after it has dried.
	• Do not apply this product, by any application method, to linden, basswood, or other Tilia species.
	 Do not apply more than 0.4 lbs imidacloprid per acre per year. This bottle contains [x] lbs. of imidacloprid.

Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a bucket of water and empty the bucket around the base of the tree/sh For containerized plants, determine container size and pour required amount into enough water to we the potting soil thoroughly but not causing loss of water from bottom of container.			around the base of the tree/shrub. mount into enough water to wet	
Outdoor trees, shrubs, and containerized plants. Do not apply to plants grown for food.				
Adelgids	Fungus Gnat	Larvae	Psyllids	
Aphids	Japanese Be	etles, Adult	Royal Palm Bugs	
Armored Scales (suppression) Lace bugs		Root Weevil Larvae (including	
Borers		Leafhoppers (including Glassy- winged Sharpshooter)	black vine weevils)	
			Sawfly Larvae	
and Asian Longhomed Bee	tle) Leafhoppers		Soft Scales (including lobate lac scales)	
	ab		Thrips Whiteflies	
Borers)			White Grub larvae (such as	
	· · · · · · · · · · · · · · · · · · ·	2011/01/2012/12/12/12/12/12/12/12/12/12/12/12/12/1	Japanese Beetles, Chafers,	
lps beetles) (suppression)	14 · · · · · · · · · · · · · · · · · · ·	Pine Tip Moth Larvae	European Chafer, Oriental Beetle, Asiatic Garden Beetle)	
Trees With 2 or More Trunks Totagaga Totagagagagagagagagagagagagagagagagagagag	d to 1 gallon of wate ample: A tree mease e gallon of water. he tree measures g o 2 gallons of water lexible tape measur tance around a tree easure the distance at from ground level the number of ounc ample: A tree has 4 al of 40 inches. 40 o llon of water. If 50 o llons of water.	er. suring 8 inches around reater than 50 inches re is the recommende a. in inches around eac , add together, and m es of product to add to t trunks. They measur k 0.75 = 30 ounces, p or more ounces of pro-	d, pour 8 ounces of product into around, pour the required product ed method [tool] for measuring the h tree trunk at approximately 4.5 ultiply by 0.75. This measurement o one gallon of water. re 20, 10, 5, and 5 (inches) or a our 30 ounces of product into one duct are required, pour into 2	
fee	Measure the height of the shrub to the nearest foot. Multiply the number of feet by 3 – this is the number of ounces of product to add to 1 gallon of wate			
Containerized Plants Co			Product Needed	
			teaspoon	
	S		teaspoons	
			Tablespoon	
			2/3 Tablespoons	
			1/3 Tablespoons	
			Tablespoons	
			2/3 Tablespoons	
the	Pour the required product into sufficient water to wet the potting soil horoughly. To help assure that roots absorb the insecticide, do not water too neavily for the first 10 days.			
	Pour the required amount into For containerized plants, dete the potting soil thoroughly but Outdoor trees, shrubs, and co Adelgids Aphids Armored Scales (suppression Borers Roundheaded (including Eucalyptus Longhorned Bor and Asian Longhorned Bee Flatheaded (including Bronz Birch, Alder, and Emerald A Borers) Pine Bark Beetles (including Ips beetles) (suppression) Trees Mith 2 or More Trunks Trees With 2 or More Trunks Shrubs Me Containerized Plants Containerized Plants	Pour the required amount into a bucket of water as For containerized plants, determine container size the potting soil thoroughly but not causing loss of Outdoor trees, shrubs, and containerized plants. J Adelgids Fungus Gnat Aphids Japanese Be Amored Scales (suppression) Lace bugs Borers Leaf Beetles) Roundheaded (including Vibumum L Eucalyptus Longhorned Borers Beetles) and Asian Longhorned Borers Beetles) Borers) Leaf Beetles Pine Bark Beetles (including Incating Ips beetles) (suppression) Bowwood L Trees Measure the distance from ground level. Thi add to 1 gallon of water. Measure the distance from ground level. Thi add to 1 gallon of water. If the tree measures g into 2 gallons of water. Trees With 2 or More Measure the distance Trunks Measure the distance Trunks Measure the distance Shrubs Measure the distance Containerized Plants Container Size 1 gallon 2 gallon 3 gallon 5 gallon 10 gallon 2 gallon 2 gallon 2 gallon<	Pour the required amount into a bucket of water and empty the bucket For containerized plants, determine container size and pour required a the potting soil thoroughly but not causing loss of water from bottom of Outdoor trees, shrubs, and containerized plants. Do not apply to plants Adelgids Fungus Gnat Larvae Aphids Japanese Beetles, Adult Amored Scales (suppression) Lead Boetles (including Elm Leaf, and Lily Leaf Borers Leadhopers (including Glassy-winged Sharpshooter) Pline Bark Beetles (including Bronze Birch, Alder, and Emerald Ash Borers) Leafhoppers (including Birch and Boxwood Leafminers) Mealybugs Pine Tip Moth Larvae Trees Measure the distance in inches around the from ground level. This measurement is the add to 1 gallon of water. Trees With 2 or More Trunks Measure the distance in inches around eachert, and true. Trees With 2 or More Trunks Measure the distance in inches around eachert, and true. Shrubs Measure the distance in inches around eachert, and trues. Shrubs Measure the distance in inches around eachert, and trues. Shrubs Measure the distance in inches around eachert, and trues. Trees With 2 or More Trunks Tree has 4 trunks. They measure total of 40 inches. 40 x 0.75 = 30 ounces, p gallon of water. Shrubs Measure the he	

e

i.

HOW TO APPLY	Pull back mulch and weed barrier before application.			
	Trees and Shrubs:			
	 Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50", use 2 gallons of water.] 			
	Shake the bottle well.			
	Carefully measure required amount of product into bucket.			
	Slowly pour the solution evenly around the tree. For best results, pour as close to the TRUNK/main stem of the tree/shrub as possible.			
	Fill the bucket with clean water and pour it around the trunk as well.			
	Containerized Plants:			
	 Apply the solution evenly on top of potting soil and water thoroughly. 			
	For the first 10 days, avoid flushing through the container to the point where it flows out the bottom.			
	For indoor containerized plants, bring outdoors, make treatment, and return indoors when no excess water is present.			
	Additional Directions:			
	 Use this product as part of an overall tree and shrub health care program before problems start (preferably in the fall). (However.) MERIT 1.47% Insecticide Plus Fertilizer can be applied anytime except when the soil is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone. During prolonged dry periods, saturate the soil around the tree or shrub well with water the night before making an application. For severe infestations, treat with a foliar insecticide such as (Bayer contact Insecticide), then use 			
	 For severe intestations, treat with a total insecticide such as (bayer contact insecticide), then use this product as part of a routine care program. 			
	 Do not apply more than 0.4 lbs of imidacloprid (the active ingredient in this product) per acre per year This bottle contains [X] lbs of Imidacloprid. 			
HOW THIS PRODUCT WORKS	The insecticide and fertilizer dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection and feeds. This product even moves into new growth after application, thus protecting and feeding it, tool To get complete results, the insecticide and fertilizer must distribute completely through the tree or shrub.			
(SHOW IMAGE OF HOW THE PRODUCT WORKS SYSTEMICALLY)	Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection and feeding.			

140

÷

(NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.)

	STORAGE AND DISPOSAL
PESTICIDE STORAGE	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing
PESTICIDE DISPOSAL	If empty: • Non-refillable container. Do not refill or reuse container. • Rinse the empty product container thoroughly and disperse the rinse wate around tree or shrub as part of application. • Place empty container in trash or offer for recycling if available. If partly filled:
	 Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
	 Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes to the extent consistent with applicable law, responsibility for lack of performance or safety if not used according to the directions.

*Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl. oz., or 40 fl. oz., 64 fl. oz., or 1 Gal., or 1.25 Gal.

PRODUCED FOR

1

SBM Life Science Corp 1001 Winstead Drive, Suite 500 Cary, North Carolina 27513



A Division of Bayer CropScience, L.P. 2 T.W. Alexander Drive Research Triangle Park, NC-27709

Merit 1.47 Insecticide Plus Fertilizer (PENDING) 04/11/2017

Formatted: Highlight

Formatted: Highlight