



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

May 9, 2017

Norma C. Pangilinan  
Head of Regulatory Affairs NA  
SBM Life Science Corp.  
1001 Winstead Drive Suite 500  
Cary, NC 27515

Subject: Notification per PRN 98-10 – Registration transfer from Bayer Advanced (72156) to SBM Life Science Corp (92564), ABN, and new marketing language/brand name and logo icon.  
Product Name: Propiconazole 0.51 Granular Fungicide  
EPA Registration Number: 92564-38  
Application Date: 04/04/2017  
Decision Number: 528236

Dear Norma C. Pangilinan

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Gene Kaudy at 703-347-0585 or via email at [kaudy.gene@epa.gov](mailto:kaudy.gene@epa.gov).

Page 2 of 2  
EPA Reg. No. 72156-81  
Decision No. 528236

A handwritten signature in black ink, reading "Shaja B. Joyner". The signature is written in a cursive style with a large initial 'S'.

Shaja B. Joyner, Product Manager 20  
Fungicide-Herbicide Branch  
Registration Division 7505P

NOTIFICATION

92564-38

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/09/2017

# Propiconazole 0.51% Granular Fungicide

[ABN: Bianova Advanced Fungus Control For Lawns Ready-To-Spread Granules II; BioAdvanced Fungus Control For Lawns Ready-To-Spread Granules II; BioAdvanced Science-Based Solutions Fungus Control For Lawns Ready-To-Spread Granules II; Fortifend Advanced Fungus Control For Lawns Ready-To-Spread Granules II]

Formatted: Highlight

- Curative and preventative lawn disease control
- Stops and prevents listed diseases
- Controls many common lawn diseases
- Protects up to 1 month
- Systemic fungicide is absorbed by grass and will not wash off (weatherproof protection)
- Cures & prevents common lawn diseases including brown patch, dollar spot, Anthracnose, summer patch, red thread, and rusts
- One application protects up to 1 month
- Cures and prevents common lawn diseases
- Use on any lawn anytime
- Treats up to 5,000 square feet
- 100% Satisfaction Guaranteed\* (\* **Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.)
- Treats up to 5,000 square feet [10 lb bag]
- Treat up to 6,000 square feet [12 lb bag]

Formatted: No bullets or numbering

Marketing Claim for Brand Name Change:

New Name. Same Great Results.

New Name. Same Familiar Formula.

New Name. Same Performance.

Formatted: Highlight

**ACTIVE INGREDIENT:**

Propiconazole†..... 0.51 %

**OTHER INGREDIENTS:** ..... 99.49 %

**TOTAL:** ..... 100.00%

† CAS # 60207-90-1

EPA Est. No. \_\_\_\_

EPA Reg. No. 72155-8192564-38

Formatted: Highlight

Net Wt: [10 lbs], [12 lbs]

**STOP - Read This Entire Label Before Use  
KEEP OUT OF REACH OF CHILDREN**

## CAUTION


See Back Panel for Additional Precautionary Statements

Text in [ ] is optional

This product cures and prevents turf damaging diseases, and keeps them from invading your lawn. This rainproof formula provides up to 1-month protection against most common lawn diseases including Brown Patch, Dollar Spot, Summer patch, Rusts and Anthracnose. Keeping your lawn free of listed diseases has never been easier.

READY-TO-SPREAD GRANULES

**READ THE LABEL FIRST!**

<b>QUICK FACTS</b>	
<ul style="list-style-type: none"> <li>Cures and Prevents Common Lawn Diseases</li> <li>Easy-to-Use Granules</li> <li>Systemic fungicide is absorbed by grass and will not wash off</li> </ul>	
<b>CONTROLS</b>	Anthracnose, Brown Patch, Dollar Spot, Fusarium Patch, Powdery Mildew, Red Thread, Rusts, Stripe Smut, Summer Patch, and Snow Mold
<b>WHERE TO USE</b>	On lawns
<b>WHEN TO USE</b>	<ul style="list-style-type: none"> <li>To treat an existing disease: Apply at first sign of disease</li> <li>To prevent diseases: Make first application before conditions are favorable for disease.</li> </ul>
<b>COVERAGE</b>	Up to 5,000 square feet (See spreader settings)
	For questions or comments, call toll-free, 1-877-BayerAG (1-877-229-3724) or visit our website at <a href="http://www.BayerAdvanced.com">www.BayerAdvanced.com</a> [INSERT COMPANY WEBSITE HERE]

- Formatted: Highlight
- Formatted: Highlight
- Formatted: Highlight

**FOR OUTDOOR RESIDENTIAL USE ONLY**

**ACTIVE INGREDIENT:**

Propiconazole..... 0.51 %

**OTHER INGREDIENTS:** ..... 99.49 %

**TOTAL** ..... 100.0 %

EPA Reg. No. 72155-81, 92564-38

EPA Est. No. \_\_\_\_

- Formatted: Highlight
- Formatted: Highlight

**➕ FIRST AID**

<b>If In eyes:</b>	<ul style="list-style-type: none"><li>• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told by a poison control center or doctor.</li></ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active ingredient: Propiconazole 0.51% (CAS # 60207-90-1).

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish and shrimp. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- If rinsing spreader with water, return rinse water into treated areas.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.


### BEFORE YOU USE

- If lawn is very dry, water and let dry before applying.

### USE PRECAUTIONS AND RESTRICTIONS



- Do not apply near fish pools, ponds, streams, or lakes.
- Do not allow adults, children, or pets to enter the treated area until the granules have been watered in and allowed to dry.

-  Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Formatted Table

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Commented [TM1]: Old pet icon will be removed.

### HOW TO USE

#### HOW TO APPLY

- Apply product with rotary/drop spreader at rate given below.
- Water lawn after application.

Controls	How much to apply:	When to apply:
Dollar Spot Anthracnose Brown Patch Powdery Mildew Rusts Red Thread Gray Leaf Spot Melting Out Leaf Spot	<b>Curative Rate:</b> 3.5 lbs/1000 sq. ft. (See Spreader Settings Table)	<b>Curative:</b> Apply at 14-day intervals until control is achieved, then reduce to preventative rate and timing.  <b>Preventative:</b> Apply at 21-30 day intervals until cooler, drier weather arrives.
Stripe smut	<b>Preventative Rate:</b> 2 lbs/1000 sq. ft.	Apply once in spring when grass begins to grow.

Controls	How much to apply:	When to apply:
Summer Patch	<b>Preventative Rate:</b> 3.5 lbs/ 1000 sq. ft.	Apply at 30 day intervals beginning in spring (mid-May) or 1 month before this disease usually appears in your area.
Take All Patch		Apply in fall or spring to reduce severity of disease.
Fusarium Patch		Apply when conditions are favorable for disease development.
Pink or Gray Snowmold		Apply in late fall before snow cover. Do not apply on top of snow.

Do not exceed more than 5 applications per year

<b>FOR BEST RESULTS</b>	<p>Best results are obtained when this product is used as a disease <i>preventative</i> in a complete lawn care program.</p> <p>Most lawn diseases thrive in hot, humid temperatures and under or over fertilized lawns. Thatch build-up also contributes to the problem. Water your lawn in the early morning, never in the late evening. It is best to have a soil test conducted to determine nutrient deficiencies before fertilizing.</p> <p>De-thatch whenever more than 1/2-inch of thatch exists. Mow often at a height recommended for your grass type and the season.</p> <p>For more information on what you can do to control lawn diseases, contact your local County Extension Service (usually found in the white pages of the phone book under the name of your county).</p>
<b>HOW THIS PRODUCT WORKS</b>	Watering after application carries the fungicide into the root zone. It enters the grass through its roots and blades. Rain or water cannot wash off this internal protection!

**SPREADER SETTINGS:**

If your spreader is not listed, please call our toll-free Consumer Service hotline **1-877-BayerAG-(1-877-229-3724)** for help.


Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Tip: 1000 sq. ft. = 20 x 50 ft

Formatted: Highlight

Spreader settings to be provided.

<b>STORAGE AND DISPOSAL</b>	
Do not contaminate water, food, or feed by storage and disposal.	
Pesticide Storage:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Pesticide Disposal: 	<p><b>Nonrefillable Container.</b> Do not reuse or refill this container.</p> <p><b>If Empty:</b></p> <ul style="list-style-type: none"> <li>Place empty bag in trash or offer for recycling if available.</li> </ul> <p><b>If Partly Filled:</b></p> <ul style="list-style-type: none"> <li>If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions.</li> <li>Never place unused product down any indoor or outdoor drain.</li> </ul>
<b>Important:</b> Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.	

<b>NOTICE</b>
Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

\* **Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

PRODUCED FOR

[DISTRIBUTED BY]



Formatted: Highlight

SBM Life Science Corp

1001 Winstead Drive, Suite 500

Cary, North Carolina 27513

A Division of Bayer CropScience LP

P.O. Box 12014, 2 T.W. Alexander Drive

Research Triangle Park, North Carolina 27709

Formatted: Highlight

Propiconazole 0.51% Granular (PENDING) 04/03/2017