



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 10, 2017

Dr. Norma C. Pangilinan
Head of Regulatory Affairs, North America
SBM Life Science
1001 Winstead Drive, Suite 500
Cary, NC 27513

Subject: Notification per PRN 98-10 – Various revisions of product label
Product Name: Dylox 9.3% Insect Granules
EPA Registration Number: 92564-40
Application Date: April 7, 2017
Decision Number: 530330

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Matthew Sellner at 703-347-8034 or via email at sellner.matthew@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Gebken".

Richard Gebken
Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs

NOTIFICATION

92564-40

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/10/2017

[FRONT PANEL]

Dylox® 9.3% Insect Granules

(ABN) (Bayer Advanced 24-Hour Grub Killer Plus Ready-To-Spread Granules; Bianova Advanced 24-Hour Grub Killer Plus Ready-To-Spread Granules; BioAdvanced 24-Hour Grub Killer Plus Ready-To-Spread Granules; BioAdvanced Science-Based Solutions 24-Hour Grub Killer Plus Ready-To-Spread Granules; Fortifend Advanced 24-Hour Grub Killer Plus Ready-To-Spread Granules)

- Formatted: Highlight
Formatted: Highlight
Formatted: Highlight
Formatted: Highlight
Formatted: Highlight

READY-TO-USE

FOR OUTDOOR RESIDENTIAL USE ONLY

Dylox Kills

- white grubs, mole crickets, Other listed Lawn Pests including Ants, Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, sod webworms and Ticks.

For Use On: Lawns

- Kills Grubs within 24 hours, Delivers Overnight Results, Stops Grubs From Further Damaging Lawn, For Use After First Signs of Grubs, Also Controls Ants, Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, sod webworms and Ticks, Contains Dylox, Also kills Ants, Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, sod webworms and Ticks, Kills by (through) contact, Kills Billbugs, Ticks (& Scorpions), Treats (covers) 5,000 sq. ft. (10 lb. size; white grubs, billbugs, mole crickets), Treats (covers) 7,500 sq. ft. (10 lb. size; other lawn pests), Treats (covers) 10,000 sq. ft. (20 lb. size; white grubs, billbugs, mole crickets), Treats (covers) 15,000 sq. ft. (20 lb. size; other lawn pests), 100% Satisfaction Guaranteed (or your money back)

Marketing Claim for Brand Name Change: New Name. Same Great Results. New Name. Same Familiar Formula. New Name. Same Performance.

Formatted: Highlight

ACTIVE INGREDIENT:

Trichlorfon 9.3%

OTHER INGREDIENTS: 90.7%

† Ants except Carpenter Ants, Fire Ants, Harvester Ants, and Pharaoh Ants.

Net Weight: ___ Pounds

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back panel for precautionary statements

[BACK PANEL]

This product stops grubs and other listed pests from further damaging your lawn. Works through contact, delivering overnight results.



READ THE LABEL FIRST!

Quick Facts	
<ul style="list-style-type: none"> • Easy-To-Use Granules • Kills Grubs within 24 hours • Stops Grubs From Further Damaging Lawn • For Use After First Signs of Grubs 	
KILLS	White Grubs (larvae of chafers and Japanese beetles) Mole Crickets Ants [except Carpenter Ants, Fire Ants, Harvester Ants, and Pharaoh Ants], Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, Sod Webworms and Ticks
COVERAGE	This bag covers 5,000 sq ft (10 lb bag) (white grubs, Billbugs, mole crickets) 7500 sq ft (Other Lawn Pests) [10lb bag] This bag covers 10,000 sq ft (20 lb bag) (white grubs, Billbugs, mole crickets) 15,000 sq ft (Other Lawn Pests) [20 lb bag]
WHERE TO USE	Lawns
WHEN TO USE	When Grubs, insects or damage first appear.
HOW MUCH TO USE	See spreader settings
	Questions or comments? Call toll-free 1-877-BayerAG (1-877-229-3724) or visit us on-line at www.BayerAdvanced.com [INSERT COMPANY WEBSITE HERE]

- Formatted: Highlight
- Formatted: Highlight
- Formatted: Highlight
- Formatted: Tab stops: Not at 0" + 0.19" + 1" + 1.5" + 2" + 2.5" + 3" + 3.5" + 4" + 4.5" + 5" + 5.5" + 6"

ACTIVE INGREDIENT:	
Trichlorfon	9.3%
OTHER INGREDIENTS:	90.7%
	100%

Trichlorfon is the chemical name for Dylox®

EPA Reg. No. [72455-83 92564-40](#) EPA Est. No. XXXX-AA-XX

Formatted: Highlight

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals	
CAUTION	
<ul style="list-style-type: none"> • Harmful if swallowed • Do not breathe dust • Avoid contact with eyes, skin or clothing • Do not apply with hand-held or chest-mounted spreader • Prolonged or frequently repeated skin contact may cause allergic skin reactions in some people • Wash thoroughly with soap and water after handling and before eating or smoking 	

First Aid +

Organophosphate Insecticide

If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth to mouth, if possible.• Contact poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call (877) 229-3763 for medical emergency information. Active Ingredient: Trichlorfon [CAS # 52-68-6]

Note to Physician: Trichlorfon is an organophosphate. Prolonged exposure will cause cholinesterase depression. Atropine Sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Environmental Hazards

- This pesticide is toxic to fish, bird and wildlife.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Read and follow all label directions.

BEFORE YOU USE

Read and follow these directions when using:

USE RESTRICTIONS




- Do not apply near fish pools, ponds, streams or lakes.
- Do not apply to waterlogged soil.
- Do not apply with hand-held or chest mounted spreader.
- Water grass as soon as possible after application to move product to root zone where insects feed.
- Do not allow children or pets on treated lawn until grass has been watered and allowed to dry.
- Water thoroughly within 24 hours after applying.
- Do not mow until the granules are watered in and the grass has dried.
- Do not apply this product to waterlogged areas, as this may decrease the product's effectiveness.
- Do not make more than 3 applications per calendar year.
- Do not make more than 1 application in any 7-day period.




Children and pets may re-enter only after the treated area has been watered and allowed to dry.

Formatted: Highlight

Continued on next page

DIRECTIONS FOR USE (continued)	
HOW TO USE	
TO CONTROL	WHEN TO APPLY
Grubs, Mole Crickets Or Other Lawn Pests (except billbugs) claimed on this label	Apply when Grubs, insects or damage first appear. The best time to kill grubs is July through September, when they are young and actively feeding near the soil surface.
Billbugs	Apply when you see first signs of damage, usually 6 weeks after adults first appear. A second application may be necessary for species that have multiple generations.
APPLICATION DIRECTIONS FOR LAWNS	How Much: See Spreader Settings
	Adjust spreader to the proper setting (see Spreader Settings). 
	To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules. 
	Water thoroughly after applying. You may spread this product over soil or mulch. If present, remove weed barrier before applying. 
SIGNS OF DAMAGE TO LAWNS	
GRUBS	White Grubs cause extensive damage to lawns by feeding on grass roots. Grass turns yellow, then brown and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches of dead grass appeared in your lawn late last summer, check for Grubs.
BILLBUGS	Billbug damage to lawns becomes apparent in late June through August. A heavy infestation can completely destroy a lawn. To confirm you have a Billbug problem, grab the grass and pull up. If the stalks break easily at ground level, and the stems are hollowed out or packed full of a sawdust-like material, Billbugs are present.
MOLE CRICKETS	Mole Crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots. Tunneling uproots the grass so it easily dries out. Lawns turn yellow, become thin, weedy and can eventually die.
OTHER LAWN PESTS	Amyworms, Sod Webworms and Cutworms damage lawns by cutting blades of grass near the ground. Small brown patches will appear. Other lawn pests chew or suck on grass, which may cause grass to be weakened and look poor. Other lawn pests can be a nuisance outdoors.
HOW IT WORKS	Use this product only when grubs or other listed pests are present. After granules are watered in, grubs and other listed insects are killed when they come in contact with this product.

DIRECTIONS FOR USE (continued)			
Spreader Settings			
If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3724 for help.			
Rate for Grubs, Billbugs, and Mole Crickets: 2 lbs per 1,000 sq ft			
Rate for Ants [except Carpenter Ants, Fire Ants, Harvester Ants, and Pharoah Ants], Armyworms, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Flies, Grasshoppers, Leafhoppers, Millipedes, Pillbugs, Scorpions, Sowbugs, Sod Webworms and Ticks: 1.33 lbs per 1,000 sq ft			
BROADCAST SPREADER MODEL	APPLICATION WIDTH & SPREADER SETTINGS*		
	1.33 lbs per 1,000 sq ft	2 lbs per 1,000 sq ft	Distance Between Passes (ft)
Scotts Basic	3.75	4.5	6
Scotts Standard	3.25	3.75	6
Scotts Deluxe Edgeguard	4	4.5	6
Vigoro 10,000	5.5	6	8
Vigoro 15,000	3.5	4.5	8
DROP SPREADER MODEL	1.33 lbs per 1,000 sq ft	2 lbs per 1,000 sq ft	Distance Between Passes (ft)
Scotts Accugreen 2,000	6	7	N/A
Scotts Accugreen 3,000	4	5.25	N/A
* Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.			
Tip: 1000 sq ft = 20 ft x 50 ft			
Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly.			

Storage and Disposal	
Do not contaminate water, food, or feed by storage or disposal.	
PESTICIDE STORAGE CONDITIONS:	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
PESTICIDE DISPOSAL 	<ul style="list-style-type: none"> • If Empty: Non-refillable container. Do not refill or reuse this container. Place in trash or offer for recycling if available. • If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
Important: Empty the container through use of this product in accordance with label directions, if possible. If it is necessary to dispose of unused product, please follow all applicable State or local guidelines and requirements.	

NOTICE
Research and testing has determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.
* Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for
Distributed by

Formatted: Highlight



SBM Life Science Corp
1001 Winstead Drive, Suite 500
Cary, North Carolina 27513
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Dylox 9.3% Insect Granules (PENDING) 04/06/2017

Formatted: Highlight

Formatted: Indent: Left: 0"

Formatted: Indent: First line: 0"