

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 1, 2017

Ms. Norma Pangilinan Head of Regulatory Affairs NA SBM Life Science Corp. 1001 Winstead Dr., Suite 500 Cary, NC 27513

Subject: Notification per PRN 98-10 – Updating company name, registration number, and

websites, and adding alternate brand names

Product Name: Lawn Herbicide 2Q Ready-to-Use

EPA Registration Number: 92564-41 Application Date: April 12, 2017

Decision Number: 528640

Dear Ms. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records. The following alternate brand names have been added to the product record:

Bianova Advanced All-in-One Lawn Weed & Crabgrass KillerI Ready-to-Use BioAdvanced All-in-One Lawn Weed & Crabgrass KillerI Ready-to-Use BioAdvanced Science-Based Solutions All-in-One Lawn Weed & Crabgrass KillerI Ready-to-Use

Fortifend Advanced All-in-One Lawn Weed & Crabgrass KillerI Ready-to-Use

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 92564-41 Decision No. 528640

If you have any questions, you may contact Kathryn Montague at 703-305-1243 or via email at <a href="montague.kathryn@epa.gov">montague.kathryn@epa.gov</a>.

Sincerely,

Kathryn Montague, Product Manager 23

astryn V. W Tontaguo

Herbicide Branch

Registration Division (7505P)

Office of Pesticide Programs

#### NOTIFICATION

92564-41

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

06/01/2017

(Front Panel)

### Lawn Herbicide 2Q Ready-To-Use

(ABN: Bayer Advanced All-in-One Lawn Weed & Crabgrass Killer<sup>I</sup> Ready-to-Use; Bianova Advanced All-in-One Lawn Weed & Crabgrass Killer<sup>I</sup> Ready-to-Use; BioAdvanced All-in-One Lawn Weed & Crabgrass Killer<sup>I</sup> Ready-to-Use; BioAdvanced Science-Based Solutions All-in-One Lawn Weed & Crabgrass Killer<sup>I</sup> Ready-to-Use; Fortifend Advanced All-in-One Lawn Weed & Crabgrass Killer<sup>I</sup> Ready-to-Use)

#### FOR OUTDOOR RESIDENTIAL USE ONLY

Active Ingredients:	
2,4-D, dimethylamine salt	
Quinclorac	0.104%
Dicamba, dimethylamine salt	0.029%
Other Ingredients:	99.554%
Total:	100.000%

Editorial Note - [Bracketed text] is optional language

THIS PRODUCT CONTAINS:

2,4-dichlorophenoxyacetic acid equivalent, 0.260%

3,7-dichloro-8-quinolinecarboxylic acid, 0.104%

3,6-dichloro-o-anisic acid equivalent, 0.024%

Isomer specific by AOAC Method

Note: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then add a referral statement and present this sub statement on the back panel: "See back panel for substatement of ingredient statement."

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Editorial Note - [Bracketed text] is optional language

Net Contents: 24 fl oz (709 mL), 1 gallon (3.78L), 1.25 gallon (4.72 L) or 1.3 gallon (4.92 L) or other appropriate sizes within this range

Formatted: Highlight

Formatted: Superscript, Highlight

Formatted: Superscript, Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Superscript, Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Superscript, Highlight

#### (Back Panel)

Lawn Herbicide 2Q Ready-To-Use kills both broadleaf and grassy weeds in one easy step. The convenient formula kills dandelions, chickweeds, clovers, and [listed] [\*] crabgrass without harming your lawn. Ready-to-use – no mixing, no measuring, no messy cleanup. Rainproof in one hour. Controlling [listed] [\*] weeds in your lawn has never been easier!

	FIRST AID +	
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	

NOTE: When calling the poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-877-229-3763 for medical emergency information. Active Ingredients: 0.313% 2,4-D, dimethylamine salt (CAS # 2008-39-1), 0.029% Dicamba, dimethylamine salt (CAS # 2300-66-5), and 0.104% Quinclorac (CAS # 84087-1-4).

#### **READ THE LABEL FIRST!**



QUICK FACTS	
Editorial Note – Marketing Claims Positioned Here	
KILLS	Broadleaf Weeds: Over 200+ [listed] [*] types including Dandelions, Chickweeds, and Clovers Grassy Weeds: Crabgrass, Foxtail and many others
WHERE TO USE	ON LAWNS without harming lawn grasses- Bermudagrass*, Buffalograss, Kentucky bluegrass, Rye grass, Fescue, Zoysia, and Bentgrass
	†(Do not use on Bahiagrass, Carpetgrass, Centipedegrass, St. Augustine [including Floratam], or Dichondra.)
	For questions or comments, call toll-free 4-877 BayerAG (1-877-229-3724) or visit our website at <a href="http://www.BioAdvanced.com">www.BioAdvanced.com</a> [www.BioAdvanced.com][www.BioAdvanced.com][www.BioAdvancedScienceBasedSolutions.com][www.fortifendadvanced.com]

Formatted: Highlight Formatted: Highlight Formatted: Highlight

Active	Ingred	lients:
21-0	limath	,lamin

2,4-D, dimethylamine salt	
Quinclorac	0.104%
Dicamba, dimethylamine salt	0.029%
Other Ingredients:	<u>99.554%</u>
Total:	100.000%

THIS PRODUCT CONTAINS:

- 2,4-dichlorophenoxyacetic acid equivalent, 0.260%
- 3,7-dichloro-8-quinolinecarboxylic acid, 0.104% 3,6-dichloro-o-anisic acid equivalent, 0.024%

Isomer specific by AOAC Method

EPA Reg. No. <del>72155-85</del> <u>92564-41</u> XX

EPA Est. No. XXX-AA-

Formatted: Highlight Formatted: Highlight

\*Application on Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

- Harmful if swallowed
- Causes moderate eye irritation.
- · Avoid contact with eyes, skin, or clothing.
- When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

#### After using this product:

- · Rinse gloves before removing and wash hands.
- If product gets on skin, wash thoroughly with soap and water
- If product gets on clothing, remove clothing as soon as possible and launder clothing separately before reuse.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

- This pesticide is toxic to fish & aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to
  treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or
  surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that
  wind or rain does not blow or wash pesticide off the treatment area.
- This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.
   Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE		
It is a violation of Federa	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	
HOW TO USE Shake Well Before Use	<ul> <li>Turn spray nozzle to coarse spray.</li> <li>Hold sprayer about 12 inches from weed, aim at center of weed and spray to lightly cover.</li> <li>Use this product only on established lawns.</li> </ul>	
WHEN TO APPLY	<ul> <li>Apply when weeds are [young[small] and] actively growing.</li> <li>Apply when the daily high temperature doesn't exceed 90° F (85° F for Bermudagrass).</li> <li>Rain or watering1 hour after application will not wash away effectiveness.</li> </ul>	
[FOR BEST RESULTS]	<ul> <li>[Apply when wind is calm to avoid spray drift onto desirable plants (fruits, vegetables, flowers, ground covers, shrubs &amp; trees).]</li> <li>[Repeat application in 2 weeks if needed for hard-to-control weeds.]</li> <li>[Do not apply while grass is emerging from winter dormancy.]</li> <li>[Newly seeded lawns may be sprayed after the fourth mowing.]</li> <li>[Bare spots may be seeded 4 weeks after using this product.]</li> <li>[Do not mow for 1 – 2 days after spraying [to allow weed killer to move throughout the weed].</li> <li>[Leave grass clippings on the lawn from the first 3 mowings after using this product. Do not use as compost or mulch.]</li> <li>[Apply when weeds are young and actively growing]</li> <li>[Rain or watering 1 hour after application will not wash away effectiveness]</li> <li>[If lawn is dry, water 1 to 2 days before using this product. (Weeds take up herbicides best when not under stress).]</li> </ul>	

#### **REFILL**

[Option for refilling 24 fl oz bottle]

Add 1.6 fl oz (3TBS) of [Alternate Brand Name of Lawn Herbicide 2Q Concentrate] to this empty [24 fl oz] container. Top off with water, screw the sprayer back on and shake well. Refill does not contain SmartTrack™ spray marker.

[Option for refilling 1.3 gallon bottle]

Refilling the sprayer with [Alternate Brand Name of Lawn Herbicide 2Q Concentrate]

- Open the refill port cap.
- Add 8.5 fl oz (17 TBS) of [Alternate Brand Name of Lawn Herbicide 2Q Concentrate] to spray bottle.
- Fill sprayer with water to 1 gallon fill line.
- Replace cap, tighten, and shake well.

Refilling the 1.33 gallon sprayer from the 1 gallon or 1,253 gallon size Lawn Herbicide 2Q Ready-to-Use package:

- 1. Open refill port cap
- 2. Fill bottle with desired amount, using the Ready-to-Use product.
- 3. Replace refill port cap, tighten and shake well

#### **HOW IT WORKS**

Lawn Herbicide 2Q Ready-To-Use contains three proven weed killers to control [listed] [ $^*$ ] lawn weeds & crabgrass, roots and all. And it won't harm your lawn when used as directed. Weeds begin to die with[in] [24] hours and are completely dead in 14 – 28 days.

[optional instructions for use with 1 gallon sprayer]

#### [For 1 gallon]



#### ATTACH SPRAYER

- Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.

#### ....

- Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.

#### AFTER USE

- Turn sprayer nozzle to X (off) position.
- Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

[Instructions for use with twin pack]



 Empty Bottle: Remove entire sprayer assembly from empty bottle by unscrewing the cap in a counter clerkwise direction.



 Full Bottle: Remove entire cap from full bottle by unscrewing in a counter clockwise direction



 Full Bottle: Insert tube and attach entire sprayer assembly to full bottle; screw cap on securely in clockwise direction. Formatted: Highlight

[optional instructions for use with battery-operated 1.3 gallon sprayer]

[Battery-operated trigger sprayer: This product is applied directly from the container using the battery-operated trigger sprayer. The sprayer is packaged with the battery installed. To use, remove the cap from the container, insert the pickup tube and thread cap attached to pickup tube to the container. Move the safety lock located below the trigger to the "ON" position. Pull trigger, waiting several seconds for fluid to prime. Adjust the sprayer tip to deliver coarse spray droplets. To store, move the safety lock located below the trigger to the "LOCK" position.]

#### [Option 1]



How to Attach Sprayer to Bottle . Remove Power Sprayer from side carrier.

- · Pull battery tab to remove.
- · Fully extend hose from bottom of sprayer. . Open flip-cap on bottle. • Insert hose and plug into flip-cap opening until it snaps into place.



How to Spray • Point Power Sprayer away from body. · Adjust sprayer nozzle to desired setting. • Squeeze trigger to dispense product. Sprayer may require several seconds to prime before spraying.



After Use • Turn sprayer nozzle to X (off) position. Do not unplug hose. . Return Power Sprayer to side carrier for storage. • Do Not reuse Power Sprayer with any other product or on any other container.



#### Proper use of Batteries

- · Never mix old batteries with new.
- . Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.
- · When replacing batteries, follow diagram inside battery compartment.
- · When storing sprayer at end of season, remove batteries to prevent leakage.
- · Follow manufacturer's recommendations for disposal of batteries.

#### [Option 2]



#### HOW TO ATTACH SPRAYER TO BOTTLE:

Remove Power Sprayer and hose from side carrier.

Replace bottle cap with cap attached to Power Sprayer hose.



#### PREPARE TO SPRAY:

Point Sprayer away from body. Adjust nozzle to desired setting. [Do not turn past "X" position].

Slide safety switch to ON position.



#### SPRAY:

Squeeze trigger to dispense product. Sprayer may require several seconds to prime before spraying.

#### AFTER USE:

Slide safety switch to LOCK position. Return Power Sprayer to side carrier for storage.

#### 4AA Batteries Included: For important battery information- see booklet



PROPER USE OF BATTERIES: Never mix old batteries with new. Do not mix Alkaline with Standard (carbon zinc) or rechargeable (nickel cadmium) batteries. When replacing batteries, follow diagram inside battery compartment that is located at the bottom of the sprayer. When storing sprayer at end of season, remove batteries to prevent leakage. Follow manufacturer's recommendations for disposal of batteries.

#### [Option 3]

#### How To Use Your Sprayer:

- 1. Remove ERGO-GRIP spray wand from pocket
  - Remove wrap from coiled hose
  - Remove protective battery strip from sprayer handle



2. REMOVE STICKER & CAP COVER



**3. CONNECT HOSE TO CAP**Insert plug at end of coiled hose into hole on cap and push firmly until secure.

Remove sticker and cap cover before inserting hose plug.



### 4. OPEN SPRAY WAND

- Unfold spray wand until it snaps into place
- Point spray nozzle away from body.
- Adjust spray nozzle to desired setting.



#### 5. TURN POWER ON

Slide OFF-ON switch to ON position.



#### 6. SQUEEZE

- Squeeze trigger to dispense product. Sprayer may require several seconds to prime before product is released.

4 AA Batteries Included
For important battery information – see booklet.

- Release trigger to stop spraying.

#### Storage

- Slide OFF-ON switch to OFF position.
- Do not unplug hose. Leave connected to cap.
- Turn spray nozzle to the off position.
- Fold spray wand down against sprayer handle.
- Return ERGO-GRIP spray wand to pocket for storage.

#### To Replace Batteries

- Open battery compartment [with a small screwdriver].
- Remove used batteries and replace with new batteries in correct position as indicated inside battery
  compartment.
- Securely close battery compartment door [and screw closed].

#### Proper use of Batteries

- Never mix old batteries with new.
- Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.
- When storing sprayer for long periods, remove batteries to prevent leakage.
- Dispose of used batteries according to manufacturer's instructions or in household trash.

#### Kills over 200 [listed] [\*] weeds including:

[Barnyardgrass]	[Field Bindweed]	[Red sorrel]
[Black medic]	[Filaree]	[Sheep sorrel]
[Broadleaf	[Florida pusley]	[Speedwell]
Signalgrass]	[Foxtails]	[Spurges]
[Carpetweeds]	[Ground ivy]	[Spurweed]
[Chickweeds]	[Heartleaf drymary]	[Thistles]
[Clovers]	[Henbit]	[Toadflax]
[Crabgrass]	[Kikuyugrass]	[Wild carrot]
[Creeping Charlie]	[Oxalis]	[Wild garlic]
[Cudweed]	[Pennywort]	[Wild geranium]
[Curly dock]	[Plantains]	[Wild onion]
[Dandelion]	[Purslane]	& [listed] [*] [many other broadleaf
[English daisy]		weeds]
[False dandelion]		(See appendix for a list of weeds controlled)



Do not apply this product in a way that will contact any person or pet either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until spray has dried.

STORAGE AND DISPOSAL		
Storage Conditions	Return spray nozzle to closed position. Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.	
Container Handling	If empty: Non-refillable container. Do not reuse or refill this container, EXCEPT to refill with another product referenced on this label. Place in trash or offer for recycling if available.	
ш	<b>If partly filled:</b> Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.	

**NOTICE**: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

\*Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for [Distributed by]



SBM Life Science Corp

1001 Winstead Drive. Suite 500

Cary, North Carolina 27513

A Business Unit of Bayer CropScience, L.P.

P.O. Box 12014,-2 T.W. Alexander Drive

Research Triangle Park, North Carolina 27712

Lawn Herbicide 2Q Ready-To-Use (PENDING) 04/12/2017

Formatted: Highlight

#### WEEDS CONTROLLED - Appendix

[Weeds - Kill over 200 weeds including]

Annual Yellow Sweetclover Austrian Fieldcress Barnyardgrass Bedstraw Beggarticks Bentgrass, Colonial Bentgrass, Seaside Betony, Florida Bindweed, Field Bird Vetch Bitter Wintercress Bittercress, Hairy Bitterweed Black-eyed Susan Black Medic Black Mustard Blackseed Plantain Blessed Thistle Bloodflower Milkweed Blue Lettuce Blue Vervain Bracted Plantain Brassbuttons **Bristly Oxtongue** Broadleaf Dock Broadleaf Plantain

Buckhorn **Buckhorn Plantain** Bulbous Buttercup **Bull Thistle** Bullnettle Burclover Burdock **Burning Nettle** Burweed Buttercup Buttonweed Canada Thistle

Broadleaf Signalgrass

Broomweed

Carolina Geranium Carpetweed Catchweed Bedstraw Catnip Catsear

Chickweed, Common Chickweed, Mouseear

Chicory Cinquefoil Clover, Crimson Clover, Hop Clover, Red Clover, Strawberry Clover, Sweet

Clover, White Cockle Cocklebur

Common Mullein Crabgrass, Large (Hairy) Crabgrass, Small (Smooth)

Creeping Charlie Creeping Jenny Cudweed Curly Dock Daisy, English Daisy, Fleabane Daisy, Oxeye

Dandelion Dichondra Dogbane Dogfennel Dollarweed Elderberry False Dandelion

False Flax False Sunflower Fiddleneck Florida Pusley Foxtail, Giant Foxtail, Green Foxtail, Yellow Frenchweed Galinsoga

Goathead Goldenrod Goosegrass Ground Ivy Gumweed Hairy Fleabane Hawkweed

Healall Heartleaf Drymary Heath Aster Hedge Bindweed Hedge Mustard Hemp Henbit Hoary Cress Hoary Plantain Hoary Vervain Horsenettle Jimsonweed

Kikuyugrass Knawel Knotweed Kochia Lambsquarters

Lespedeza Mallow Matchweed Mexicanweed Milk Vetch Morningglory

Mouseear Hawkweed Muawort Musk Thistle

Mustard Narrowleaf Plantain Narrowleaf Vetch

Nettle

Orange Hawkweed Oriental Cocklebur Oxalis

Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed

Pigweed Pineywoods Bedstraw Plains Coreopsis (Tickseed)

Plantain Poison Ivv Poison Oak Pokeweed Poorjoe

Prairie Sunflower Prickly Lettuce Prickly Sida Prostrate Knotweed Prostrate Pigweed Prostrate Spurge Prostrate Vervain

Puncturevine Purslane, Common Ragweed Red Sorrel Redroot Pigweed

Redstem Filaree Rough Cinquefoil Rough Fleabane Russian Pigweed Russian Thistle Scarlet Pimpernel Scotch Thistle Sheep Sorrel

Shepherdspurse Slender Plantain Smallflower Galinsoga Smooth Dock Smooth Pigweed

Sorrel Sowthistle Spanishneedles Speedwell

Spiny Amaranth Spiny Cocklebur Spiny Sowthistle Spotted Catsear Spotted Spurge Sprangletop Spurweed Stinging Nettle

Strawberry, India Mock Tall Nettle

Tall Vervain Tansy Mustard Tansy Ragwort Tanweed Thistle

Torpedograss Trailing Crownvetch Tumble Mustard Tumble Pigweed Velvetleaf Venice Mallow

Virginia Buttonweed Virginia Creeper Virginia Pepperweed Water Pennywort Wavyleaf Bullthistle Western Clematis

Western Salsify White Mustard Wild Aster Wild Buckwheat Wild Carrot Wild Four-o'clock Wild Garlic Wild Geranium Wild Lettuce Wild Marigold

Wild Mustard Wild Onion Wild Parsnip Wild Radish Wild Rape Wild Strawberry Wild Sweet Potato Wild Vetch

Wild Violet Woodsorrel Wooly Croton Wooly Morningglory Wooly Plantain Wormseed Yarrow Yellow Rocket

Yellowflower Pepperweed and other [listed] [\*] broadleaf weeds

#### Optional Marketing Claims - Appendix

- Kills [listed] [\*] Lawn Weeds plus Crabgrass in One [Easy] Step
- Kills Crabgrass plus [listed] [\*] Broadleaf Weeds
- Two Products in One!
- Effective [Broadleaf] Weed Protection
- Effectively Protects Lawns from [listed] [\*] Broadleaf Weeds
- Kills [Listed] [\*] Weeds
- Kills [Hard-to-Control] [Tough] [listed] [\*] Weeds
- [Will Not] [Won't] Harm [Your] [listed] [\*] Lawn[s]† (when used as directed)
- Kills the [listed] [\*] Weeds, Not the Lawn†
- Kills to the Root
- Systemic [Herbicide] [Activity]
- Dual Action Weed Control Kills the Plant and the Root
- Kills the [listed] [\*] Weed, Kills the Root
- Kills [listed] [\*] Weeds Not Lawns†
- Kills All Major [listed] [\*] Broadleaf Weeds
- Kills [listed] [\*] Weeds Won't Harm Lawns†
- Two-in-One Product that Kills Crabgrass & [listed] [\*] Broadleaf Weeds
- Kills both Crabgrass & [listed] [\*] Broadleaf weeds
- Double [Dual] [Two-Way] Action Kills [listed] [\*] Broadleaf and Crabgrass Weeds
- Kills Both [listed] [\*] Broadleaf and Crabgrass Weeds
- Kills [listed] [\*] Lawn Weeds Plus Crabgrass
- Two Types of [listed] [\*] Weeds; One Solution
- Kills [Listed] [\*] Weeds
- Kills Even Tough [listed] [\*] Weeds To the root
- Kills Dandelion, Crabgrass, Clover, Plus [200] Other [listed] [\*] Weeds
- Controls over 200 [listed] [\*] Broadleaf Weeds
- Kills 200+ [listed] [\*] Weeds
- Kills Over 200 [listed] [\*] Weeds
- Starts Working on Contact
- Unique Formula
- Fast Results
- Kills Crabgrass & Other [listed] [\*] Weeds in Your Lawn
- Ideal for Spot Treatment
- Visible Results
- Kills [listed] [\*] Weeds Fast
- New! [NEW] [to be used for 1st season only]
- Brand New [Formula] [to be used for 1st season only]
- Protects Against All Major [listed] [\*] Broadleaf Weeds
- Tough [listed] [\*] Weed Protection
- SmartTrack™ Marker Shows Treated [listed] [\*] Weeds
- Contains SmartTrack™, a Non-Staining Marker [that Indicates Where You've Sprayed]
- Rainproof in [1] hour [s]
- Guaranteed\* Not to Harm Your Lawn†
- Guaranteed\* Results
- Guaranteed\* Not to Harm Lawns†
- Kills [listed] [\*] Weeds the First Time, Every Time, Guaranteed\*
- 100% Satisfaction Guaranteed\* (or your money back)
- \*Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.
- Refillable!
- [This Product is] For Spot Treatment Only
- 30% more\* (\* than 1 gallon size)
- [† When used as directed]
- 25% more\* (\*than 1 gallon size)
- XX% more\* (\*than XX size)

#### Optional claims - for use with battery-operated sprayer

- Easy to Use Power Sprayer
- Easy to Use
- No Pumping
- Battery Powered Sprayer
- Targets [listed] [\*] Weeds
- Fast Coverage
- Ideal for Small Areas
- No messy Cleanup
- Easy & Fast Coverage
- Faster [Coverage]Than Pull & Spray
- Just Point & Shoot
- Save Time & Energy
- Always Ready-To-Spray
- No More Squeeze, Squeeze
- The Easiest Way to Spray
- No Pulling Just Point &Shoot
- No More Tired Hands
- No [More] Hand Fatigue
- Revolutionary [Applicator] [Sprayer]
- Control [listed] [\*] Lawn Weeds plus Crabgrass in your lawn with ease!
- 30% more\* (\* than 1 gallon size)
- 25% more\* (\*than 1 gallon size)
- XX% more\* (\*than XX size)
- ERGO-GRIP Spray Wand
- · Grip controlled sprayer reduces hand fatigue
- Grip control make it easier to spray
- Contours and grip control reduce hand fatigue
- Contours and grip control make it easy to spray
- · Contours and grip control take the pressure off your hands
- Contours and grip control for better comfort
- Grip controlled sprayer for your comfort
- Grip control and contours for easier spraying
- Contoured grip control for your comfort
- Contoured grip control reduces hand fatigue
- Comfortable, accurate, easy to storeDesigned for comfort, accuracy, easy storage
- Refil
- [Can be used to] Refill [for] [Ergo Grip] [1.3 Gallon [Sprayer] [Bayer Advanced NSERT ABN PRODUCT NAME HERE] [Lawn Herbicide 2Q Ready-To-Use]
- Bonus [X] oz size [X]% more than [X] oz size
- Now covers [XXX] [square] [sq] feet
- Bonus [X] oz size
- Bonus value [X]% more [vs [X] oz size]

\*listed (Note to PM: The word "listed" can appear as a footnote with the appropriate phrase, such as \*listed pests/weeds)

Marketing Claim for Brand Name Change:

New Name. Same Great Results.
New Name. Same Familiar Formula.
New Name. Same Performance.

Formatted: Highlight