



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

January 6, 2022

Prachi Pandya
Federal Regulatory Affairs Associate
SBM Life Science Corp.
1001 Winstead Drive Suite 500
Cary, NC 27513

Subject: Label Amendment – Clarification of optional language and marketing claims.
Addition and removal of alternate brand names.
Product Name: Tau-Fluvalinate + Tebuconazole Concentrate Insecticide,
Miticide, and Fungicide
EPA Registration Number: 92564-63
Application Date: 11/10/2020
Decision Number: 568416

Dear Prachi Pandya:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The alternate brand names have been added to the product record:

BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray**
BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray

The alternate brand names have been removed from the product record:


Bayer Advanced 3-in-1 Insect, Disease & Mite Control Concentrate
Bayer Advanced 3-in-1 Insect, Disease & Mite Control Ready-to-Spray**
Bayer Advanced All-in-One Rose and Flower Spray Concentrate
Bayer Advanced All-in-One Rose and Flower Spray Ready-to-Spray**
Bayer Advanced Rose & Flower Spray Concentrate
Bayer Advanced Rose & Flower Spray Ready to Spray**

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact James Orrock via email at orrock.james@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Carmen J. Roda, Jr.", written in a cursive style.

Carmen J. Roda, Jr., Acting Product Manager 22
Fungicide Branch, Registration Division (7505P)

Enclosure

[Master Label]

{This master label contains two sub-labels, I and II, and each sub-label is marketed with an alternate brand name.}

[FRONT PANEL]


Tau-fluvalinate + Tebuconazole

Concentrate Insecticide, Miticide, and Fungicide

{Sub-Label I: Concentrate Sub-Label}

[ABN's:]

Bianova Advanced™ 3-in-1 Insect, Disease & Mite Control Concentrate I
BioAdvanced® 3-in-1 Insect, Disease & Mite Control Concentrate I
BioAdvanced® Science-Based Solutions 3-in-1 Insect, Disease & Mite Control Concentrate I
Fortifend Advanced™ 3-in-1 Insect, Disease & Mite Control Concentrate I
Bianova Advanced™ All-in-One Rose & Flower Spray Concentrate
BioAdvanced® All-in-One Rose & Flower Spray Concentrate
BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Spray Concentrate
Fortifend Advanced™ All-in-One Rose & Flower Spray Concentrate
Bianova Advanced™ Rose & Flower Spray Concentrate
BioAdvanced® Rose & Flower Spray Concentrate
BioAdvanced® Science-Based Solutions Rose & Flower Spray Concentrate
Fortifend Advanced™ Rose & Flower Spray Concentrate
Bianova Advanced™ Tree & Shrub Insect Killer Spray Concentrate
BioAdvanced® Tree & Shrub Insect Killer Spray Concentrate
BioAdvanced® Science-Based Solutions Tree & Shrub Insect Killer Spray Concentrate
Fortifend Advanced™ Tree & Shrub Insect Killer Spray Concentrate



{Sub-Label II: Ready-To-Spray Sub-Label}

[ABN's]

BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray**
BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray
Bianova Advanced™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
BioAdvanced®™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
BioAdvanced®™ Science-Based Solutions 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
Fortifend Advanced™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
Bianova Advanced™ All-in-One Rose and Flower Spray Ready-to-Spray**;
BioAdvanced®™ All-in-One Rose and Flower Spray Ready-to-Spray**;
BioAdvanced®™ Science-Based Solutions All-in-One Rose and Flower Spray Ready-to-Spray**;
Fortifend Advanced™ All-in-One Rose and Flower Spray Ready-to-Spray**;
Bianova Advanced™ Rose & Flower Spray Ready to Spray**;
BioAdvanced®™ Rose & Flower Spray Ready to Spray**;
BioAdvanced®™ Science-Based Solutions Rose & Flower Spray Ready to Spray**;
Fortifend Advanced™ Rose & Flower Spray Ready to Spray**;
Bianova Advanced™ Tree & Shrub Insect Killer Spray Ready to Spray**;
BioAdvanced®™ Tree & Shrub Insect Killer Spray Ready to Spray**;
BioAdvanced®™ Science-Based Solutions Tree & Shrub Insect Killer Spray Ready to Spray**;
Fortifend Advanced™ Tree & Shrub Insect Killer Spray Ready to Spray**;

{Note to PM: All bracketed text is optional}

[This label contains two separate label statements for, **Outdoor Residential Pump Sprayer/Hose-end Sprayer Concentrate** product use and **Outdoor Residential Ready-To-Spray** product use.]

ACTIVE INGREDIENTS:

Tau-fluvalinate.....	0.61%
Tebuconazole.....	0.65%

OTHER INGREDIENTS:	98.74%
---------------------------------	---------------

TOTAL:	100.00%
---------------	----------------

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional [first aid and] precautionary statements

Not for sale, sale into, distribution and or use in New York State.

FOR OUTDOOR RESIDENTIAL USE ONLY

{Sub-Label I: Concentrate Sub-Label}

[ABN's:]

- Bianova Advanced™ 3-in-1 Insect, Disease & Mite Control Concentrate I
- BioAdvanced® 3-in-1 Insect, Disease & Mite Control Concentrate I
- BioAdvanced® Science-Based Solutions 3-in-1 Insect, Disease & Mite Control Concentrate I
- Fortifend Advanced™ 3-in-1 Insect, Disease & Mite Control Concentrate I
- Bianova Advanced™ All-in-One Rose & Flower Spray Concentrate
- BioAdvanced® All-in-One Rose & Flower Spray Concentrate
- BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Spray Concentrate
- Fortifend Advanced™ All-in-One Rose & Flower Spray Concentrate
- Bianova Advanced™ Rose & Flower Spray Concentrate
- BioAdvanced® Rose & Flower Spray Concentrate
- BioAdvanced® Science-Based Solutions Rose & Flower Spray Concentrate
- Fortifend Advanced™ Rose & Flower Spray Concentrate
- Bianova Advanced™ Tree & Shrub Insect Killer Spray Concentrate
- BioAdvanced® Tree & Shrub Insect Killer Spray Concentrate
- BioAdvanced® Science-Based Solutions Tree & Shrub Insect Killer Spray Concentrate
- Fortifend Advanced™ Tree & Shrub Insect Killer Spray Concentrate

{Note to PM Marketing Claims Applicable to both, see Appendix I of the label}

ACTIVE INGREDIENTS:

Tau-fluvalinate.....	0.61%
Tebuconazole.....	0.65%

OTHER INGREDIENTS:	98.74%
TOTAL:	100.00%

Net Contents: 32 fl oz, 64 fl oz, 1 gallon

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel booklet for additional [first aid and] precautionary statements

Not for sale, sale into, distribution and or use in New York State.

FOR OUTDOOR RESIDENTIAL USE ONLY



{Notes to PM indicated by curly brackets}

[BACK PANEL]

[This product's exclusive 3-way formula protects against listed insect, mites, and diseases in one easy step] [Tau-fluvalinate +Tebuconazole Concentrate Insecticide, Miticide, and Fungicide] proprietary 3-in-1 formula kills listed insects on contact, controls mites, controls diseases, and keeps on protecting for up to 2 weeks. This concentrate formula provides long lasting insect control (2 weeks), mite control, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful trees, shrubs, flowers, and roses has never been easier! Better Science, Better Results.]

[This product's exclusive formula protects against listed insects, mites and diseases in one easy step. It provides up to 2 weeks protection against the major insect and disease problems of roses, hibiscus, iris, and other flowers and shrubs. Growing beautiful roses, flowers, and shrubs has never been easier!]

[Read the Label First!]

QUICK FACTS	
<p>[Effective Against a Broad Range of listed Insects, Mites, and Diseases]</p> <p>[Keeps on Killing listed Insects for Up to 14 days]</p> <p>[Easy, Accurate Measuring & Mixing]</p> <p>[3 Benefits in One: Mite Control, Insect Control, and Disease Control]</p> <p>[Protects against Insects & Diseases for up to 2 weeks]</p> <p>[Appendix I Marketing Claims]</p>	<p>[Apply with most common garden sprayers]</p>  <p>[Kills listed[*] insects on contact]</p> <p>[Highly effective against mites]</p>
INSECTS and MITES CONTROLLED/INSECT CONTROL/MITE CONTROL	Adelgids, Aphids, Caterpillars, Japanese Beetles (adult), Lace bugs, Leaf-feeding beetles, Leafhoppers, Leafminers, Mealybugs, Psyllids, Spider mites, Thrips, Whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, Black Spot, Leaf Spot, Petal Blight, Powdery Mildew, Rust, and Scab.
COVERAGE	{For 32 oz. size} [Makes [Creates, Delivers] up to 12 gallons of spray] {For 64 oz. size} [Makes up to 24 gallons of spray]
WHERE TO USE	For outdoor residential use only. Outdoors on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on houseplants [container plants] treated outside For use on non-edible plants only [Roses, Flowers, Azaleas, Camellias, Rhododendrons and other shrubs]
WHEN TO USE	To prevent listed insect, mite, or disease infestations. Control listed insect, mite when they first appear.
HOW MUCH TO USE	Dilute 2.67 oz (5¼ Tablespoons) concentrate in 1 gallon of water
	QUESTIONS OR COMMENTS? Text or call toll-free 877-229- 3724 or visit us online at www.bioadvanced.com .

ACTIVE INGREDIENTS:

Tau-fluvalinate.....0.61 %
Tebuconazole.....0.65 %

OTHER INGREDIENTS:.....98.74%

TOTAL:.....**100.00%**

FIRST AID

If swallowed:	<p>Call a poison control center or doctor immediately for treatment advice</p> <p>Have person sip a glass of water if able to swallow.</p> <p>Do not induce vomiting unless told to by a poison control center or doctor.</p> <p>Do not give anything by mouth to an unconscious person.</p>
If on skin or clothing:	<p>Take off contaminated clothing.</p> <p>Rinse skin immediately with plenty of water for 15-20 minutes.</p> <p>Call a poison control center or doctor for treatment advice.</p>

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information.

Active Ingredients: Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

- Harmful if swallowed.
- Harmful if absorbed through skin.
- Avoid contact with skin, eyes, or clothing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not allow the product to enter any drain during or after application.

Do not apply or irrigate to the point of runoff.

For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is toxic to honey bees if bees are exposed to direct application. However, dried residues of this product are non-toxic to honey bees. Treat during non-foraging periods to minimize adverse effects.

DIRECTIONS FOR USE {For Concentrate Products}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all label restrictions and directions when using this product.

BEFORE YOU USE	<p>Apply the product to flowering plants during early morning or late evening, when bees are not present.</p> <p>Restrictions:</p> <ul style="list-style-type: none"> • Do not apply or irrigate the treated area to the point of run-off. • Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application. • Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. • Do not allow the product to enter any drain during or after application. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • Do not apply to fruits or vegetables used for food. For use on non-edible plants only. • Do not use indoors - for houseplants, move them outside, treat, let dry and bring back indoors. • For outdoor residential use only. • Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant. • Do not apply this product while bees are foraging. • For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. • Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.). • For use on non-edible plants only • Apply this product only as specified on this label.
WHEN TO USE	<p>When listed insect, mites, or disease first appear.</p> <ul style="list-style-type: none"> • To avoid serious damage, kill pests and diseases early in the season before they multiply. • Apply prior to plants blooming or after petal fall is complete.

{FOR USE WITH CONSUMER MIXED CONCENTRATE PRODUCT ONLY}

MIXING & MEASURING	Shake well before using. SEE SPRAYER TYPES
HOW TO SPRAY	<p>Adjust nozzle on your sprayer to desired spray pattern.</p> <p>Hold sprayer about 12 inches from foliage.</p> <p>Spray leaves, stems and tender new shoots.</p> <ul style="list-style-type: none"> • Apply until both sides of the leaves are evenly coated with spray, but not dripping.

[FOR USE WITH CONSUMER MIXED CONCENTRATE PRODUCT ONLY]

SPRAYER TYPES

(ART: ICON OF PUMP TYPE)



For Pump Style Tank Sprayer:

To make one gallon of spray:

1. Pour 2.67 fl. oz. (5¼ Tablespoons) of the liquid concentrate.
2. Dilute in 1 gallon of water.
3. Close sprayer and shake well before applying.

(ART: ICON DIAL TYPE)



For Dial-Style Hose-End Sprayers:

Dilution rate: 2.67 fl. oz. (5 1/4 tablespoons) per gallon

1. Fill sprayer jar with enough concentrate to treat the desired plants.
2. Close sprayer and set dial [at x for (Brand)].
3. Attach sprayer to hose and apply.

OR

Fill sprayer jar with enough concentrate to cover plants to be treated and follow sprayer label directions for applying.

(ART: ICON OF WATER TYPE)



For Concentrate-Plus-Water Hose-End Sprayers:


Dilution rate: 2.67 fl. oz. (5 1/4 tablespoons) per gallon

1. Pour concentrate into sprayer jar to the required fluid ounce level.
2. Add the appropriate amount of water to the gallons level.
3. Replace sprayer top and shake well before applying.

OR


Pour concentrate into sprayer jar to the required fluid ounce level and follow sprayer label directions for applying.

HOW OFTEN	Kills listed insects on contact and keeps on killing for up to 14 days. For control of Japanese beetles, mites, severe infestations of other listed pests and diseases, repeat every 7 to 14 days as necessary.
HOW IT WORKS	This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant. [This product provides 3 way action: kills listed insects on contact, controls mites, and controls diseases, and keeps on protecting for (up to 2) weeks.]

INSECTS AND MITES CONTROLLED				
	(ART: Aphid, Japanese Beetle (adult))			
	Adelgids	Earwigs	Leafminers (including Birch Leafminers and Holly Leafminers)	Silverfish
	Aphids	Elm leaf beetles	Loopers	Sowbugs
	Armyworms	Firebrats	Mealybugs	Spider Mites
	Bagworms	Flea beetles	Midges	Spittlebugs
	Beetles	Fungus gnats	Mites	Stink Bugs
	Boxelder bugs	Grasshoppers	Pillbugs	Thrips
	Budworms	Gypsy moth larvae	Plant bugs	Two-Spotted Spider Mites
	Cankerworms	Japanese beetles (adult)	Psyllids	Viburnum leaf beetle
	Caterpillars	Lace bugs	Rose Midges	Webworms
	Chinch bugs	Leaf-feeding beetles	Rose Slugs	Weevils (including adult root weevils)
	Clover mites	Leaf-feeding caterpillars	Sawflies	Whiteflies
	Crickets	Leafhoppers	Scale insects (crawler stages)	
	Cucumber beetles			
	Cutworms			

STORAGE AND DISPOSAL

Do not contaminate food, water, or feed by storage or disposal.

Pesticide Storage	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
Container Handling 	If empty: <ul style="list-style-type: none">• Non-refillable container. Do not refill or reuse container.• Place empty container in trash or offer for recycling if available. If partly filled: <ul style="list-style-type: none">• Call your local solid waste agency for disposal instructions.• Never place unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guaranteed: If you are not satisfied with this product, we will gladly refund your original purchase price.

Net Contents: 32 fl. oz. (946 mL); 40 fl. oz. (1183 mL); 64 fl. oz. (1892 mL) 1 gal (3785 mL)

{Note to PM: Batch code to be added at time of production}

{Note to PM: Product name Tau-Fluvalinate + Tebuconazole Concentrate Insecticide, Miticide, and Fungicide will be replaced with it or this product.}

PRODUCED [FOR] [BY]DISTRIBUTED BY

[GUARANTEED BY]

SBM Life Science Corp.

1001 Winstead Drive, Suite 500

Cary, North Carolina 27513

BioAdvanced® [ERGO-GRIP®] [is/are] [a] registered trademark(s) of SBM Life Science Corp.

EZ-Grip One Touch Sprayer™, [Fortifend Advanced™] [Bianova Advanced™] [is/are] [a] trademark(s) of SBM Life Science Corp.

Tau-fluvalinate +Tebuconazole Concentrate04/14/2021

{Sub-Label II: Ready-To-Spray Sub-Label}

[ABN's:]

- BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray**
- BioAdvanced® Science-Based Solutions All-in-One Rose & Flower Ready-to-Spray
- Bianova Advanced™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
- BioAdvanced®™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
- BioAdvanced®™ Science-Based Solutions 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
- Fortifend Advanced™ 3-in-1 Insect, Disease & Mite Control Ready-to-Spray** I;
- Bianova Advanced™ All-in-One Rose and Flower Spray Ready-to-Spray**;
- BioAdvanced®™ All-in-One Rose and Flower Spray Ready-to-Spray**;
- BioAdvanced®™ Science-Based Solutions All-in-One Rose and Flower Spray Ready-to-Spray**;
- Fortifend Advanced™ All-in-One Rose and Flower Spray Ready-to-Spray**;
- Bianova Advanced™ Rose & Flower Spray Ready to Spray**;
- BioAdvanced®™ Rose & Flower Spray Ready to Spray**;
- BioAdvanced®™ Science-Based Solutions Rose & Flower Spray Ready to Spray**;
- Fortifend Advanced™ Rose & Flower Spray Ready to Spray**;
- Bianova Advanced™ Tree & Shrub Insect Killer Spray Ready to Spray**;
- BioAdvanced®™ Tree & Shrub Insect Killer Spray Ready to Spray**;
- BioAdvanced®™ Science-Based Solutions Tree & Shrub Insect Killer Spray Ready to Spray**;
- Fortifend Advanced™ Tree & Shrub Insect Killer Spray Ready to Spray**;

{Note to PM Marketing Claims Applicable to both, see Appendix I of the label}

ACTIVE INGREDIENTS:

Tau-fluvalinate.....	0.61%
Tebuconazole.....	0.65%
OTHER INGREDIENTS:.....	98.74%
TOTAL:	100.00%

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

See back panel booklet for additional [first aid and] precautionary statements

Not for sale, sale into, distribution and or use in New York State.

FOR OUTDOOR RESIDENTIAL USE ONLY


{Notes to PM indicated by curly brackets}

[BACK PANEL]

[This product's exclusive 3-way formula protects against listed insect, mites, and diseases in one easy step] [Tau-fluvalinate +Tebuconazole Concentrate Insecticide, Miticide, and Fungicide] proprietary 3-in-1 formula kills listed insects on contact, controls mites, controls diseases, and keeps on protecting for up to 2 weeks. This concentrate formula provides long lasting insect control (2 weeks), mite control, and disease protection on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees. Growing beautiful trees, shrubs, flowers, and roses has never been easier! Better Science, Better Results.]

[This product's exclusive formula protects against listed insects, mites and diseases in one easy step. It provides up to 2 weeks protection against the major insect and disease problems of roses, hibiscus, iris, and other flowers and shrubs. Growing beautiful roses, flowers, and shrubs has never been easier!]

[Read the Label First!]

QUICK FACTS	
[Effective Against a Broad Range of listed Insects, Mites, and Diseases] [Keeps on Killing listed Insects for Up to 14 days] [Easy, Accurate Measuring & Mixing] [3 Benefits in One: Mite Control, Insect Control, and Disease Control] [Protects against Insects & Diseases for up to 2 weeks] [Appendix I Marketing Claims]	[Ready-to-Spray** formula ... no mixing, no measuring] [Kills listed insects on contact] [Highly effective against mites] [One quart covers up to 192 roses]
INSECTS and MITES CONTROLLED/INSECT CONTROL/MITE CONTROL	Adelgids, Aphids, Caterpillars, Japanese Beetles (adult), Lace bugs, Leaf-feeding beetles, Leafhoppers, Leafminers, Mealybugs, Psyllids, Spider mites, Thrips, Whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, Black Spot, Leaf Spot, Petal Blight, Powdery Mildew, Rust, and Scab.
COVERAGE	Treats [Protects] up to 192 roses {32 oz. size} [Treats] [Protects] up to 384 roses {64 oz. size}
WHERE TO USE	For outdoor residential use only. Outdoors on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on houseplants [container plants] treated outside For use on non-edible plants only [Roses, Flowers, Azaleas, Camellias, Rhododendrons and other shrubs]
WHEN TO USE	To prevent listed insect, mite, or disease infestations. Control listed insect, mite when they first appear.
	QUESTIONS OR COMMENTS? Text or call toll-free 877-229- 3724 or visit us online at www.bioadvanced.com .

ACTIVE INGREDIENTS:

Tau-fluvalinate.....0.61 %
 Tebuconazole.....0.65 %

OTHER INGREDIENTS:.....98.74%

TOTAL: **100.00%**

EPA Reg. No. 92564-63

EPA Est. No.

FIRST AID

If swallowed:	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 877-229-3763 for emergency medical treatment information.

Active Ingredients: Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed.
- Harmful if absorbed through skin.
- Avoid contact with skin, eyes, or clothing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not allow the product to enter any drain during or after application.

Do not apply or irrigate to the point of runoff.

For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is toxic to honey bees if bees are exposed to direct application. However, dried residues of this product are non-toxic to honey bees. Treat during non-foraging periods to minimize adverse effects.



DIRECTIONS FOR USE {For Ready-To-Spray Products}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


Read and follow all label restrictions and directions when using this product.

BEFORE YOU USE	<p>Apply the product to flowering plants during early morning or late evening, when bees are not present.</p> <p>Restrictions:</p> <ul style="list-style-type: none"> • Do not apply or irrigate the treated area to the point of run-off. • Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application. • Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. • Do not allow the product to enter any drain during or after application. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • Do not apply to fruits or vegetables used for food. For use on non-edible plants only. • Do not use indoors - for houseplants, move them outside, treat, let dry and bring back indoors. • For outdoor residential use only. • Do not apply to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant. • Do not apply this product while bees are foraging. • For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. • Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.). • For use on non-edible plants only • Apply this product only as specified on this label.
WHEN TO USE	<p>When listed insect, mites, or disease first appear.</p> <ul style="list-style-type: none"> • To avoid serious damage, kill pests and diseases early in the season before they multiply. • Apply prior to plants blooming or after petal fall is complete.

[FOR USE WITH READY TO SPRAY** PACKAGING ONLY]

HOW TO USE	<p>Shake well before using. This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.</p>
<p>HOW TO ATTACH AND SPRAY</p>  	<p>[Option 1]</p> <ol style="list-style-type: none"> 1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. 2. To begin spraying, turn on water at faucet. Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to on position. 3. To stop spraying, turn the water control valve on top of the spray nozzle to OFF. Turn off faucet. 4. Relieve water pressure by turning water control valve to the ON position until water slows to a drip. Turn water control valve back to OFF. Disconnect garden hose from bottle. 5. The unused portion can be saved and used at a later date. <p>Tips for Applying</p> <ol style="list-style-type: none"> 1. Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants. 2. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surfaces.

[HOW TO ATTACH AND SPRAY]



[Option 2]

1. [Connect your garden hose to the bottle. Be sure the (color inserted here) water control valve on top of the spray nozzle is in the OFF position.
2. Turn on water at faucet. Twist the small, star-shaped, (color inserted here) product-control button to align the flat portion with the lock tab. Push the button in to open.
3. To begin spraying, point nozzle towards the area to be treated and turn the (color) water control valve to ON position. Tab will be horizontal.
4. To stop spraying, turn the (color) water control valve on top of the spray nozzle to OFF. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.]
5. Relieve water pressure by turning water control valve to the ON position until water slows to a drip. Turn water control valve back to OFF. Disconnect garden hose from bottle.
6. The unused portion can be saved and used at a later date.

Tips for Applying

1. Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants.
2. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surfaces.

[Option 3]

[CONNECT

1. Shake well before use.
2. Securely Connect sprayer to garden hose.
3. Be sure that ON/OFF Switch is in OFF position, toward hose end of sprayer.
4. Turn on water at faucet.
5. For first time use, remove plastic shipping lock from beneath switch.

SPRAY

1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
2. Begin spraying - Push ON/OFF Switch forward into ON position.
3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas. Work back toward faucet to avoid walking over wet, treated grass.

FINISH

1. To stop spraying, push ON/OFF Switch to OFF position.
2. Turn off water at faucet.
3. Relieve water pressure in hose by turning ON/OFF Switch back to ON position until water slows to a drip, then return ON/OFF switch to OFF position.
4. Disconnect sprayer from hose.]

[Option 4]

CONNECT


1. Shake well before use.
2. Connect sprayer to garden hose.
3. Make sure that the Sprayer is in the OFF position.
3. Turn on water at faucet.

SPRAY

1. Extend hose to farthest area to be treated, point Sprayer nozzle in direction to be sprayed.
2. Turn Sprayer to ON postion.

	<p>3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas.</p> <p>Work back toward faucet to avoid walking over wet, treated areas.</p> <p>FINISH</p> <p>1.To stop spraying, turn Sprayer to OFF position.</p> <p>2. Turn off water at faucet.</p> <p>3. Relieve water pressure in hose by turning Sprayer to ON position until water slows to a drip, then turn Sprayer to OFF position.</p> <p>4. Disconnect Sprayer from hose.</p>
--	--

HOW OFTEN	<p>Kills listed insects on contact and keeps on killing for up to 14 days.</p> <p>For control of Japanese beetles, mites, severe infestations of other listed pests and diseases, repeat every 7 to 14 days as necessary.</p>
HOW IT WORKS	<p>This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant. [This product provides 3 way action: kills listed insects on contact, controls mites, and controls diseases, and keeps on protecting for (up to 2) weeks.]</p>

INSECTS AND MITES CONTROLLED	 <p>(ART: Aphid, Japanese Beetle (adult))</p>			
	<ul style="list-style-type: none"> Adelgids Aphids Armyworms Bagworms Beetles Boxelder bugs Budworms Cankerworms Caterpillars Chinch bugs Clover mites Crickets Cucumber beetles Cutworms 	<ul style="list-style-type: none"> Earwigs Elm leaf beetles Firebrats Flea beetles Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding caterpillars Leafhoppers 	<ul style="list-style-type: none"> Leafminers (including Birch Leafminers and Holly Leafminers) Loopers Mealybugs Midges Mites Pillbugs Plant bugs Psyllids Rose Midges Rose Slugs Sawflies Scale insects (crawler stages) 	<ul style="list-style-type: none"> Silverfish Sowbugs Spider Mites Spittlebugs Stink Bugs Thrips Two-Spotted Spider Mites Viburnum leaf beetle Webworms Weevils (including adult root weevils) Whiteflies

[Appendix I: Marketing Claims]

1. For use on: Roses, Flowers, Houseplants (treated outside) , Ground Covers , Vines , Ornamentals , Shrubs, and Trees
2. Just one application quickly kills listed insects on contact
3. Protects l plants' leaves/branches
4. Up to 14 day protection from listed insects
5. Protects against listed insects for up to 14 days
6. Keeps killing listed insects for up to 14 days
7. Continuous killing against listed insects for up to 14 days
8. Rainproof Protection for up to 14 days
9. Protection that won't wash off for up to 14 days
10. Rainproof
11. Fast Acting, ... Kills Listed Insects On Contact
12. Kills listed insects on contact
13. Long Lasting, ... Keeps On Killing Listed Insects For up to 14 days
14. Residual action, keeps killing listed insects for up to 2 weeks
15. The formula/product works through the leaves and stems to protect for listed disease control
16. Controls listed fungus and against listed pests
17. Controls listed diseases
18. Controls listed fungal diseases
19. Protects against listed insects, mites and diseases on roses, flowers, houseplants (treated outside), ground covers, vines, ornamentals, shrubs, and trees
20. Controls and prevents listed insects, mites and diseases on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
21. 3 Benefits in One: Listed Insect Protection, Spider Mite Protection, and Disease Protection
22. One application, three benefits: Listed Insect Protection, Spider Mite Protection, and Disease Protection
23. All-in-One, three benefits: listed insect, disease, and spider mite protection
24. Disease Protectant Formula – gets [moves] inside the plant to protect
25. Prevents, stops, and controls listed pests and diseases on roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
26. Kills, listed insects that harm roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
27. [Controls and Prevents] Black Spot, Powdery Mildew and Rust [Disease(s)]
28. Kills listed Insects and Mites on Contact
29. Controls black spot, powdery mildew, [and]rust, [and other listed diseases]
30. Controls [Kills] aphids, caterpillars, [and] mites, [and other listed insects]
31. 3 in 1 formula – controls insect, mites, and diseases [image of 3in1 formula as indicated on Pg 27 of the label¥]
32. 3 in 1 formula – kills listed insects on contact, controls mites, controls diseases, and [keeps on protecting for up to 2 weeks] [provides long lasting protection for 2 weeks]
33. One application, 3 benefits: Listed Insect, Spider Mite & Disease Protection
34. Kills listed insects and mites on contact and controls diseases for up to 2 weeks
35. Exclusive [Proprietary] Formula – Three way control – controls listed insects, mites, and diseases
36. Locally Systemic formula, controls listed diseases
37. Three benefits in one package: listed insect, disease and mite control
38. One application with three benefits: controls listed insects, mites and diseases
39. Locally systemic three way action [control] : listed insect control, disease control and mite control
40. Fast, easy and efficient {Note to PM: this claim will be used only for the RTS label}
41. The Rose & Flower protector[enforcer]
42. Maintains beauty [of plant]
43. Three garden products in one: listed insect control, disease control and mite control
44. The Rose and Flower defender [guardian, protector]
45. Kills aphids , spider mites , Japanese beetles (adult) and other listed pests
46. 3 Benefits in 1 : controls insects, diseases and mites
47. Listed Insect control
48. Listed Disease control
49. Protects against listed diseases
50. Mite control
51. Bonus size...X% more
52. 100% Satisfaction Guaranteed or your money back [DISPLAYED AS AN ILLUSTRATION]

{Note to PM: Claims 53 to 71 will be used only for the RTS label}

53. Easy hold Sprayer
54. EZ Spray
55. One-touch sprayer
56. EZ-Grip One Touch Sprayer™
57. Ergo-Grip®
58. Simple spray
59. One touch
60. Spray n go
61. Thumb switch
62. Handy spray
63. EZ touch
64. One-touch application
65. Improved Power Sprayer
66. Improved Spray Technology
67. Enhanced Spray Design
68. Re-Designed for Improved Spraying
69. Re-Engineered for Better Spraying
70. Redesigned = Improved Spraying
71. Ready- to- Spray

{Note to PM: Claims 72 will be used only for the Concentrate label}

72. Concentrate

**for use with garden hose

ART



or your money back





3^{IN}1
FORMULA

