

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 15, 2018

Angie Custer Regulatory Affairs Specialist Kop-Coat, Inc. 3040 William Pitt Way Pittsburgh, PA 15238

Subject: Label Notification per PRN 98-10 – Updating the Warranty & Disclaimer

language. Plus; minor formating changes on the master label.

Product Name: Woodtreat® CM EPA Registration Number: 92617-2 Application Date: January 23, 2018

Decision Number: 538099

Dear Ms. Custer,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Lorena Rivas at 703-305-5027 or via email at rivas.lorena@epa.gov.

Page 2 of 2 EPA Reg. No. 92617-2 Decision No. 538099

Sincerely,

Registration Risk Manager Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

Enclose: Notification Stamped Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS

FOR INDUSTRIAL USF

CONSULT SAFETY DATA SHEET BEFORE USING

Woodtreat® CM is an excellent protective fungicide against a broad spectrum of fungi. When applied to freshly sawn lumber, Woodtreat® CM is effective as a protective fungicide against molds, and staining organisms. Freshly cut wood must be treated as soon as possible. Effective control requires complete coverage of the wood surface by the fungicide as a preventative application prior to development of fungal organisms. Wood which has been colonized by mold or sapstain fungi prior to treatment will not be protected. Freshly treated lumber must be protected from rain which will reduce the effectiveness of the treatment. This product may be used as a supplemental surface fungicide on dry or partially seasoned wood to prevent stain and mold during storage, transport or holding in concentration yards. Extremely hot and humid conditions favor the development of molds and sapstain fundi. Under these conditions, use the higher recommended rate. Continuously agitate the mixture during treatment.

BULK DIP VATS - For bundles of lumber which are to be treated in a dip tank or vat, add at a rate of 2 gallons of Woodtreat® CM to 100 gallons of water. The lumber must remain in solution for at least one minute and all lumber surfaces should be exposed to the treating solution. Constant agitation of the dip vat solution is required to maintain a uniform suspension of the treatment materials in the tank. During dipping, the cut boards should be loosely bundled and/or stickered to allow maximum penetration of the treatment material into the bundle.

NON-BULK VATS - For Individual boards which are treated in across the-chain vats (non-bulk vats). add at rate of 1/2 to 2 gallons of to Woodtreat® CM 100 gallons of vat water. Continuously agitate the mixture during treatment.

LOW VOLUME SPRAY MACHINES—For individual boards which are treated in low volume spray machines, add 1/4 to 1 gallon of Woodtreat® CM to 20 gallons of water. Smooth surfaced lumber normally retains only about one-half as much fungicide solution as rough cut wood and, therefore, needs the higher rate to deposit the necessary amount of fungicide on the wood. Constant agitation is required in nurse tank to maintain a uniform suspension.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a tightly sealed original container in a cool, dry well ventilated location inaccessible to persons unfamiliar with its use. Do not freeze. Open dumping is prohibited. In case of spills and leaks, stop source as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to cleaning spill or leak. Evacuate all nonessential personnel. Disposal of spill in accordance with Pesticide Disposal instructions.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. It these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling: (For containers < 5 gallons) Nonrefillable container. Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if

Container Handling: (For containers >5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll back it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times Empty the reinsate into the application equipment or mix tank or store reinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available. If not, puncture and dispose of in a sanitary landfill.



Woodtreat® CM

Fungicide for Control of Surface Molds and Sapstain Fungi on Wood

NOTIFICATION

92617-2

KEEP OUT OF REACH OF CHILDREN The applicant has certified that no

DANGER

Chlorothalonil (tetrachloroisonhthalonitrile)

Contains 1.48 pounds chlorothalonil per gallon

Contains 1.42 pounds methyle bis(thiocyanate) per gallon

ACTIVE INGREDIENTS

OTHER INGREDIENTS

TOTAL

Methylene bis(thiocyanate)

EPA Reg. No. 92617-2

at once unopened

EPA Est. No. 60061-MO-1

HOT LINE NUMBERS

NOTE TO PHYSICIAN

Read Disclaimer on side panel before buying or

using. If such terms are not acceptable, return

the Agency have been made to the

02/15/2018

15.2%

14.6%

70.2% 100.00%

4. Chemical resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber and viton). changes, other than those reported to 5. Follow manufactures' instructions for cleaning/maintain PPE. If no such instruction for washables, labeling. The Agency acknowledges this notification by letter dated:

USER SAFETY REQUIREMENTS

Users must

- · Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

while mixing, loading and applying this product when handling freshly treated lumber.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or

use detergent and hot water. Keep and wash PPE separately from other laundry. Pesticide

contaminated clothing should be removed and washed thoroughly before reusing. Launder

separately from other clothing. Wear long-sleeved shirt, long pants and chemical resistant gloves

frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers of the liquid concentrate must wear:

Goggles or safety glasses with faceshield

3. Chemical-resistant footware and socks

2. Coveralls over long-sleeved shirt and long pants

FIRST AID . Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. IF IN FYES . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. · Call poison control center or doctor for treatment advice Call a poison control center or doctor immediately for treatment advice. . Have person sip a glass of water if able to swallow. IF SWALLOWED . Do not induce vomiting unless told by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. · Move person to fresh air. . If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably IF INHALED mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Take off contaminated clothing. IF ON SKIN OR ON . Rinse skin immediately with plenty of water for 15 to 20 minutes. CLOTHING Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going

for treatment. You may also contact 800-548-0489 for emergency medical treatment information.

Kop-Coat, Inc. Protection Products Division 5137 Southwest Avenue, St. Louis MO 63110 314-772-2200

Probable mucosal damage may contraindicate the use of gastric lavage

Transportation emergency contact 800-424-9300.

Net Contents Gallons

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

This product is incompatible with other products [e.g. oxidizers, strong acids, and bases such as potassium permanganate] which could cause violent reaction if mixed together. Store in a cool dry ventilated location, away from oxidizers, heat, flame, or other incompatible conditions. Keep container(s) closed. Do not store near feed, food, or within the reach of children. Do not freeze. Keep product tightly sealed in original containers.

IN CASE OF FIRE

Use water spray, foam, dry chemical or carbon dioxide to extinguish fire.

DISCLAIMER

To the extent consistent with applicable law, seller (whether manufacturer, distributor, or other) makes no warranty express or implied, including the implied warranty of merchantability AND IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE regarding this product except the composition as set forth in the ingredient statement herein, and shall not be liable for LOST PROFITS, LOST PRODUCTION, LABOR COSTS, TRANSPORTATION CHARGES, OR ANY special, consequential, INCIDENTAL OR DELAY damages, the exclusive remedy being the replacement of the product. To the extent consistent with applicable law, buyer or user assumes all risk of possession, handling or use of this material when such use and/or handling is contrary to label instructions.

R03/061617