



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460**

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

November 28, 2022

Ms. Megan Priest
Agent for B3 Solutions
c/o Delta Analytical Corporation
12510 Prosperity Dr. Suite 160
Silver Spring, MD 20904

Subject: PRIA (Pesticide Registration Improvement Act) Labeling to Add new Application
Method (Granule)
Product Name: BD-135
EPA Registration Number: 92807-2
EPA Receipt Date: 04/27/2022
Action Case Number: 00359609

Dear Ms. Priest,

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 § CFR 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2
EPA Reg. No. 92807-2
Action Case No. 00359609

If you have any questions, please contact Cheryl Greene via email at grene.cheryl@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Andrew C. Bryceland". The signature is written in a cursive style with a large, sweeping initial 'A'.

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

[Master Label]

ACCEPTED

Nov 28, 2022

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 92807-2

BD-135

[Bird Repellent]

FOR USE TO REPEL LISTED BIRD SPECIES

For indoor and outdoor use

This product should not be used to repel bird species considered potential vectors for human diseases. Use BD-135 to repel bird species causing economic and aesthetic damage only.

ACTIVE INGREDIENT:

Methyl Anthranilate 14.75%

OTHER INGREDIENTS 85.25%

TOTAL: 100.00%

[This product contains 7.5 grams (0.26 oz.) of Methyl Anthranilate per 50 g block or pouch. or 3.75 grams (.13 oz.) per 25 g pouch]

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu.</p>	

[Format of First Aid optional, may be in list format]

[See back [side] panel for additional Precautionary Statements]

Manufactured for:
B3 Solutions LLC
14906 Horton St.
Overland Park, KS 66223

EPA Reg. No. 92807-2 EPA Est. No. 100799-TN-1

Net Weight: _____

50 Gram Blocks or Pouches (1.76 oz/each)

Pack of (1) Block or Pouch – 50 Grams (1.76 oz.)

Pack of (3) Blocks or Pouches – 150 Grams (5.28 oz.)

Pack of (6) Blocks or Pouches – 300 Grams (10.56 oz.)

Pack of (50) Blocks or Pouches – 2500 Grams (88 oz.)

Batch No: _____

[Sub Label #1 – for Home/Residential Use]

BD-135

[Bird Repellent]

FOR USE TO REPEL LISTED BIRD SPECIES

For indoor and outdoor use

This product should not be used to repel bird species considered potential vectors for human diseases. Use BD-135 to repel bird species causing economic and aesthetic damage only.

[BD-135 protects homes and personal property. BD-135 repels birds from areas where they are considered a nuisance or a hazard to property, structures, equipment and gardens.]

ACTIVE INGREDIENT:

Methyl Anthranilate 14.75%

OTHER INGREDIENTS 85.25%

TOTAL: 100.00%

[This product contains 7.5 grams (0.26 oz.) of Methyl Anthranilate per 50 g block or pouch.
or 3.75 grams (.13 oz.) per 25 g pouch]

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu.</p>	

[Format of First Aid optional, may be in list format]

[See back [side] panel for additional Precautionary Statements]

Manufactured for:
B3 Solutions LLC
14906 Horton St.
Overland Park, KS 66223

EPA Reg. No. 92807-2 EPA Est. No. 100799-TN-1

Net Weight: _____

50 Gram Blocks or Pouches (1.76 oz/each)

Pack of (1) Block or Pouch – 50 Grams (1.76 oz.)

Pack of (3) Blocks or Pouches – 150 Grams (5.28 oz.)

Pack of (6) Blocks or Pouches – 300 Grams (10.56 oz.)

Pack of (50) Blocks or Pouches – 2500 Grams (88 oz.)

Batch No: _____

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

For terrestrial uses only. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BD-135 APPLICATIONS – HOME/RESIDENTIAL

Use BD-135 to repel listed birds that congregate in large numbers and damage home and personal property, residential gardens and fruit crops, and open areas such as lawns, turfs, walking paths, and designated green spaces. .

Use BD-135 to harmlessly repel birds from home and residential areas where birds are a hazard to property or nuisance. This product can be applied to limit damage caused by birds to residential structures, ripening crops, and open areas. This product may have effects on endangered species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the county in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult <http://www.epa.gov/espp/> or call 1-800-447-3813. You must use the Bulletin valid for the month in which you will apply the product Do not apply directly to water, such as lakes, reservoirs, ponds, streams and canals.

BD-135 may be used to repel the following non-public health birds: American Goldfinch (*Spinustristis*); American Robin (*Turdus migratorius*); Barn Swallow (*Hirundo rustica*); Blue Jay (*Cyanocitta cristata*); California Scrub Jay (*Aphelocoma californica*); Cardinal (Family *Cardinalidae*); Hawks (Family *Accipitridae*); Mourning Dove (*Zenaidura macroura*); Owls (Family *Strigidae*); Swifts (Family *Apodidae*); Woodpeckers (Family *Picidae*); Wrens (Family *Troglodytidae*).

BD-135 BLOCK APPLICATIONS

HOME / RESIDENTIAL BUILDINGS, STRUCTURES, TREES & PLANTS USE DIRECTIONS:

Apply BD-135 blocks by hanging individual blocks in areas where bird congregation is injurious to property such as trees, shrubs, bushes, picnic or patio areas, under house eaves, in attic spaces of garages or storage sheds. Remove attractants such as nests and food sources prior to placement of BD-135 blocks. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place blocks up to 8 - 10 feet apart. If birds continue to congregate, or in presence of strong attractors such as ripening fruits or berries, increase density of block placement by placing blocks approximately 6 feet or less apart. Blocks remain effective for 3 months or longer depending on temperature, humidity, sun, and rain exposure. Blocks will breakdown and lose their form in time. As blocks degenerate, more active ingredient will be released. When blocks lose a quarter to a third of their original size, replace them to maintain a bird-free environment.

BD-135 POUCH APPLICATIONS

HOME / RESIDENTIAL BUILDINGS, STRUCTURES, TREES & PLANTS USE DIRECTIONS:

Apply BD-135 pouches by hanging individual pouches in areas where bird congregation is injurious to property such as trees, shrubs, bushes, picnic or patio areas, under house eaves, in attic spaces of garages or storage sheds. Remove attractants such as nests and food sources prior to placement of BD-135 pouches. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place pouches up to 8 - 10 feet apart. If birds continue to congregate, or in presence of strong attractors such as ripening fruits or berries, increase density of pouch placement by placing pouches approximately 6 feet or less apart. Pouches remain effective for 3 months or longer depending on temperature, humidity, sun, and rain exposure.

BD-135 GRANULES APPLICATIONS

LARGE OPEN AREA USE DIRECTIONS:

Lawns, Fields & Open Areas: Apply BD-135 granules to wide areas such as lawns, sporting fields, turfs, walking paths, parks, designated green spaces, and other large, open areas where birds congregate by spreading granules using a broadcast spreader. Coverage and reapplication rates will depend on local factors and conditions such as availability of food sources, nesting material, density of ground cover, and ground conditions. Apply the minimum amount of BD- 135 granules to repel established bird populations and to maintain a bird-free area.

Use the following table as a guide.

Objective / Conditions	Coverage Rates	Reapplication Schedules
Displacement of well-established, heavy bird populations with abundant food sources and nesting material; high ground cover; heavy rain; soft or muddy soil	Up to 5 lb / 1,000 sq ft	6 weeks or as needed when birds begin to recongregate in treated areas.
Displace moderate bird populations, light ground cover, light to moderate rain	2 to 3 lb / 1,000 sq ft	6 – 10 weeks or as needed when birds begin to recongregate in treated areas.
Maintenance of bird-free areas, light ground cover, light rain	.5 to 1 lb / 1,000 sq ft	10 – 12 weeks or as needed when birds begin to recongregate in treated areas.

BD-135 granules remain effective depending on temperature, humidity, sun, and rain exposure. Granules will breakdown and lose their effectiveness over time. Reapply as necessary to maintain a bird-free environment. Do not use BD-135 granules on any area where irrigation or rainwater will be absorbed by fruit trees or home gardens.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container in a dry place inaccessible to children, pets and domestic animals. Store apart from pesticides, fertilizers, food or feed. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable Container: Nonrefillable container. Do not reuse or refill this container. Completely empty the bag, then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration.

[Sub Label #2 – for Non-Residential and Agricultural Use]

BD-135

[Bird Repellent]

FOR USE TO REPEL LISTED BIRD SPECIES

For indoor and outdoor use

This product should not be used to repel bird species considered potential vectors for human diseases. Use BD-135 to repel bird species causing economic and aesthetic damage only.

[BD-135 protects non-residential and industrial property and equipment. BD-135 repels birds from areas where they are considered a nuisance or a hazard to property, structures, equipment and crops.]

ACTIVE INGREDIENT:

Methyl Anthranilate14.75%

OTHER INGREDIENTS85.25%

TOTAL:100.00%

[This product contains 7.5 grams (0.26 oz.) of Methyl Anthranilate per 50 g block or pouch.
or 3.75 grams (.13 oz.) per 25 g pouch]

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

[Format of First Aid optional, may be in list format]

[See back [side] panel for additional Precautionary Statements]

Manufactured for:

B3 Solutions LLC

14906 Horton St.

Overland Park, KS 66223

EPA Reg. No. 92807-2

EPA Est. No. 100799-TN-1 _____

Net Weight: _____

50 Gram Blocks or Pouches (1.76 oz/each)

Pack of (1) Block or Pouch – 50 Grams (1.76 oz.)

Pack of (3) Blocks or Pouches – 150 Grams (5.28 oz.)

Pack of (6) Blocks or Pouches – 300 Grams (10.56 oz.)

Pack of (50) Blocks or Pouches – 2500 Grams (88 oz.)

Batch No: _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment wash water or rinsate.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt, long pants, shoes, and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Remove clothing/PPE immediately if pesticide gets inside. Wash thoroughly and put on clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

[Directions –Non-Residential Use]

BD-135 APPLICATIONS –NON-RESIDENTIAL USE

Use BD-135 to repel birds that congregate in large numbers and damage non-residential or industrial equipment and property including office buildings, campuses and similar locations, or damage large open areas including lawns, turfs, sporting fields, walking paths, golf courses, designated green spaces, and parks.

Use BD-135 to harmlessly repel birds from non-residential areas where birds are a hazard to property or nuisance. Use in areas where wild birds come in close contact with livestock or domestic birds or damage non-residential or industrial equipment and property or occupy large open areas. This product can be applied to limit damage caused by birds to non-residential structures such as office buildings, campuses, industrial equipment such as maintenance equipment, farm equipment, or open areas such as lawns, parks, or golf courses. This product may have effects on endangered species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the county in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult <http://www.epa.gov/espp/> or call 1-800-447-3813. You must use the Bulletin valid for the month in which you will apply the product. Do not apply directly to water, such as lakes, reservoirs, ponds, streams and canals.

BD-135 may be used to repel the following non-public health birds: American Goldfinch (*Spinustristis*); American Robin (*Turdus migratorius*); Barn Swallow (*Hirundo rustica*); Blue Jay (*Cyanocitta cristata*); California Scrub Jay (*Aphelocoma californica*); Cardinal (Family *Cardinalidae*); Hawks (Family *Accipitridae*); Mourning Dove (*Zenaidamacroua*); Owls (Family *Strigidae*); Swifts (Family *Apodidae*); Woodpeckers (Family *Picidae*); Wrens (Family *Troglodytidae*).

BD-135 BLOCKS APPLICATIONS

NON-RESIDENTIAL BUILDINGS, STRUCTURES, TREES & PLANTS USE DIRECTIONS:

Apply BD-135 blocks by hanging individual blocks in areas where bird congregation is injurious to property or industrial equipment such as rafters, warehouses, walkway covers, industrial equipment, air conditioning units, or HVAC installations. Remove attractants such as nests and food sources prior to placement of BD-135

blocks. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place blocks up to 8 – 10 feet apart. If birds continue to congregate, increase density of block placement by placing blocks approximately 6 feet apart. Blocks have an effective life of 3 months or longer depending on temperature, humidity, sun, and rain exposure. Blocks will breakdown and lose their form in time. As blocks degenerate, more active ingredient will be released. When blocks lose a quarter to a third of their original size, replace them to maintain a bird-free environment.

BD-135 POUCH APPLICATIONS

NON-RESIDENTIAL BUILDINGS, STRUCTURES, TREES & PLANTS USE DIRECTIONS:

Apply BD-135 pouches by hanging individual pouches in areas where bird congregation is injurious to property or industrial equipment such as rafters, warehouses, walkway covers, industrial equipment, air conditioning units, or HVAC installations. Remove attractants such as nests and food sources prior to placement of BD-135 pouches. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place pouches up to 8 - 10 feet apart. If birds continue to congregate, increase density of pouch placement by placing pouches approximately 6 feet apart. Pouches have an effective life of 3 months or longer depending on temperature, humidity, sun, and rain exposure.

BD-135 GRANULES APPLICATIONS

LARGE OPEN AREA USE DIRECTIONS:

Lawns, Fields & Open Areas: Apply BD-135 granules to wide areas such as lawns, turfs, fields, and other large, open areas where birds congregate by spreading granules using a broadcast spreader. Coverage and reapplication rates will depend on local factors and conditions such as availability of food sources, nesting material, density of ground cover, and ground conditions. Apply the minimum amount of BD-135 granules to repel established bird populations and to maintain a bird-free area.

Use the following table as a guide.

Objective / Conditions	Coverage Rates	Reapplication Schedules
Displacement of well-established, heavy bird populations with abundant food sources and nesting material; high ground cover; heavy rain; soft or muddy soil	Up to 5 lb / 1,000 sq ft	6 weeks or as needed when birds begin to recongregate in treated areas.
Displace moderate bird populations, light ground cover, light to moderate rain	2 to 3 lb / 1,000 sq ft	6 – 10 weeks or as needed when birds begin to recongregate in treated areas.
Maintenance of bird-free areas, light ground cover, light rain	.5 to 1 lb / 1,000 sq ft	10 – 12 weeks or as needed when birds begin to recongregate in treated areas.

BD-135 granules remain effective depending on temperature, humidity, sun, and rain exposure. Granules will breakdown and lose their effectiveness over time. Reapply as necessary to maintain a bird-free environment. Do not use BD-135 granules on any area where irrigation or rainwater will be absorbed by fruit trees or home gardens.

[Directions - Agricultural Use]

BD-135 APPLICATIONS – AGRICULTURAL USE

Use BD-135 to repel birds that congregate in large numbers and may present a health risk to livestock.

Use BD-135 in areas where wild birds come in close contact with livestock or domestic birds or pose a risk to property, agricultural equipment and/or fruit and berry crops. In these cases, birds are considered pests. Use BD-135 to harmlessly repel birds from agricultural areas where birds are a hazard to property or nuisance. This product can be applied to limit damage caused by birds in agricultural applications. This product may have effects on endangered species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the county in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult <http://www.epa.gov/espp/> or call 1-800-447-3813. You must use the Bulletin valid for the month in which you will apply the product. Do not apply

directly to water, such as lakes, reservoirs, ponds, streams and canals.

BD-135 BLOCK APPLICATIONS

AGRICULTURAL FRUIT BEARING TREES & PLANTS USE DIRECTIONS:

Apply BD-135 blocks by hanging individual blocks in areas where bird congregation is injurious to tree and vine fruits, berries, etc. or in building structures and/or equipment. It is not necessary to apply this product directly to the fruit or berries. Remove attractants such as nests and non-crop food sources prior to placement of BD-135 blocks. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place blocks up to 8 - 10 feet apart. If birds continue to congregate, increase density of block placement by placing blocks approximately 6 feet apart. Blocks remain effective for 3 months or longer depending on temperature, humidity, sun, and rain exposure. Time application so that fresh blocks are placed when fruit and berries ripen. Blocks will breakdown and lose their form in time. As blocks degenerate, more active ingredient will be released. When blocks lose a quarter to a third of their original size, replace them to maintain a bird- free environment.

BD-135 POUCH APPLICATIONS

AGRICULTURAL FRUIT BEARING TREES & PLANTS USE DIRECTIONS:

Apply BD-135 pouches by hanging individual pouches in areas where bird congregation is injurious to tree and vine fruits, berries etc. or in building structures and/or equipment. It is not necessary to apply this product directly to the fruit or berries. Remove attractants such as nests and non-crop food sources prior to placement of BD-135 pouches. If nests contain eggs or young chicks, wait until the eggs hatch and/or chicks leave the nests. Place pouches up to 8 - 10 feet apart. If birds continue to congregate, increase density of pouch placement by placing pouches approximately 6 feet apart. Pouches remain effective for 3 months or longer depending on temperature, humidity, sun, and rain exposure. Time application so that fresh pouches are placed when fruit and berries ripen.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a dry place inaccessible to children, pets and domestic animals. Store apart from pesticides, fertilizers, food or feed. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable Container: Nonrefillable container. Do not reuse or refill this container. Completely empty the bag, then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration.