



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

October 15, 2019

Juli Mann  
Steptoe & Johnson  
Agent for SmartFume Co.  
1330 Connecticut Avenue, NW  
Washington, DC 20036-1795

Subject: Label Amendment – *Revising Directions for Use*  
Product Name: SmartFume  
EPA Registration Number: 93077-1  
Application Date: 7/30/2019  
Decision Number: 554986

Dear Ms. Mann:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2  
EPA Reg. No. 93077-1  
Decision No. 554986

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Stacey Grigsby by phone at 703.305.6440, or via email at [grigsby.stacey@epa.gov](mailto:grigsby.stacey@epa.gov) .

Sincerely,

A handwritten signature in cursive script that reads "Stacey Grigsby".

Stacey Grigsby  
Regulatory Risk Manager, 34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Enclosure: Accepted Stamped Label

NOTE: [Bracketed text indicates optional language or note to EPA reviewer.] Text separated by / denotes and/or options.

**RESTRICTED USE PESTICIDE  
DUE TO ACUTE TOXICITY**  
For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**ACCEPTED**  
**10/15/2019**  
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 93077-1



A controlled release fumigant cartridge for advanced control of wood decay

**FUNGICIDE FOR WOOD**

ACTIVE INGREDIENT: Chloropicrin ..... 99.7 %  
INERT INGREDIENTS: ..... 0.3 %  
100.0 %

Net Weight: 3 lbs. 9 oz. (36 – 1.6 oz (45 g) cartridges)

**KEEP OUT OF REACH OF CHILDREN**

**PRECAUCION AL USURIO:** Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliament.



**DANGER/PELIGRO POISON**



**FIRST AID**

<b>If Inhaled</b>	Move person to fresh air. If person is not breathing, call 911 or an Ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>If on Skin or Clothing</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>If in Eyes</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If Swallowed</b>	Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do Not give anything by mouth to an unconscious person.
Have the product container or label with you when calling the poison control center or doctor, or going for treatment. You may also contact the American Association of Poison Control Center's Poison Help Line at 1-800-222-1222 seven days a week, 24 hours a day or your local poison control center for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b> Chloropicrin is a volatile liquid that is the active ingredient in tear gas. As a gas, it is a powerful lachrymator. Early symptoms of overexposure are lachrymation, respiratory distress and vomiting. Pulmonary edema may develop later. Treatment is symptomatic.	

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

NOTE: [Bracketed text indicates optional language or note to EPA reviewer.] Text separated by / denotes and/or options.

Manufactured for:  
SmartFume Co.  
PO Box 3026  
Albany, OR 97321

EPA Reg. No. 93077-1

EPA Est. No. 94497-MO-1

Patent Pending      Made in the USA

### PRODUCT INFORMATION

SmartFume™ is a slow release cartridge that contains chloropicrin, a proven fungicidal fumigant. When the cartridge is activated, chloropicrin is gradually released at a controlled rate, allowing time for implanting the cartridge into a bored treatment hole. Properly installed as directed, there is minimal hazard to the applicator. SmartFume™, when used as directed, will prevent or arrest internal decay present in Douglas-fir, Western Red Cedar, and Southern Pine poles, piling and similar large wood timber members in outdoor sites. Do Not Use Indoors.

### PERSONAL PROTECTION EQUIPMENT

Applicators and other handlers must wear long-sleeved shirt and long pants, socks, chemical resistant footwear, gloves resistant to chloropicrin, and a full face shield or safety glasses. In the event of a cartridge rupture and liquid spill, wear a NIOSH/MSHA approved mask for organic vapors or a pesticide respirator, goggles or face shield, protective clothing and neoprene gloves to prevent worker exposure to chloropicrin liquid or vapor while securing the site.

### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

### USER SAFETY RECOMMENDATIONS

Users must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove safety glasses/face shield after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** May be fatal if inhaled or swallowed. Corrosive. Poisonous liquid and vapor. Liquid causes skin burns and irreversible eye damage. Do not get in eyes, on skin or on clothing. Do not breathe vapor or gas. Chloropicrin is readily identifiable by smell. Exposure to very low concentrations of vapor will cause irritation of eyes, nose, and throat. Continued exposure after irritation or higher concentrations may cause painful irritation to the eyes or temporary blindness. Always work with another person when applying the cartridges.

NOTE: [Bracketed text indicates optional language or note to EPA reviewer.] Text separated by / denotes and/or options.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water, or to areas below mean high water level, or to intertidal areas below the mean high water mark. Keep out of lakes, streams or ponds. Use a secondary containment system when working over water. Do not contaminate water by cleaning of equipment or disposal of waste.

### PHYSICAL OR CHEMICAL HAZARDS

This product may be corrosive under certain conditions. Chloropicrin is a nonflammable liquid.

### STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal.**

**STORAGE:** Store in a cool, dry, well-ventilated area under lock and key. Post as a pesticide storage area. Persons moving or handling containers must wear the personal protective equipment specified in the PPE section of this labeling. Store in closed original packaging.

**LEAK PROCEDURES:** Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/SCBA respiratory for entry into affected area to correct problem. Move leaking container or box outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow leaking material to evaporate, or absorb into vermiculite, dry sand, earth or similar absorbent material which may be disposed of on site, or at an approved disposal facility. Do not permit entry into a leak area by unprotected persons until concentration of chloropicrin is determined to be less than 0.15 ppm.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Non-refillable cartridge. Do not reuse or refill the cartridge for any purpose.

- **Fiberboard Box:** Completely empty fiberboard box. Offer for recycling, if available, or dispose of in a sanitary landfill.
- **Plastic Canister:** Completely empty canister of cartridges. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill or by other procedures allowed for by state and local authorities.
- **Cartridges: Unused Cartridges:** Ship unused (unopened) cartridges to the manufacturer in original packaging. Contact manufacturer for shipping instructions. **Empty cartridges:** Place in container with vermiculite, dry sand or earth. Dispose of in a sanitary landfill or by other procedures allowed for by state and local authorities.

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

This fumigant is a highly hazardous material and should be used only by persons trained in its proper use. Before using, read and follow all label precautions and directions. All persons working with this fumigant should be trained in the hazards, use of required PPE equipment, emergency procedures and proper use of fumigant.

For use as an internal remedial treatment in large pressure-treated wood members such as utility poles, pilings, bridge timbers and laminated wood products located out-of doors. Apply to areas of timbers where decay is suspected or could occur.

**Refer to the Application Tables before use and for additional information.**

For remedial treatment of wooden poles/timbers:

1. Plug the pre-drilled holes immediately after application;
2. Do not treat structures/beams that are fully or partially indoors;

NOTE: [Bracketed text indicates optional language or note to EPA reviewer.] Text separated by / denotes and/or options.

3. Do not drill an application hole through seasoning checks. If the hole intersects a check, plug the hole and drill another. If more than 2 treatment holes intersect an internal void or rot pocket, re-drill the holes farther up the pole into relatively solid wood.
4. The cartridge may be inserted into an unaltered 3/4" or 7/8" diameter holes. If the entrance of the hole is distorted, drill a new hole for treatment. Minimum hole depth is 11 inches.

**GROUND-LINE POLE APPLICATION:** The ground-line area of a 40" circumference standing pole is taken as a guide and example for application of this product. Bore a pattern of 4 holes at a 45 degree downward angle. For smaller diameter poles or timbers, it will be necessary to increase the boring angle to allow for an 11" deep hole. For a non-excavated pole, the first hole shall be at the ground-line and succeeding holes about 6" - 18" higher and rotated about 90 degrees from the next lower hole. For an excavated pole, the first hole shall be below the ground line utilizing the pattern and spacing presented in the table below.

1. Always open canister and cartridges in an outdoor area.
2. Open canister carefully and remove the required number of cartridges for the application.
3. For poles, it is recommended that the open end of the cartridge be placed downwards. For other timbers, it may be appropriate to insert with open end up.

**Use the following directions when installing conventional treated wood and plastic plugs:**

4. Grasp the cartridge in one hand with the crimp-cap facing upward.
5. Remove the crimp-cap and seal.
6. Insert the cartridge fully into the hole, open end down.
7. Promptly insert a treated tapered wooden or plastic plug and close the hole.

**[OPTIONAL] Use the following directions when installing with the SmartPlug (7/8" diameter hole only):**

4. Attach the SmartPlug to the end of the cartridge.
5. Grasp the cartridge in one hand with the crimp-cap facing upward.
6. Remove the crimp-cap and seal.
7. Insert the cartridge fully into the hole, open end down, until the SmartPlug closes the opening.
8. Using the "T" bit and a cordless driver, screw the SmartPlug clockwise into the pole until it is flush or slightly recessed in the hole. ]

**[End OPTIONAL Use Directions when Installing with the SmartPlug (7/8" diameter hole only)]**

**GROUND-LINE APPLICATION TABLE: Dosage Rate and Drill Pattern for Utility Poles.**

Pole Circumference (in Inches)	Number of Cartridges Installed and Drill Pattern
35" or less	3 holes beginning at groundline spaced 120 degrees apart and 6" to 18" higher than the previous hole.
36" to 49"	4 holes beginning at groundline spaced 90 degrees apart and 6" to 18" higher than the previous hole.
50" to 59"	5 holes beginning at groundline spaced 70 degrees apart and 9" to 12" higher than the previous hole.
60" to 69"	6 holes beginning at groundline spaced 60 degrees apart and 9" to 12" higher than the previous hole.
70" to 79"	7 holes. The first 2 at groundline 180 degrees apart and the remaining 5 spaced 60 degrees apart and 8" to 10" higher than the previous hole.
80" to 90"	8 holes. The first 2 at groundline 180 degrees apart and the remaining 6 spaced 50 degrees apart and 8" to 10" higher than the previous hole.

NOTE: [Bracketed text indicates optional language or note to EPA reviewer.] Text separated by / denotes and/or options.

**ELEVATED POLE APPLICATION TABLE: Dosage Rate and Drill Pattern for Utility Poles.**

Pole Circumference (in Inches)	Pressure-Treated Poles	Nonpressure-Treated Poles
36" or less	1 hole spaced 8 feet apart vertically.	1 hole spaced 4 feet apart vertically.
37" or more	2 holes spaced by rotating the holes 90 degrees apart and 12" – 18" apart vertically. Space the 2-hole treatment zones 8 – 12 feet apart vertically.	2 holes spaced by rotating the holes 90 degrees apart and 12" – 18" apart vertically. Space the 2-hole treatment zones 4 - 6 feet apart vertically.

**ELEVATED TIMBER APPLICATIONS:**

SmartFume™ can be applied to any accessible surface of large sawn timbers. The most ideal placement of treatment holes is the top surface of horizontal members. Seasoning checks and other obstacles will force deviations from the ideal hole pattern.

When treating elevated positions on timbers, drill holes at least 11 inches deep and apply 1 cartridge per hole. For timbers requiring 2 holes per treatment location, stagger the holes, alternating side to side and separating 12" – 18" apart longitudinally. For pressure-treated wood members, space the treatment locations 8 - 12 feet apart longitudinally. For nonpressure-treated wood members, space the treatment locations 4 - 6 feet apart longitudinally.

**WARRANTY DISCLAIMER**

Seller warrants that this product complies with the specifications expressed in this label. SELLER MAKES NO OTHER WARRANTIES; AND DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR THE INTENDED PURPOSE. To the extent consistent with applicable law, Seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.



[Lot number: \_\_\_\_\_ ] [Note to EPA: Lot/Batch number may appear elsewhere on the label or on the container.]