



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 23, 2023

Johnny Xu
Registrant Specialist
New Thinking Technology Inc.
36 South 18th Avenue Suite A
Brighton, Co, 80601

Subject: Notification per PRN 98-10 – Addition of Alternate Brand Name and Revision of Label
Product Name: Flea and Tick Collar with Deltamethrin
EPA Registration Number: 93207-2
Application Date: 06/15/2023
Decision Number: 593197

Dear Ms. Xu:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

The alternate brand name, “**Katvllent Flea and Tick Collar for Dogs**” has been added to the product record.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 93207-2
Decision No. 593197

If you have any questions, please contact Jamey Shuler by phone at (202) 566-2898, or via email at Shuler.Jamey@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "K J Welch". The signature is written in a cursive style with a large "K" and "W".

Kara Welch, Acting Product Manager 3
Invertebrate-Vertebrate Branch 1
Registration Division (7505T)
Office of Pesticide Programs

Flea and Tick Collar with Deltamethrin for Dogs

[[] for convenient read, () optional language for label]

ACTIVE INGREDIENTS:	
Deltamethrin	4.0%
OTHER INGREDIENTS	96.0%
TOTAL	100%

EPA Reg. No. 93207-2 EPA Est. No. XXXXXX

NET CONTENTS:

[For Extruded Collars]

1.10 oz. (31.2 g) (One Size Fits All)(Fits neck up to 25") [or]

1.10 oz. (31.2 g) (Small)(Fits neck up to 15") [or] 1.10 oz. (31.2 g) (Medium) (Fits neck up to 23")

[or] 1.10 oz. (31.2 g) (Large)(Fits neck up to 25")

[For Injection Molded Collars]

1.06 oz. (30.0 g) (One Size Fits All) [or](Fits neck up to 27")

0.64 oz. (18.1 g) (Small) (Fits neck up to 15") [or] 1.06 oz. (30.0g) (Medium)(Fits neck up to 27")

[or] 1.06 oz. (30.0 g) (Large)(Fits neck up to 27") [or] (Medium or Large) 1.06 oz. (30.0 g)

(Fits neck up to 27")

[2 packs]

[Net content of single collar] (x2) (2 packs)

KEEP OUT OF REACH OF CHILDREN

CAUTION

FOR USE ON DOGS ONLY.

See (back/outer container/leaflet/insert) for directions for use.

Each collar is placed in it's own separate wrapper. Do not open until ready to use.

{No language on the wrapper}

READ THE ENTIRE LABEL BEFORE EACH USE

Manufactured for

New Thinking Technology Inc36
South 18th Avenue Suite A
Brighton, CO, 80601, U.S.A

lot & Date MADE
IN P.R.C

CAUTION: PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or (similar) chemicals. However, a flea and tick collar may be immediately replaced (with a new collar)

NOTIFICATION

93207-2

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/23/2023

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Do not reuse wrapper or container or used collar. Offer for recycling if available.

[For extruded collars.]

(Place collar around dog's neck then adjust for fit, and buckle in place. The collar must be worn loosely in order to allow for growth of the pet and to permit the collar to move about neck.

Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Usually, it should be possible to insert 2 fingers comfortably between the collar and the neck. Leave 2 or 3 inches for extra adjustment and animal growth. Cut off and dispose of excess length, Wrap in newspaper and dispose of in the trash.

Dust forms on collars during storage, do not get dust in mouth or eyes. Wipe collar with a damp paper towel or disposable cloth prior to applying to remove dust on collar. Washing hands after placing collar on dog.

[For injection molded collars]

(Take the collar out of the packaging and stretch to full length. Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes. Place the collar around your dog's neck. Feed the collar through both holes (ridges)(notches) facing out. Fit to the neck of the dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head [and two fingers can be placed between the collar and dog's neck]. Leave (2 or 3)(1 or 2) extra inches for collar adjustment. Cut off remaining excess collar, wrap in newspaper and dispose of in the trash. Wash hands after placing collar on dog.)

Dust forms on collars during storage, do not get dust in mouth or eyes. Wipe collar with a damp paper towel or disposable cloth prior to applying to remove dust on collar.

The collar will begin to kill fleas, ticks, flea eggs and larvae in 24 hours after first application.

Its full protection will be built up within 2-3 weeks after being placed on the dog.

Wetting will not impair the collar's effectiveness or the dog's protection. If the dog goes swimming, bathing, or is out in the rain it is not necessary to remove the collar.

RESTRICTIONS

Place one collar per dog around the neck.

Do not use on puppies under 12 weeks old. Do not unroll collar until ready to use. "Do not use on cats"

"DO NOT LET CHILDREN PLAY WITH THIS COLLAR"

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container, when not in use.

Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL

If empty: Do not reuse or refill this container or wrapper. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT NOTICE: DISCLAIMER

Read "IMPORTANT NOTICE: DISCLAIMER" before buying or using. If terms are not acceptable, return at once unopened. To the extent consistent with applicable law, NEW THINKING TECHNOLOGY INC. warrants only that the product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in the accordance with the directions under normal conditions of use.

This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to NEW THINKING TECHNOLOGY INC., and user assumes the risk of any such use. To the extent consistent with applicable law, NEW THINKING TECHNOLOGY INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OR

【CONTINUED IMPORTANT NOTICE: DISCLAIMER】

FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. In no case shall NEW THINKING TECHNOLOGY INC. be liable for consequential, special, indirect or incidental damages resulting from the use of handling of this product. The foregoing conditions of sale and warranty can be varied only by an agreement in writing signed by a duly authorized representative of NEW THINKING TECHNOLOGY INC.

FIRST AID	
If swallowed	<input type="checkbox"/> Call poison control center or doctor immediately for treatment advice. <input type="checkbox"/> Have person sip a glass of water if able to swallow. <input type="checkbox"/> Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. <input type="checkbox"/>
If on skin or clothing	<input type="checkbox"/> Take off contaminated clothing. <input type="checkbox"/> Rinse skin immediately with plenty of water for 15 – 20 minutes. Call <input type="checkbox"/> a poison control center or doctor for treatment advice. <input type="checkbox"/>
If in eyes	<input type="checkbox"/> Hold eye open and rinse slowly and gently with water for 15 – 20 <input type="checkbox"/> minutes. Remove contact lenses, if present, after the first 5 minutes, then continue <input type="checkbox"/> rinsing eye. <input type="checkbox"/> Call a poison control center or doctor for treatment advice. <input type="checkbox"/>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222 For general information about the product call 1-XXX-XXX-XXXX or contact the National pesticides information service at 1-800-858-7378, Monday through Friday 8:00-12:00 PM PST.</p>	

**DO NOT REUSE EMPTY CONTAINERS.
 DISPOSE OF PER LOCAL, STATES AND FEDERAL REGULATIONS**

【Claims】

Fleas and Ticks

Kill(s) (Adult) Flea(s) (for 6 months)

Kill(s) (Adult) flea(s) that may transmit (anemia)(bartonellosis)(tapeworms)(Flea Allergy Dermatitis (FAD)) (flea bite dermatitis)(flea bite anemia)

Kill(s) flea(s) that may cause of Flea Allergy Dermatitis (FAD)

Kills fleas that may cause flea allergy(dermatitis] ((and) flea bite anemia)((and)tapeworm)

Prevents new (Adult) flea infestations

Kills (adult) fleas (before they lay egg(s))

Flea (control) (prevention) for dogs (& puppies 12 weeks and older)

Kill(s) Tick(s) (for 6 months)

Kills ticks that may transmit (Rocky Mountain Spotted Fever)(babesiosis)(anaplasmosis)(Lyme disease)

Kills ticks for 6 months, including Deer ticks (that may transmit Lyme disease and anaplasmosis), American dog ticks (that may transmit Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (that may transmit ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)

Tick (control)(prevention) for dogs (& puppies 12 weeks and older)

Kills ticks (including deer ticks which may transmit Lyme disease)

Kills Fleas and Ticks (for 6 Months)

Provides (l o n g l a s t i n g) 6 months (control)(protection) (from fleas and ticks)

Collar Fit Claims

Perfect Fit (Design)

Comfortable Collar Design

Perfect Adjust (Design)

Won't Slide Design

Slide (to) (and) Fit

Firm Buckle Design

Slide (and) Stay

Design

Fits neck up to (25")[or] (15")[or] (23")[for extruded collar]

Fits neck up to (27")[or] (15")[or] (23")[for injection collar]

Adjustable Collar Design

Fits dogs of all sizes over 12 weeks of age

Secure fit (design)(for all size dogs) over 12 weeks of age
One Size fits all over 12 weeks of age

Adjustable

Cut to Size

Stay in place design

Other

New (only for 6 months after first release of shipment)

Slow Release Formula

Sustained release formula

Slow Release Formula Technology

Sustained release formula

Technology

【Continued Claims】

Slow Release Formula
From head to tail protection
Sustained release formula
Full effect reaches at 2 to 3 weeks
All weather collar
All seasons collar
Water does not affect (collar) (flea and tick control)
Water does not affect collar or dog's protection
Water resistant
Weatherproof
All season collar
Long Lasting (Protection)(Control) 6 months
Provides 6 months control (against fleas and ticks)
Continuous protection
For (Dogs) (Large Dogs) (Medium Dogs) (Small Dogs & Puppies 12 weeks & older)(Small Breeds)
Convenient
Easy to (use)(apply)(attach)
Apply new collar every 6 months
For dogs (and puppies) 12 weeks of age and older
(gray)(red)(pink)(yellow)(white)(black) (collar)(color)
(Reflective)(Visibility Clips) (Snap On) (Reflectors)(Tracker)
(Visibility) clips for added visibility
Tag (loop)(holder) included
Includes GPS tracking chip
Fits right over (existing) flea and collar
Multi(-)Pack, one collar is to be used on one dog at a time
For multiple dog (a n d p u p p y 1 2 w e e k s & o l d e r) (households), one collar is to be used on one dog at a time
(Package)(Tin)(Carton)
Reliable alternative to flea and tick spot on treatment
Free flea and tick remover (Twister) (set)(!)
Free gift! (Picture of the free gift)
(2)(Two) collars = (12)(Twelve) months protection

【ABNS】

Jmxu's Flea and Tick collar for dogs
Jmxu's Proguard plus flea and tick collar for dogs
KingMo Flea and Tick collar for dogs
Advantent Flea and tick collar for dogs
~~SOBAKEN Flea and tick collar for dogs~~
Katvllent Flea and Tick collar for dogs