



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

94602-52

Date of Issuance:

3/27/25

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

GBS 25:12-WM

Name and Address of Registrant (include ZIP Code):

Grey Beard, LLC
1931G Rohlwing Road
Rolling Meadows, IL 60008
Electronic Transmittal: cswick@lewisharrison.com

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Steven Snyderman, Product Manager 33
Regulatory Management Branch II
Antimicrobials Division (7510M)
Office of Pesticide Programs

Date:

3/27/25

2. You are required to comply with the data requirements described in the DCI identified below:

- a. Glutaraldehyde: GDCI-043901-1668
- b. Didecyl dimethyl ammonium chloride: GDCI-069149-1681; GDCI-069149-30869
- c. Alkyl (C14-50%,C12-40%,C16-10%) Dimethyl benzyl ammonium chloride: GDCI-069105-1679; GDCI-069105-30882

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <https://www.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobials-division>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, "EPA Reg. No. 94602-52."

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 6/30/2023
- Alternate CSF 1 dated 6/30/2023
- Alternate CSF 2 dated 6/30/2023
- Alternate CSF 3 dated 3/11/2025
- Alternate CSF 4 dated 3/8/2024
- Alternate CSF 5 dated 3/8/2024

If you have any questions, please contact Katelyn Chambers by phone at 202-566-0743, or via email at chambers.katelyn@epa.gov.

Enclosure: Stamped Final Label



1931G Rohlwing Road • Rolling Meadows, IL 60008 • 800-837-0499

GBS 25:12-WM

ACCEPTED

03/27/2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 94602-52

(Note to Reviewer: Marketing claims may be used on the front panel.)

ACTIVE INGREDIENTS:

Glutaraldehyde.....	25.7%
Didecyl dimethyl ammonium chloride	7.5%
Alkyl (50%C ₁₄ , 40%C ₁₂ , 10%C ₁₆) dimethyl benzyl ammonium chloride	5.0%

OTHER INGREDIENTS	61.8%
-------------------------	-------

TOTAL:	100.0%
--------------	--------

This product contains methanol

{Weight Approx. 8.18 lbs./gallon}

KEEP OUT OF REACH OF CHILDREN
DANGER {PELIGRO}



POISON {VENENO}

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

{See [{left} {back} {side} {right} {insert} {panel} {of label}] {below}} for {additional} {precautionary statements}.

{Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements will appear on the front panel of the product label.}

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

{For [{chemical} {and} {or} {medical} {and} {or} {environmental}] emergencies, call {insert name and/or number of emergency contact} {hours of operation} {24 hours a day} {7 days a week}}.

{See {additional} {sheet} {insert} {inside} {outer container} for {directions for use} {information} {claims}.}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. POISON. CORROSIVE. Causes irreversible eye damage and skin burns. Methanol may cause blindness. Fatal if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear (goggles, face shield or safety glasses), chemical-resistant gloves (barrier laminate, butyl rubber \geq 14mils, nitrile rubber \geq 14 mils, neoprene rubber \geq 14 mils, polyvinyl chloride (PVC) \geq 14 mils, or Viton \geq 14 mils), chemical-resistant apron and / or clothing. Wear a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and combination N, R, or P filters; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved powered air purifying respirator with OV cartridges and combination HE filters. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Follow the manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

EPA Reg. No. 94602-
EPA Est. No.

Manufactured for: Gray Beard LLC
1931G Rohlwing Road

Rolling Meadows, IL 60008

Net Contents:

{{Batch}} {Lot} No} {Manufacturing Date}:
{Product of USA} {Made in the USA}

MARKETING CLAIMS

(Note to Reviewer: Marketing text is considered optional. Commas and the words “and” “or” can be added to phrases to make text grammatically correct.)

{LOCATIONS}

- ☐ Drilling, completion and workover fluids systems
- ☐ Gas storage wells and systems
- ☐ Hydrotesting facilities
- ☐ Oil field water flood systems {and fracturing fluid systems}
- ☐ Packer fluid systems
- ☐ Pipeline pigging and scraping operations

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Note to Reviewer (General Considerations): Numbered instructions will be used if label space permits, otherwise may appear in paragraph format. Unit abbreviations can be spelled out. When choosing optional text, appropriate punctuation can be inserted or deleted. Equivalent use dilution ratios may be substituted within the directions.)

{Please read entire label and use strictly in accordance with precautionary statements and directions.}

For Closed Loading System Application Only

OIL FIELD, GAS PRODUCTION AND TRANSMISSION PIPELINE AND SYSTEMS

{{OIL FIELD} {GAS PRODUCTION} {HYDROCARBON PRODUCTION} {TRANSMISSION PIPELINE} {AND} {SYSTEMS}}: {(Not Approved For Use In California)} Specific treatment requirements vary among oil and/or gas field sites and subsystem components. {Oil field fluids and subsystems most commonly requiring microbial contamination control are raw water sources, separators, ballasts, storage and mixing tanks, screens, surface injection equipment, production equipment {(such as injection and production piping casting, completion and valving)} and the formation itself.} The primary point of treatment will vary among oil and/or gas field operations depending on the site problems, water-flood treatment methods and equipment. This product must be added where it will disperse rapidly and uniformly to the desired area of treatment. Additions of this product must be made with the proper type of metering pump equipment, suction (low pressure) side of pumping equipment or similar device. This product must be added to the system by slug, continuous or on an intermittent basis, depending on the degree of system fouling.

OIL FIELD WATER FLOOD SYSTEMS, ENHANCED OIL RECOVERY, AND FRACTURING {(STIMULATION)} FLUIDS: {(Not Approved For Use In California)} This product must be added to the water flood at a point of uniform mixing.

1. **Continuous Use:** Add 1.3 – 65.5 gal. of this product per 10,000 gal. {(0.41 - 20.6 gal. of this product per 100 barrels)} of flood water {(130 – 6,550 ppm of product)} {(50 – 2,500 ppm total active) (33.7 – 1,680 ppm active Glutaraldehyde) (9.78 – 492 ppm DDAC/ 6.52 – 328 ppm ADBAC) (16.3 – 820 ppm total active Quaternary)} to control slime forming and sulfate reducing bacteria. Levels for effective control will vary depending on conditions at the site.
2. **Intermittent Use:** Add at a rate of 1.3 – 65.5 gal. of this product per 10,000 gal. {(0.41 - 20.6 gal. of this product per 100 barrels)} of flood water {(130 – 6,550 ppm of product)} {(50 – 2,500 ppm total active) (33.7 – 1,680 ppm active Glutaraldehyde) (9.78 – 492 ppm DDAC/ 6.52 – 328 ppm ADBAC) (16.3 – 820 ppm total active Quaternary)} for 4 to 8 hours per day, one to four times a week as needed to maintain control.
3. **Treatment of flow back return water {(Post Hydraulic Fracturing)}:** Dose at a rate of 1.3 – 65.5 gal. of this product per 10,000 gal. {(0.41 - 20.6 gal. of this product per 100 barrels)} of flood water {(130 – 6,550 ppm of product)} {(50 – 2,500 ppm total active) (33.7 – 1,680 ppm active Glutaraldehyde) (9.78 – 492 ppm DDAC/ 6.52 – 328 ppm ADBAC) (16.3 – 820 ppm total active Quaternary)} for 4-8 hours per day, one to four times a week as needed to maintain control.

INJECTION WASTE FLUIDS: {(Not Approved For Use In California)} Add 1.3 – 39.6 gal. of this product per 10,000 gal. {(0.41 – 12.5 gal. of this product per 100 barrels)} {(40 – 1,019 ppm active Glutaraldehyde) (6 – 297 ppm DDAC/ 4 – 198 ppm ADBAC) (10 – 495 ppm total active Quaternary)} to the waste fluid prior to or at injection into an approved disposal well.

{{FRACTURING} {FRAC}} FLUIDS: {(Not Approved For Use In California)} Add this product to the frac water storage tanks or directly into the well head injection pipeline as the water is being pumped down-hole.

Dose Range: Add 1.3 - 65.5 gal. of this product per 10,000 gal. {(0.41 - 20.6 gal. of this product per 100 barrels)} of flood water {(130 – 6,550 ppm of product)} {(50 – 2,500 ppm total active) (33.7 – 1,680 ppm active Glutaraldehyde) (9.78 – 492 ppm DDAC/ 6.52 – 328 ppm ADBAC) (16.3 – 820 ppm total active Quaternary)} to control slime forming and sulfate reducing bacteria. Levels for effective control will vary depending on conditions at the site.

{{OIL FIELD} {GAS PRODUCTION} {TRANSMISSION PIPELINE} {AND} {SYSTEMS}}: {(Not Approved For Use In California)} For the control of sulfate-reducing bacteria and slime forming bacteria, this product must be added to a gas production or transmission pipeline via direct injection at a point where uniform and maximum distribution will occur. The application must be conducted to ensure maximum distribution of the product through the internal surface of the pipeline by adding an amount of biocide which eventually comes out the other

end of the pipeline. Criteria for success of the treatment will be reduction in bacterial count and/or corrosion rates. To facilitate application, it is desirable to dilute the product with an appropriate solvent immediately before use. The concentration in the solvent must not fall below an active concentration range of 500- 5000 ppm -active based on the volume of water in the pipeline. For pipeline uses, after application and complete distribution throughout the pipeline, a detectable amount of residue product should be present at the back end of the pipeline system. Injections to the system must be weekly, or as needed to maintain control.

GAS STORAGE WELLS AND SYSTEMS: {(Not Approved For Use In California)} Treat individual injection wells with 6.5 – 65.5 gal. of this product per 10,000 gal. {(2 - 20.6 gal. of this product per 100 barrels)} of water {(655 – 6,550 ppm of product)} {(50 – 2,500 ppm total active) (168 – 1,680 ppm active Glutaraldehyde) (9.78 – 492 ppm DDAC/ 6.52 – 328 ppm ADBAC) (82 – 820 ppm total active Quaternary)}. Update treatment rate as needed. This product must be diluted by the water present in the formation. Injection takes place before gas is injected and may be repeated yearly or as needed to maintain control.

Individual drips should be treated with a sufficient quantity of this product to produce a concentration of 100-6000 ppm active of this product when diluted by the water present in the drip. Injections should be repeated yearly or as needed to maintain control.

PIPELINE PIGGING AND SCRAPING OPERATIONS: {(Not Approved For Use In California)} Add this product to slug water immediately following the scraper {(keep the water volume to a minimum and contained between the scraper and the {(following)} {trailing}} pig)}. Add an effective concentration of 0.13 – 1.31 gal. of product per 100 gal. {(4.1 – 41.2 gal. of this product per 100 barrels)} of water {(1,300 – 13,100 ppm of product)} {(500 - 5,000 ppm total active) (336.2 – 3,362 ppm active Glutaraldehyde) (98.3 - 983 ppm DDAC/ 65.5 - 655 ppm ADBAC) (163.8 – 1638 ppm total active Quaternary)} depending on the length of the pipeline and the severity of the biofouling.

DRILLING {(MUDS)}, COMPLETION AND WORKOVER FLUIDS SYSTEMS: {(Not Approved For Use In California)} This product is to be added to these fluid systems at a point of uniform mixing, such as a circulating, holding or mud tank. Levels for effective control will vary depending on conditions at the site and the severity of the contamination.

1. **Initial treatment:** Add 0.06. – 1.3 gal. of this product per 1,000 gal. {(0.21 – 4.12 gal. of this product per 100 barrels)} of freshly prepared fluid {(65 – 1300 ppm of product)} {(25 - 500 ppm total active) (16.7 – 336 ppm active Glutaraldehyde, (5 – 98.4 ppm DDAC/ 3.3 – 65.6 ppm ADBAC) (8.3 – 164 ppm total active Quaternary)}.
2. **Maintenance dosage:** Add 0.06 – 1.3 gal. of this product per 1,000 gal. {(0.21 – 4.12 gal. of this product per 100 barrels)} of freshly prepared fluid {(65 – 1300 ppm of product)} {(25 - 500 ppm total active) (16.7 – 336 ppm active Glutaraldehyde, (5 – 98.4 ppm DDAC/ 3.3 – 65.6 ppm ADBAC) (8.3 – 164 ppm total active Quaternary)}.

PACKER FLUIDS: {(Not Approved For Use In California)} This product is to be added to the packer fluid at a point of uniform mixing such as a circulating holding tank {and} {other mixing device locations}. Add 0.65 – 7.85 gal. of this product per 10,000 gal. {(0.21 – 12.47gal. of this product per 100 barrels)} of freshly prepared packer fluid {(65 – 785 ppm of product)} {(25 - 300 ppm total active) (16.7 – 202 ppm active Glutaraldehyde) (5 - 59 ppm DDAC/ 3.3 - 39 ppm ADBAC) (8.3 – 98 ppm total active Quaternary)}. Levels for effective control vary depending on conditions at the site and the severity of contamination. Seal the treated packer fluid in the wall between the casing and the production tube.

USE AS HYDROGEN SULFIDE SCAVENGER (NON-BIOCIDAL): {(Not Approved For Use In California)} This product may also be used as a hydrogen sulfide scavenger in oil field processing and refining operations. For hydrogen sulfide application, inject 1.31 gal of this product to 1,000 gal. {(4.12 gal of this product per 100 barrels)} of water {(500 ppm total active)} in target areas on a continuous basis or in slug treatment.

HYDROTESTING: {(Not Approved For Use In California)} Treat water used to hydrotest pipelines or vessels by adding 0.13 – 5 gal. of this product per 1,000 gal. {(0.41 - 15.74 gal. of this product per 100 barrels)} of water {(130 – 5,240 ppm of product)} {(33.6 – 1,285 ppm active Glutaraldehyde) (9.8 - 375 ppm DDAC/ 6.6 - 250 ppm ADBAC) (16.4 – 625 ppm total active Quaternary)} depending on the water quality and length of time the equipment will remain idle.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

{(PESTICIDE)} STORAGE: This product is incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. This product can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

{(Note to Reviewer: One or more of the following paragraphs for Container Handling will be selected, depending on packaging use/type.)}

{(For non-refillable containers equal to or less than 5 gallons)}

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container {(or equivalent)} promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture

and dispose of in a sanitary landfill, or by incineration.

{For non-refillable containers greater than 5 gallons}

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container {(or equivalent)} promptly after emptying. Triple rinse as follows: Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

{Refillable containers}

Refillable Container. Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

{SPANISH ADVISORY STATEMENTS}

(Note to Reviewer: This statement is optional except when used on labels with agricultural uses.)

{SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETALLE. IF YOU DO NOT UNDERSTAND THE LABEL, FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.}

GRAPHICS AND ICONS

(Note to Reviewer: These are representative icons for use sites/application methods that may appear on the label with the appropriate directions for use, PPE or package type.)



Children can fall into bucket and drown.

Keep children away from bucket with even a small amount of liquid.


MADE IN



U. S. A.



MADE IN USA



{WARRANTY STATEMENT}

(Note to Reviewer: This statement is optional.)

Read Product Safety Data Sheet prior to use, PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND on the Product Material Safety Data Sheet.

Lea la Hoja de Seguridad del Producto antes de usarlo. LA GARANTIA DEL PRODUCTO, DECLINACION Y LIMITACION DE RESPONSABILIDAD SE ENCUENTRAN en la Hoja de Seguridad del Producto.