



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

94730-46

Date of Issuance:

6/27/23

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

GCS Flumioxazin Technical

Name and Address of Registrant (include ZIP Code):

Ogongi Ogongi  
Agent  
Generic Crop Science, LLC  
1887 Whitney Mesa Drive #9740  
Henderson, NV 89014

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 94730-46."

Signature of Approving Official:

Shaja B. Joyner, Product Manager 20  
Fungicide-Herbicide Branch  
Registration Division 7505T

Date:

6/27/23

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/09/2023
- Alternate CSF #1 dated 06/09/2023

If you have any questions, please contact Ernest Kraka by phone at (202)-566-2811, or via email at [kraka.ernest@epa.gov](mailto:kraka.ernest@epa.gov)

Enclosure

[MASTER LABEL]

# GCS Flumioxazin Technical

For Formulating Use Only

<b>Active Ingredient:</b>	<b>% by Weight</b>
Flumioxazin: (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isindole-1,3(2H)-dione) .....	98.64%
<b>Other Ingredients:</b> .....	<u>1.36%</u>
<b>Total:</b> .....	<b>100.00%</b>

## KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)


FIRST AID	
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
EMERGENCY NUMBERS	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24-Hour Medical Emergency Assistance (Human or Animal), call <b>1-800-222-1222</b> . For Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), call ChemTrec at <b>1-800-424-9300</b> .	

[See [Side][Back] Panel for Precautionary Statements, Directions For Use, and Storage and Disposal.]

EPA Reg. No. 94730-X  
EPA Est. No. \_\_\_\_\_

Net Contents: \_\_\_\_\_ [Lbs./Kg]

**Manufactured [For] [By]:**  
Generic Crop Science, LLC  
1887 Whitney Mesa Drive #9740  
Henderson, NV 89014



## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION/PRECAUTION

Harmful if swallowed. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This product is toxic to non-target plants and aquatic invertebrates. **DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

This product may only be formulated into herbicide products for the following uses.

#### Terrestrial Food Uses

- **Individual Crop Uses:** Alfalfa, Artichoke (Globe), Asparagus, Cactus (Prickly Pear), Citrus oil, Cotton, Field Corn, Garlic, Hops, Mint, Olive, Peanut, Pomegranate, Soybean, Sugarcane, and Wheat.

#### Crop Group Uses:

- **Tuberous and Corm Vegetables (Subgroup No. 1C):** Arracacha, Arrowroot, Chinese Artichoke, Jerusalem Artichoke, Bitter and Sweet Cassava, Chayote (Root), Chufa, Dasheen (Taro), Ginger, Leren, Potato, Sweet Potato, Tanier, Turmeric, Bean Yam, and True Yam.
- **Bulb Onion (Subgroup 3-07A):** Bulb Daylily, Bulb Fritillaria, Bulb Garlic, Bulb Great-Headed Garlic, Bulb Serpent, Bulb Lily, Bulb Onion, Bulb Chinese Onion, Pearl Onion, Bulb Potato Onion, Bulb Shallot, cultivars, varieties, and/or hybrids of these.
- **Leaf Petioles (Subgroup 4B):** Cardoon, Celery, Celery, Chinese, Celtuce, Fennel, Florence, Rhubarb, and Swiss chard.
- **Brassica Head and Stem Vegetable Group 5-16:** Broccoli, Brussels Sprouts, Cabbage, Chinese (Napa), Cauliflower, cultivars, varieties, and/or hybrids of these.
- **Dried Shelled Pea and Bean (except Soybean) (Subgroup 6C):** Dried Cultivars of Bean (*Lupinus*), Bean (*Phaseolus*) (includes Field Bean, Kidney Bean, Lima Bean (Dry), Navy Bean, Pinto Bean, Tepary Bean, Bean (*Vigna*) (includes Adzuki Bean, Blackeyed Pea, Catjang, Cowpea, Crowder Pea, Moth Bean, Mung Bean, Rice Bean, Southern Pea, Urd Bean, Broad Bean (Dry), Chickpea, Guar, Lablab Bean, Lentil, Pea (*Pisum*) (includes Field Pea), Pigeon Pea.
- **Fruiting Vegetables including okra (except Cucurbits) (Crop Group 8-10):** Eggplant, Bush Tomato, Bell Pepper, Cocona, Carrant Tomato, Eggplant, Garden Huckleberry, Goji Berry, Groundcherry (*Physalis* spp.), Martynia, Naranjilla, Okra, Pea Eggplant, Pepino, Pepper (includes Bell Pepper, Chili Pepper, Cooking Pepper, Pimento, Sweet Pepper), Non-Bell Pepper, Roselle, Scarlet Eggplant, Sunberry, Tomatillo, Tomato, Tree Tomato, cultivars, varieties, and/or hybrids of these.
- **Cucurbit Vegetables (Crop Group 9):** Chayote (fruit), Chinese Waxgourd (Chinese Preserving Melon), Citron Melon, Cucumber, Gherkin, Gourd, Edible (includes Hyotan, Cucuzza, Hechima, Chinese Okra), *Momordica* spp. (includes Balsam Apple, Balsam Pear, Bittermelon, Chinese Cucumber), Muskmelon (includes Cantaloupe), Pumpkin, Squash (Summer), Squash (Winter) (includes Butternut Squash, Calabaza, Hubbard Squash, Acorn Squash, Spaghetti Squash) and Watermelon.
- **Citrus Fruit (Crop Group 10-10):** Australian Desert Lime, Australian Finger-Lime, Australian Round Lime, Brown River Finger Lime, Calamondin, Citron, Citrus Hybrids, Grapefruit, Japanese Summer Grapefruit, Kumquat, Lemon, Lime, Mediterranean Mandarin, Mount White Lime, New Guinea Wild Lime, Sour Orange, Sweet Orange, Pummelo, Russell River Lime, Satsuma Mandarin, Sweet Lime, Tachibana Orange, Tahiti Lime, Tangelo, Tangerine (Mandarin), Tangor, Trifoliate Orange, Uniq Fruit, cultivars, varieties, and/or hybrids of these.
- **Pome Fruit (Crop Group No 11-10):** Apple, Azarole, Crabapple, Loquat, Mayhew, Medlar, Pear (Oriental Pear), Quince, Chinese Quince, Japanese Quince, Tejocote, cultivars, varieties and/or hybrids of these.
- **Stone Fruit (Crop Group No 12-12):** Apricot, Japanese Apricot, Capulin, Cherry (Black, Nanking, Sweet, Tart), Chinese Jujube, Nectarine, Peach, Plum (American, Beach, Canada, Cherry, Chickasaw, Damson, Japanese, Klamath, Prune), Plumcot, Fresh Prune, Sloe, and cultivars, varieties, and/or hybrids of these.
- **Caneberry (Subgroup 13-07A):** Blackberry, Loganberry, Raspberry (Black, Red), Wild Raspberry, cultivars, varieties, and/or hybrids of these.
- **Bushberries (Subgroup Group No 13-07B):** Aronia Berry, Blueberry Highbush and Lowbush, Blueberry, Lowbush, Buffalo Currant, Chilean Guava, Currant (Black, Red), Elderberry European, Barberry, Gooseberry, Cranberry Highbush, Honeysuckle Edible, Huckleberry, Jostaberry, Juneberry, Lingonberry, Native Currant, Salal, Sea Buckthorn, cultivars varieties and/or hybrids of these.
- **Small Fruit Vine Climbing, except fuzzy kiwifruit (Subgroup 13-07F):** Amur River Grape, Gooseberry, Grape, Hardy Kiwifruit, Maypop, Schisandra Berry, cultivars, varieties and/or hybrids of these.
- **Low Growing Berry (Subgroup 13-07G):** Bearberry, Bilberry, Lowbush Blueberry, Cloudberry, Cranberry, Lingonberry, Muntries, Partridgeberry, Strawberry, cultivars, varieties and/or hybrids of these.

- **Nut Trees including Pistachio (Crop Group 14-12):** African Nut-Tree, Almond, Beech Nut, Betelnut, Brazil Nut, Brazilian Pine, Bunya, Bur Oak, Butternut, Cajou Nut, Candlenut, Cashew, Chestnut, Chinquapin, Coconut, Coquito Nut, Dika Nut, Guiana Chestnut, Filbert (Hazelnut), Ginkgo, Heartnut, Hickory Nut, Japanese Horse-Chestnut, Macadamia Nut, Oak, Mongongo Nut, Monkey-Pot, Monkey Puzzle Nut, Okari Nut, Pachira Nut, Peach Palm Nut, Pecan, Pequi, Pili Nut, Pine Nut, Pistachio, Sapucaia Nut, Tropical Almond, Walnut Black and English, Yellowhorn, cultivars, varieties, and/or hybrids of these.
- **Rapeseed (Subgroup 20A):** Borage, Crambe, Cuphea, Echium, Flax Seed, Gold of Pleasure, Hare's Ear Mustard, Lesquerella, Lunaria, Meadowfoam, Milkweed, Mustard Seed, Oil Radish, Poppy Seed, Rapeseed (Canola varieties only), Sesame, Sweet Rocket, cultivars, varieties, and/or hybrids of these.
- **Sunflower (Subgroup 20B):** Calendula, Castor Oil Plant, Chinese Tallowtree, Euphorbia, Evening Primrose, Jojoba, Niger Seed, Rose Hip, Safflower, Stokes Aster, Sunflower, Tallowwood, Tea Oil Plant, Vernonia, cultivars, varieties, and/or hybrids of these.

#### Terrestrial Non-Food Uses

- **Conifers and Deciduous Trees and Ornamental Plants Including:** Christmas Trees, Dormant Turfgrass, Fallowland, Flowering Plants, Foliage Plants, Forestry including Conifer Reforestation and Poplar Plantations; Golf Courses, Ground Covers, Non-Bearing Fruit Trees, Ornamentals, Ornamental Trees, Outdoor Residential including Dormant Warm Season Turfgrass; Sod Farms, Shrubs and to maintain bare ground non-crop areas of farms and bare ground non-crop areas of Vineyards.

#### Aquatic Non-Food Uses

- Bayous, Canals, Drainage Ditches, Lakes, Marshes, Ponds, Reservoirs, and other slow moving or quiescent bodies of water.

Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and

Uses for experimental purposes that are in compliance with U.S. EPA requirements.

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food, or feed by storage or disposal.

#### Pesticide Storage:

Keep pesticide in original container. Store in a cool, dry, secure place. **DO NOT** put formulation or dilute spray solution into food or drink containers. Not for use or storage in or around the home. **DO NOT** contaminate food or foodstuffs. **DO NOT** store or transport near feed or food.

#### Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

#### Container Handling:

**[Non-refillable Plastic Containers (Capacity Equal to or Less than 50 Pounds): DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two or more times. Offer for recycling, or puncture and dispose of in a sanitary landfill, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.]

**[Non-refillable Plastic Containers (Capacity Equal to or more than 50 Pounds): DO NOT** reuse or refill this container. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by state and local ordinances.]

**[Non-refillable Paper or Plastic Bags, Fiber Sacks including Flexible Intermediate Bulk Containers (FIBC) or Fiber Drums with Liners. DO NOT** reuse or refill this container. Completely empty paper or plastic bag, fiber sack or drum liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling if available or dispose of empty paper or plastic bag, fiber sack or fiber drum and liner in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by State and local ordinances.]

**[Refillable Fiber Drums With Liners: Refillable container (fiber drum only).** Refilling Fiber Drum: Refill this fiber drum with this technical product only. **DO NOT** reuse this fiber drum for any other purpose. Cleaning before refilling is the responsibility of the refiller. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment.]

**[Disposing of Fiber Drum and/or Liner: DO NOT** reuse this fiber drum for any other purpose other than refilling this technical only. Cleaning the container (liner and/or fiber drum) before final disposal is the responsibility of the person disposing of the container. Offer the liner for recycling, or puncture and dispose of in a sanitary landfill, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner. To clean the fiber drum before final disposal, completely empty the fiber drum by shaking and tapping sides and bottom to loosen clinging particles. Empty residual into application or manufacturing equipment. Offer for recycling, or puncture and dispose of in a sanitary landfill, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.]

**[Nonrefillable Metal Containers:** Nonrefillable Container. **DO NOT** reuse or refill this container. Triple rinse container (or

equivalent) promptly after emptying. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container  $\frac{1}{4}$  full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. When completely empty, offer for recycling if available or puncture and dispose of container in a sanitary landfill or by other procedures approved by State and local authorities.]

**[Refillable Metal Containers: Refillable container.** Refill this metal container with this product only. **DO NOT** reuse this metal container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Return to point of sale or offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.]

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

##### **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Generic Crop Science, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, GENERIC CROP SCIENCE, LLC MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. To the extent consistent with applicable law, no agent of Generic Crop Science, LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, GENERIC CROP SCIENCE, LLC DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT GENERIC CROP SCIENCE, LLC'S ELECTION, THE REPLACEMENT OF PRODUCT.