



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

95055-1

Date of Issuance:

11/16/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Clethodim YF Technical

Name and Address of Registrant (include ZIP Code):

Yifan Biotechnology Group Co., c/o CSI
7501 Bridgeport Way West,
Lakewood, WA 94899

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jordan Page, Product Manager 24
Fungicide and Herbicide Branch, Registration Division (7505P)

Date:

11/16/20

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 95055-1.”
3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/10/2019

If you have any questions, please contact Francisco Llarena-Arias by phone at 703-347-0459, or via email at llarena-arias.francisco@epa.gov

Enclosure

[Text in brackets is optional]

| | | | |
|-----------|-------|----------|-----------|
| CLETHODIM | GROUP | 1 | HERBICIDE |
|-----------|-------|----------|-----------|

Clethodim YF Technical

| ACTIVE INGREDIENT | % BY WT. |
|------------------------|----------|
| *Clethodim..... | 93.97% |
| OTHER INGREDIENTS..... | 6.03% |
| TOTAL..... | 100.0% |

*(E)-2[1-[(3-Chloro-2-propenyl)oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one

KEEP OUT OF REACH OF CHILDREN

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See [front][back][side][inside] panel for First Aid Instructions and [Leaflet][Booklet] for complete
Precautionary Statements and Directions for Use.


| FIRST AID | |
|---|---|
| IF SWALLOWED: | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• DO NOT induce vomiting unless told to do so by a poison control center or doctor.• DO NOT give anything by mouth to an unconscious person. |
| IF ON SKIN OR CLOTHING: | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice. |
| NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. | |
| In the event of a leak, fire or medical emergency involving a human or animal please call INFOTRAC at 1-800-535-5053 or Outside the USA and Canada at 1-352-323-3500, 24/7/365. | |

EPA Reg. No. 95055-xxx
xxxxxxV001

[Batch Code will be placed on the container.]

Manufactured for:
Yifan Biotechnology Group Co., Ltd.
No. 555, Changan Road, Yaoxi subdistrict,
Longwan district, Wenzhou City, Zhejiang, China 325013

EPA Est. No.:
NET CONTENTS:



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear: Long-sleeved shirt and long pants, chemical resistant gloves such as Barrier laminate, Butyl rubber, Nitrile rubber, or Viton, socks and shoes.

ENVIRONMENTAL HAZARDS

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System

(NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT use or store near heat or open flame.

INSTRUCTIONS FOR FORMULATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

A HERBICIDE FOR FORMULATION

THIS PRODUCT IS FOR USE IN FURTHER PREPARATION OF HERBICIDE PRODUCTS.

DO NOT USE FOR ANY OTHER PURPOSES. Products formulated with Clethodim Technical will require registration with the Environmental Protection Agency.

DIRECTIONS FOR USE

Only for Formulation Into Herbicide Products Intended For:

(1) The Following Uses(s):

Terrestrial, Food Uses:

| | |
|----------------------|---|
| Crop Subgroup 1B | Root Vegetables, except Sugar Beet |
| Crop Subgroup 1C | Tuberous and Corm Vegetables |
| Crop Subgroup 3-07A | Onion, Bulb |
| Crop Subgroup 3-07B | Onion, Green |
| Crop Subgroup 4-16A | Leafy Greens |
| Crop Subgroup 4-16B | Brassica Leafy Greens |
| Crop Group 5-16 | Brassica Head and Stem Vegetable |
| Crop Group 6 | Legume Vegetables (Dried and Succulent), except Soybean |
| Crop Group 8-10 | Fruiting Vegetable, except Okra |
| Crop Subgroup 9A | Melon |
| Crop Subgroup 9B | Squash/Cucumber |
| Crop Group 11-10 | Pome Fruit |
| Crop Group 12-12 | Stone Fruit |
| Crop Subgroup 13-07A | Caneberry |
| Crop Subgroup 13-07B | Bushberry Crop |
| Crop Subgroup 13-07G | Low Growing Berry, except Cranberry |
| Crop Group 14-12 | Tree Nut |
| Crop Subgroup 19A | Herbs |
| Crop Subgroup 20A | Rapeseed, except Flax Seed |
| Crop Subgroup 20B | Sunflower |
| Crop Subgroup 20C | Cotton Seed |
| Crop Subgroup 22A | Stalk and Stem Vegetable |
| Crop Subgroup 22B | Leaf Petiole Vegetable |

Individual Food Crops: Alfalfa; Artichoke (Globe); Clover; Cotton; Cranberry; Field Corn; Flax Seed; Hops; Mint (Peppermint tops and Spearmint tops); Okra; Peanut; Radish Tops; Soybean; Stevia, dried leaves; Sugar Beet and Sugar Beet Tops.

GREENHOUSES, SHADEHOUSES, LATHHOUSES, AND OUTDOORS, NON-FOOD USES:

Ornamentals, Non-Bearing Food Crops, Conifer Trees, Christmas Trees, Fallow Land (and other non-producing agricultural areas), Non-Crop or Non-Planted Areas and Residential Outdoor.

(2) Uses for Which USEPA Has Accepted The Required Data And/Or Citations Of Data That The Formulator Has Submitted In Support Of Registration; and

(3) Uses for Experimental Purposes That Are In Compliance with USEPA Requirements.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE

Keep pesticide in original container. **DO NOT** put concentrate or dilute into food or drink containers. Store in cool dry place.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited.

CONTAINER HANDLING

[Refillable container. Refill this container with pesticide only. DO NOT reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.]

[Nonrefillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 60 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available; otherwise dispose of in a sanitary landfill or by incineration.]

Warranty and Disclaimer Statement

Read the entire DIRECTIONS FOR USE and Warranty and Disclaimer Statement before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The DIRECTIONS FOR USE of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product including risks that may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors. Such risks are all beyond the control of Yifan Biotechnology Group Co., Ltd. ("YIFAN") and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer and to the extent permitted by applicable law, the user or buyer agree to hold YIFAN harmless for any claims relating to such risks.

YIFAN warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the DIRECTIONS FOR USE, subject to the inherent risks described above, when used in accordance with the DIRECTIONS FOR USE under normal conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of YIFAN, and the user or buyer assume the risk of any such use.

To the extent permitted by applicable law, YIFAN disclaims all other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose. To the extent permitted by applicable law, YIFAN, manufacturer, and seller disclaim and shall not be liable for any special, incidental, indirect, or consequential damages (including claims based on breach of warranty, contract, negligence, tort, strict liability or otherwise) resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the user and buyer waive any right that they may have to such damages. No agent, representative or employee of YIFAN is authorized to make any warranty, guarantee or representation beyond those contained herein or to modify the warranties contained herein.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF YIFAN, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT YIFAN'S ELECTION, THE REPLACEMENT OF THE PRODUCT.